Transmural project for subacromial impingement syndrome: a randomized controlled trial comparing a new transmural treatment strategy (TRANSIT) with usual medical care

Submission date 04/04/2006	Recruitment status No longer recruiting	Prospectively registered[X] Protocol
Registration date 04/04/2006	Overall study status Completed	 Statistical analysis plan Results
Last Edited 20/08/2021	Condition category Musculoskeletal Diseases	 Individual participant data Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s) Scientific

Contact name Mr O. Dorrestijn

Contact details

University Medical Center Groningen Department Orthopaedic Surgery P.O. Box 30.001 Groningen Netherlands 9700 RB +31 (0)50 3610078 transitonderzoek@gmail.com

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers NL542 (NTR586)

Study information

Scientific Title

Transmural project for subacromial impingement syndrome: a randomized controlled trial comparing a new transmural treatment strategy (TRANSIT) with usual medical care

Acronym

TRANSIT

Study objectives

TRANSIT will give patients who have a subacromial impingement syndrome a reduced recovery time, more improvement of arm function and more reduction of shoulder pain compared to patients treated with usual medical care.

Ethics approval required Old ethics approval format

Ethics approval(s) Not provided at time of registration

Study design Randomized controlled trial

Primary study design Interventional

Secondary study design Randomised controlled trial

Study setting(s) Not specified

Study type(s) Treatment

Participant information sheet

Health condition(s) or problem(s) studied

Subacromial impingement syndrome

Interventions

Intervention group: the treatment is an arthroscopic subacromial decompression performed within six weeks after randomization.

Control group: the treatment is usual medical care, which consists of treatment in general practice according to the Guidelines for Shoulder Complaints of the Dutch College of General

Practitioners (issued in 1999). Both groups will be followed for one year post-randomization.

Intervention Type

Other

Phase

Not Specified

Primary outcome measure

Shoulder Disability Questionnaire: a 16-item measure for functional status limitation in patients with shoulder disorders (Van der Heijden et al, 2000).

Study data will be collected at the following moments: at inclusion, at randomization and three, six and twelve months after randomization.

Secondary outcome measures

1. Constant-Murley score - a shoulder-specific scoring system in which patient-reported subjective assessment and objective measurement of shoulder function takes place (Constant et al, 1987)

2. Shoulder Pain Score - a concise questionnaire for the assessment of pain experienced by patients with shoulder complaints (Winters et al, 1996)

3. Shoulder Rating Questionnaire (SRQ-DLV) - a self-administered patient based instrument which assesses shoulder function in seven domains (Vermeulen et al, 2005)

4. Patient-perceived recovery - a one-item score concerning recovery following treatment measured on a seven-point ordinal scale

5. (Dutch) Short-form 36 Health Survey - a Health-related Quality of Life Assessment system composed of 36 questions and standardized response choices, organized into eight multi-item scales (Aaronson, 1998).

6. Cost-effectiveness - an economic evaluation will be performed using a questionnaire for assessment of direct health care costs as well as direct non-health related costs. These data will be used for a cost-effectiveness analysis.

Overall study start date

08/03/2006

Completion date

01/11/2008

Eligibility

Key inclusion criteria

1. Pain on abduction of the shoulder

2. Shoulder pain as a recurrence of an episode with a maximum duration of 12 months in which a partial or good response is achieved with (a) subacromial corticosteroid injection(s)

3. A maximum duration of three months of shoulder complaints prior to the first subacromial injection, possibly treated with non-steroidal anti-inflammatory drug (NSAID) and/or physiotherapy

- 4. No shoulder complaints for at least two years prior to the current episode of shoulder pain
- 5. Men and women, aged between 30 and 60 years
- 6. Being able to give an informed consent

Amendment to inclusion criterion number 3 as of 24/07/2006:

3. A maximum duration of six months of shoulder complaints prior to the first subacromial injection, possibly treated with non-steroidal anti-inflammatory drug (NSAID) and/or physiotherapy

Participant type(s)

Patient

Age group

Adult

Sex

Both

Target number of participants

70

Key exclusion criteria

- 1. Shoulder girdle pain
- 2. Shoulder pain not based on pain on abduction of the shoulder
- 3. Signs of cervical root compression
- 4. Bilateral shoulder pain
- 5. Secondary subacromial impingement
- 6. Presence of specific rheumatic diseases
- 7. History of severe trauma of the shoulder (fracture or luxation)
- 8. Previous surgery of the affected shoulder
- 9. Extrinsic causes of shoulder pain
- 10. Presence of dementia of other psychiatric disorders
- 11. Not being able to fill in questionnaires in Dutch

Date of first enrolment

08/03/2006

Date of final enrolment 01/11/2008

Locations

Countries of recruitment Netherlands

Study participating centre University Medical Center Groningen Groningen Netherlands 9700 RB

Sponsor information

Organisation

University Medical Center Groningen (UMCG), Department Orthopaedic Surgery (The Netherlands)

Sponsor details

P.O. Box 30.001 Groningen Netherlands 9700 RB

Sponsor type

Not defined

ROR https://ror.org/03cv38k47

Funder(s)

Funder type University/education

Funder Name

University Medical Center Groningen (UMCG), Health Care Efficiency fund

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs					
Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Protocol article	Study protocol:	22/02/2007		Yes	No