Effect on the incidence of exacerbations of a programme of physical activity encouragement using pedometers in patients with chronic obstructive pulmonary disease

Submission date	Recruitment status	Prospectively registered
31/05/2024	No longer recruiting	☐ Protocol
Registration date	Overall study status	Statistical analysis plan
02/07/2024	Completed	Results
Last Edited	Condition category	Individual participant data
01/07/2024	Respiratory	Record updated in last year

Plain English summary of protocol

Background and study aims

Chronic Obstructive Pulmonary Disease (COPD) is the most common long-term respiratory illness in adults and is a major cause of death and disability. In Chile, COPD is the leading respiratory disease in terms of its impact on health. One of the national health goals for this decade is to reduce the illness and deaths caused by COPD.

COPD causes long-term blockage of airflow, leading to breathing difficulties, especially during physical activity. This condition lowers a person's ability to exercise, causes them to be less active, and worsens their overall health and quality of life. Patients with COPD experience worsening symptoms, called acute exacerbations, about twice a year on average. These exacerbations are marked by a sudden increase in breathing difficulty, coughing, and mucus production, often requiring urgent medical visits and sometimes hospital stays. About 40% of patients who have an exacerbation need to be hospitalized, which is costly and associated with a lower chance of survival.

Research shows that physical activity is crucial for people with COPD. More active patients experience fewer symptoms, enjoy a better quality of life, and, regardless of lung function, sex, or other illnesses, have fewer hospitalizations and lower mortality rates than those who are less active.

Our team conducted a 3-month clinical trial where patients with COPD used step counters to encourage physical activity.

Who can participate?

Patients aged 40 years and older, with COPD.

What does the study involve?

Participants are randomly assigned to the experimental or the control group.

Experimental Group: Patients use step counters and logs, with goals to increase steps based on baseline and monthly check-ups.

Control Group: Patients attend monthly physical therapist visits, recording symptoms and treatments in a logbook reviewed only by the physician.

The study involves attending hospitals regularly once a month until the follow-up is completed. The visits are brief, about 20 to 30 minutes, and they are helped with the cost of their travel. For the evaluations, they should allow more time (approximately 2 hours).

What are the possible benefits and risks of participating?

This study does not contemplate a direct benefit for patients except that all patients who complete the study are given a step counter. For patients in the experimental group, the step counter is given to them at the beginning of the follow-up; for patients in the control group, it is given to them at the end of their follow-up after the last evaluation.

Since the intervention consists only of walking supported by the step counter, it does not imply any risks for patients. Nor do the evaluations include any significant risk for patients.

Where is the study run from? Agencia Nacional de Investigación y Desarrollo (Chile)

When is the study starting and how long is it expected to run for? March 2019 to December 2023

Who is funding the study? Agencia Nacional de Investigación y Desarrollo (Chile)

Who is the main contact?
Dr Laura Mendoza, lmendoza@hcuch.cl

Contact information

Type(s)

Public, Scientific, Principal Investigator

Contact name

Dr Laura Mendoza

ORCID ID

https://orcid.org/0000-0001-5426-0439

Contact details

Dr. Carlos Lorca 999 Independencia Santiago Chile 8380000 +56 229788409 Imendoza@hcuch.cl

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Nil known

Secondary identifying numbers

FONIS SA19AI0179

Study information

Scientific Title

Effect on the incidence of exacerbations of a programme of physical activity encouragement using pedometers in patients with Chronic Obstructive Pulmonary Disease: A randomized multicenter clinical trial

Acronym

PedometersAECOPD

Study objectives

A program of physical activity encouragement using pedometers in COPD patients reduces the incidence of exacerbations

Ethics approval required

Ethics approval required

Ethics approval(s)

Approved 20/11/2019, Comité Ético Cientifico o de Investigación del Hospital Clínico de la Universidad de Chile (Dr. Carlos Lorca 999 Independencia, Santiago, 8380420, Chile; +56 229788409; comitetetica@hcuch.cl), ref: 072

Study design

Interventional randomized controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

No participant information sheet available

Health condition(s) or problem(s) studied

Exacerbations in patients with Chronic Obstructive Pulmonary Disease

Interventions

Experimental Group (EG):

Patients assigned to the EG will receive the physical activity incentive program supported by step counters, where the kinesiology professional will teach them how to use the step counter, give each patient the step counter and give them goals for increasing the number of steps taken per day, initially based on the baseline measurement of the number of steps taken per day, and then in successive monthly check-ups, based on the average number of steps taken in the week prior to each visit, obtained from the information on the step counter and the logbook. Patients will be instructed to always attend visits with their step counter.

The guideline that will be used to encourage an increase in the number of steps taken per day in patients in the experimental group will be the same as that used in a previous project (Mendoza et al ERJ 2015), which is why it is validated in terms of safety (there were no adverse effects attributed to the use of the step counter) and efficacy, and which is as follows:

Steps walked per day at baseline or monthly visits:

< 6000 = asked to increase by 3000

6000 to 9000 = asked to reach 9000 reach 9000

> 9000 = asked to maintain or increase

Patients in the GE will receive two logs:

- 1. Step log: in this log they must write down every night the number of steps they have walked throughout the day, obtained from the information on the step counter.
- 2. Acute exacerbation log: in this log they will be asked to record any symptoms that attract their attention and whether they have been treated for worsening of their symptoms at their respective care centers and the medications that have been prescribed to them at said centers.

Control Group (CG):

Patients in the control group will also be scheduled to see a physical therapist on a monthly basis and will also be given a logbook to record any symptoms that attract their attention and whether they have been treated for worsening of their symptoms at their respective care centers and the medications prescribed to them at said centers. This logbook will not be reviewed by the physical therapist, only by the physician who will remain blind to the patient's assignment and who will be in charge of evaluating all patients in the study on a monthly basis during the year of intervention.

The information obtained at each visit by the physical therapist will be recorded on forms specifically designed for the follow-up of patients in the EG or CG.

Participants provide data once per month, for 3 months.

Intervention Type

Behavioural

Primary outcome measure

Baseline, 6-month, and 12-month (final) assessments include the following measurements:

- 1. Anthropometric measurements: Weight, height, determination of body mass index (BMI).
- 2. Pre- and post-bronchodilator spirometry
- 3. Quality of life assessment using the Saint George Quality of Life Questionnaire (SGRQ) and the abbreviated questionnaire: COPD Assessment Test (CAT)
- 4. Dyspnea assessment using the modified Medical Research Council (mMRC) scale

Secondary outcome measures

Measured at baseline, 6-month, and 12-month (final) assessments:

- 1. Determination of physical activity level by:
- 1.1. Delivery of an accelerometer that will be indicated to be used during the day for a full week, which determines average hours per day with light, moderate, and vigorous physical activity levels.
- 1.2. Determination of the number of steps walked per day obtained by averaging the results in 1 week using the step counter with a screen sealed with masking tape. The step counter that will be used in the study has a memory of 7 previous days.
- 1.3. Proactive Questionnaire
- 2. Determination of exercise capacity by determining the distance traveled in 6 minutes (DR6) in the six-minute walk (C6M) and the 1-minute "sit to stand" test.

Overall study start date

21/03/2019

Completion date

13/12/2023

Eligibility

Key inclusion criteria

- 1. COPD patients
- 2. 40 years old and older
- 3. Ex smokers

Participant type(s)

Patient

Age group

Adult

Lower age limit

40 Years

Upper age limit

90 Years

Sex

Both

Target number of participants

78

Total final enrolment

22

Key exclusion criteria

- 1. Exacerbations until 2 months before recruitment
- 2. Not able to walk

Date of first enrolment

29/08/2022

Date of final enrolment

08/05/2023

Locations

Countries of recruitment

Chile

Study participating centre Hospital Universidad de Chile

Dr. Carlos Lorca 999 Santiago Chile 8384020

Study participating centre Universidad de Concepción

Facultad de Medicina Chacabuco esquina Janequeo sin. número Concepción Chile 4030000

Sponsor information

Organisation

Agencia Nacional de Investigación y Desarrollo

Sponsor details

Moneda 1375 Santiago Chile 8340755 +56 223654400 oficinadepartes@anid.cl

Sponsor type

Government

Website

https://www.anid.cl/

ROR

https://ror.org/02ap3w078

Funder(s)

Funder type

Government

Funder Name

Agencia Nacional de Investigación y Desarrollo

Alternative Name(s)

Agencia Nacional de Investigación y Desarrollo de Chile, National Agency for Research and Development, Government of Chile, Chilean National Agency for Research and Development, ANID

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

Chile

Results and Publications

Publication and dissemination plan

We want to present the results at European Respiratory Society Conference

Intention to publish date

10/10/2024

Individual participant data (IPD) sharing plan

The datasets will be available upon request Laura Mendoza lmendoza@hcuch.cl

IPD sharing plan summary

Available on request