Evaluation of POPGUNS: a tool to improve quality and safety of triage decisions by general practice receptionists

Submission date	Recruitment status	[_] Prospectively registered
26/07/2016	No longer recruiting	[] Protocol
Registration date	Overall study status	[] Statistical analysis plan
22/08/2016	Completed	[_] Results
Last Edited	Condition category	Individual participant data
26/08/2016	Other	[_] Record updated in last year

Plain English summary of protocol

Background and study aims

Receptionists in general practice frequently need to prioritise different patients according to their clinical needs; but there are few tools to assist receptionists with no clinical training to do this. This study aims to assess whether or not a quality improvement tool (POPGUNS - Prioritisation of Patients: A Guide for Non-Clinicians) improves the quality of receptionists' prioritisation decisions. The tool is a graphic aid and protocol to prioritising the types of conditions which should be met with actions ranging from immediate (transfer to hospital or see at once) to non-urgent (see in a few days). The protocol includes a set of questions for the receptionist to ask, and a training manual for the practice.

Who can participate?

Receptionists who haven't been clinically trained working in general practices in rural and urban New South Wales and Australian Capital Territory.

What does the study involve?

Practices are randomly allocated to one of two groups. Those in group 1 (intervention) are provided with the POPGUNS decision protocol and explanatory booklet. They are also visited by a member of the research team and attend a education session which outlines how to use the protocol before they start implementing it. Those in group 2 (control) are given information on how to prioritise patients according to usual practice. Receptionists in participating practices will be asked to undertake a questionnaire at the start of the study giving their responses to eight clinical scenarios, discussing their prioritisation decisions. After four months, receptionists are asked to complete a follow-up questionnaire on their responses to a further eight clinical scenarios, which have been matched for acuity to the cases in the first questionnaire.

What are the possible benefits and risks of participating?

This study may benefit participants by helping them prioritize decisions easier and more consistently within a practice. It may also improve the safety of patient care, and patients' satisfaction with the service. There are few risks associated with this study, as the results of receptionists' questionnaires will be kept confidential by the study team.

Where is the study run from? The data is collected and analysed at Rural Clinical School, Medical School, Australian National University.

When is the study starting and how long is it expected to run for? June 2009 to November 2015

Who is funding the study? Australian Rotary Research

Who is the main contact? 1. Dr Christine Philips (public) christine.phiillips@anu.edu.au 2. Ms Sally Hall (scientific) sally.hall@anu.edu.au

Contact information

Type(s)

Public

Contact name Dr Christine Phillips

Contact details

Medical School Australian National University Canberra Australia 2602 +61 2 61257665 christine.phiillips@anu.edu.au

Type(s)

Scientific

Contact name Ms Sally Hall

Contact details Rural Clinical School Medical School Australian National University Canberra Australia 2602 +61 2 6244 4952 sally.hall@anu.edu.au

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers N/A

Study information

Scientific Title

Cluster randomised trial of POPGUNS (Prioritisation of Patients: A Guide for Non-Clinical Staff) in general practice, assessing effect on safety and quality of triage decisions by general practice receptionists

Acronym

POPGUNS

Study objectives

The safety and quality of prioritisation decisions made by general practice receptionists in response to patients requesting appointments can be improved by using a tool designed to assist non-clinicians to differentiate responses according to to levels of clinical urgency.

Ethics approval required

Old ethics approval format

Ethics approval(s)

1. Australian National University Human Research Ethics Committee, 06/02/2008, ref: 2008/005 2. Royal Australian College of General Practitioners Human Research Ethics Committee

Study design

Unblinded multi-centre pragmatic cluster-randomised trial

Primary study design Interventional

Secondary study design Cluster randomised trial

Study setting(s) GP practice

Study type(s) Other

Participant information sheet See additional files

Health condition(s) or problem(s) studied

Prioritisation decisions by general practice receptionists

Interventions

Practices are randomly allocated to one of two groups.

Intervention group: Practices are provided with the POPGUNS decision protocol and the explanatory booklet. All intervention practices are visited by a member of the research team and provided with an education session outlining use of the protocol as recommended by the development team. This meeting targets all staff in the practice who might have input or reflections on the appointment process, or clinical responsibility. The protocol supports decisions about timely access to medical assessment and care, based on a description of the presenting problem. It does not propose that reception staff will make clinical decisions about diagnosis, care or treatment, but rather how quickly the patient needs to see someone who can do this.

The intervention consists of the use of POPGUNS by receptionists in response to requests for appointments. The tool guides them through a series of questions and then allocates them to a priority category.

There are four components to the POPGUNS decision support process:

1. A series of basic questions to ascertain the nature of the problem and any specific circumstances relating to the patient

2. Categorization of the urgency or seriousness of the problem, which determines the action to be taken

3. Follow up actions including documentation and communication

4. First aid advice which can be given in certain instances, at the discretion of the employing GPs

Control group: Practices are provided with a copy of the RACGP accreditation standard (RACGP 2007) for 'scheduling care in opening hours', which describes minimum arrangements practices should institute to accommodate requests for access to care, if they wish to achieve accreditation. As most practices in Australia are accredited [at least 66%, based on Practice Incentives Program statistics (Medicare Australia 2010)] this was viewed as a universally available outline of acceptable 'usual practice'.

Participants are followed up after 4 months, at which time their triaging skills are assessed by their responses to hypothetical but representative patient scenarios.

Intervention Type

Behavioural

Primary outcome measure

Triaging practice by receptionists is assessed by self-reported response to hypothetical but representative patient scenarios, reflecting a range of matched acuity (or urgency) levels measured at baseline and at 4 months.

Secondary outcome measures

1. Patient satisfaction is measured using the Patient Satisfaction Questionnaire (Access and General Satisfaction subscales) at 4 months

2. Intra-practice consistency in rating between receptionists within a practice is measured by comparing variation between ratings of urgency accorded to a scenario between receptionists at baseline and at 4 months

3. Confidence of reception staff in decision-making is measured using self-report on a Likert scale at baseline and 4 months

Overall study start date 30/06/2009

Completion date 30/11/2015

Eligibility

Key inclusion criteria

Receptionist inclusion criteria: 1. General practice receptionists 2. Have not had any clinical training

Practice inclusion criteria: must have more than 2 receptionists.

Participant type(s) Mixed

Age group Adult

Sex Both

Target number of participants 12 practices with at least two receptionists.

Key exclusion criteria General practice receptionists who have had clinical training.

Date of first enrolment 01/04/2011

Date of final enrolment 12/12/2012

Locations

Countries of recruitment Australia

Study participating centre Rural Clinical School, Medical School, Australian National University Rural Clinical School 54 Mills St Australian National University Canberra Australia 2601

Sponsor information

Organisation

Rural Clinical School, Medical School, Australian National University

Sponsor details

54 Mills Road Acton Canberra Australia 2601 + 61 2 6125 2456 rcs@anu.edu.au

Sponsor type University/education

Website http://medicalschool.anu.edu.au/

ROR https://ror.org/019wvm592

Funder(s)

Funder type Charity

Funder Name Australian Rotary Health

Results and Publications

Publication and dissemination plan Planned publication in a high-impact peer reviewed journal late 2016.

Intention to publish date 31/12/2016

IPD sharing plan summary

Available on request

Study outputs

Output type Participant information sheet **Details Date created** 19/08/2016

Date added 22/08/2016

Peer reviewed? No **Patient-facing?** Yes