

What is the effect of alternative graphical displays used to present the benefits of antibiotics for sore throat on decisions about whether to use them?

Submission date 09/03/2007	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 04/05/2007	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
Last Edited 02/09/2009	Condition category Ear, Nose and Throat	<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Ms Cheryl Carling

Contact details
PO box 7004
St Olavs Plass
Oslo
Norway
N-0130
+47 98627327
cheryl.carling@kunnskapssenteret.no

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N/A

Study information

Scientific Title

Acronym

HIPPO (Health Information Project, Presentation Online)

Study objectives

The null hypotheses for this study are that in terms of congruence between peoples' values and treatment decisions there is no difference between the following graphical displays used to present the benefits of antibiotics for sore throat:

1. Faces at 3 days and Bar graphs at 3 days
2. Bar graphs of Duration of symptoms and Bar graphs at 3 days, and
3. Bar graphs at 0, 3 and 7 days and Bar graphs at 3 days.

Ethics approval required

Old ethics approval format

Ethics approval(s)

The University at Buffalo (New York, USA), Health Sciences Institutional Review Board, approved on 15 May 2002.

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Not specified

Study type(s)

Not Specified

Participant information sheet

Health condition(s) or problem(s) studied

Sore throat (hypothetical scenario)

Interventions

Presentations of graphical displays showing evidence of penicillin's effect on sore throat.

Intervention Type

Other

Phase

Not Specified

Primary outcome measure

Hypothetical treatment decision to take or not to take penicillin.

Secondary outcome measures

Understanding of and satisfaction with information, and preferred graphical display.

Overall study start date

01/09/2004

Completion date

31/10/2004

Eligibility

Key inclusion criteria

Fluency in Norwegian and at least 18 years of age.

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Not Specified

Target number of participants

3000

Key exclusion criteria

Previous participation in this trial.

Date of first enrolment

01/09/2004

Date of final enrolment

31/10/2004

Locations

Countries of recruitment

Norway

Study participating centre

PO box 7004

Oslo

Norway

N-0130

Sponsor information

Organisation

Norwegian Knowledge Centre for the Health Services (Norway)

Sponsor details

PO box 7004

St Olavs Plass

Oslo

Norway

N-0130

+47 (0)23 25 50 00

post@kunnskapssenteret.no

Sponsor type

Other

Website

<http://www.kunnskapssenteret.no/>

ROR

<https://ror.org/01thff661>

Funder(s)

Funder type

Research council

Funder Name

Norwegian Research Council (Norway)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/08/2009		Yes	No