

# The effect of a 10 week exercise intervention on cancer related fatigue in cancer survivor's with documented fatigue compared to a 10 week health education programme

<b>Submission date</b> 24/05/2017	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 08/06/2017	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 14/10/2022	<b>Condition category</b> Cancer	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

### Background and study aims

Cancer related fatigue (CRF) is a debilitating side effect reported among cancer survivors, often lasting years following treatment, causing them to experience low energy and tiredness. There is some evidence of a small to moderate effect of exercise training on fatigue, however these studies have typically been undertaken in mixed populations, including those with and without documented fatigue. In addition, there is often a lack of a proper comparison condition to provide a matched degree of group support and investigator attention. The aim of overall purpose of this study is to develop and evaluate a sustainable semi-supervised exercise training programme to reduce cancer-related fatigue in survivors with fatigue and compare changes to those of a health education comparison group.

### Who can participate?

Adults aged 18 and older who are either breast, colorectal or prostate cancer survivors with ongoing fatigue.

### What does the study involve?

Participants are randomly allocated to one of two groups. Those in the first group undertake two one hour sessions of exercise weekly for five weeks and then one session of exercise for the next five weeks. The exercise bouts are both gentle and short to begin with participants are assisted in gradually increasing exercise intensity and duration as the ten weeks progress. The programme combines both group-based and home-based exercise. Participants are free to bring an exercise buddy with them to all classes. Those in the second group meet once per week for ten weeks for one hour sessions that focus on strategies other than exercise to manage fatigue, such as food and nutrition, cognitive behaviour therapy (a type of talking therapy) and sleep management. After this, those in the education group receive the exercise programme as well. Participants fill out questionnaires before and after the 10 week programme period to assess fatigue, fear of exercise, quality of sleep and quality of life. Their fitness and the stiffness of their arteries (measure of their heart health) are also measured. Blood and saliva samples are

taken to measure markers that are believed to influence fatigue. Participants are followed up again six months after the programmes are finished to assess their quality of life, fatigue, exercise, physical fitness, arterial stiffness and markers in the blood.

What are the possible benefits and risks of participating?

Participants may benefit from the health education they receive free of charge, and from receiving a copy of their personal results including changes in your fatigue and fitness profile upon request. Participants may benefit from being part of a network of individuals with similar health issues and they may find the peer support beneficial. There are risks involved with exercising, such as risks of heart problems, loss of sensation in feet, hot flushes, suppressed immune systems and lymphedema (swelling in the arms and legs). Participants may also experience extra fatigue on exercise days. Participants may experience discomfort while providing blood samples.

Where is the study run from?

1. University Hospital Waterford (Ireland)
2. Solas Cancer Support Centre (Ireland)
3. Solas Cancer Support Centre West Waterford (Ireland)

When is the study starting and how long is it expected to run for?

September 2014 to March 2018

Who is funding the study?

Waterford Institute of Technology (Ireland)

Who is the main contact?

1. Ms Patricia Sheehan (Scientific)  
patricia.sheehan@postgrad.wit.ie
2. Dr Michael Harrison (Scientific)  
mharrison@wit.ie
3. Dr Suzanne Denieffe (Scientific)  
sdenieffe@wit.ie

## Contact information

### Type(s)

Scientific

### Contact name

Ms Patricia Sheehan

### Contact details

Desk 4 Postgrad Room  
Entrance level, Luke Wadding Library  
Waterford Institute of Technology  
Cork Road  
Waterford  
Ireland

-

+353 87 9670735

patricia.sheehan@postgrad.wit.ie

**Type(s)**

Scientific

**Contact name**

Dr Michael Harrisson

**Contact details**

School of Science and Computing  
Waterford Institute of Technology  
Waterford  
Waterford  
Ireland

-  
+353 51 302027  
mharrison@wit.ie

**Type(s)**

Scientific

**Contact name**

Dr Suzanne Denieffe

**ORCID ID**

<https://orcid.org/0000-0003-0238-4645>

**Contact details**

Department of Nursing and Health Care  
Waterford Institute of Technology  
Waterford  
Ireland

-  
+353 51302473  
SDENIEFFE@wit.ie

**Additional identifiers****Protocol serial number**

1725

**Study information****Scientific Title**

Evaluation of a Sustainable Intervention using Exercise - for Cancer Fatigue (ESIE-CF Trial)

**Acronym**

ESIE-CF Trial

**Study objectives**

## Research questions:

1. Does exercise/health education promote positive changes in fatigue, physical fitness, sleep, cognitive functioning and quality of life in cancer survivors following a 10 week exercise/health education program?
2. Are there greater positive changes in fatigue, physical fitness, sleep, cognitive functioning and quality of life in cancer survivors who participate in an exercise intervention compared to those in a health education intervention?
3. Is exercise more effective than health education in reducing cancer related fatigue in fatigued post treatment cancer survivors?

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

Waterford Institute of Technology, The Health Service Executive South East and University Hospital Waterford, 10/06/2015

## Study design

Interventional non randomised multi-centre cross over study

## Primary study design

Interventional

## Study type(s)

Treatment

## Health condition(s) or problem(s) studied

Cancer related fatigue in post treatment cancer survivors

## Interventions

This study is a quasi-experimental multi centre trial. A repeated measures design is being used comparing a ten week semi-supervised progressive exercise intervention to a non-exercise health education comparison condition, with crossover from the comparison (health education) to the exercise arm of the study at the end of the comparison period. Those who express interest are either sent or given an information letter. After providing written informed consent, participants obtain medical clearance from their general practitioner and complete baseline assessments. Participants are allocated to either the non-exercise health education or the progressive arm consecutively.

Arm 1: Exercisers meet twice per week (p/w) for the first five weeks reducing to once p/w for the remaining five weeks to enable sustainability of exercise on intervention completion. Classes are one-hour sessions and can include brisk walking, indoor circuits, flexibility and mobility. The classes include progressive aerobic exercise (both in volume and intensity) starting with low-moderate intensity. Exercise principally group based and supervised though allowing for individual differences in fitness and energy levels. Some home-based, potentially buddied activity included as intervention progresses. They include a combination of walking and indoor exercise classes as primary exercise mode. Walking sessions can include some interval work towards end of intervention to increase intensity intermittently as needed to ensure progression

Arm 2: The health education group meet once per week for ten weeks. One-hour sessions focus on strategies other than exercise to manage fatigue, such as food and nutrition, cognitive behaviour therapy and sleep management. Meetings emphasis positive health focus and peer support. The cognitive behaviour therapy includes structured briefing/induction session, study booklet particularly emphasizing exercise, cancer and fatigue, evidence, benefits, barriers, misconceptions, goal setting and review, session reviews (in diaries), monitoring and recording of intensity and volume (diaries), ongoing fitness and functional assessments (e.g. six min walk), one-to-one and group exercise counselling/motivational interviewing centered on fatigue, phone support in the case of non-attendance, study materials needed for self-monitoring and the identification of primary exercise buddy who can attend all sessions with study participant. Participants in this group have the option to crossover to the first group.

Participants are assessed for their fatigue using the FACT-F scale at baseline, week four, week eight, post intervention and at six month follow up. Blood and saliva samples are taken to measure markers that are believed to influence fatigue. Participants are only included in the study if they have a score of < 45. All other assessments take place at baseline, post intervention and at the six month follow up. Sustainability is measured at 6 months.

### **Intervention Type**

Behavioural

### **Primary outcome(s)**

Fatigue is measured using the FACT-F measured at baseline, week four, week eight, post intervention and at six month follow up.

### **Key secondary outcome(s)**

1. Quality of life is measured using Quality of life (EORTC) questionnaire at baseline, post intervention, and at six month follow up
2. Fear of Physical Activity among breast cancer survivors is measured using Fear of Physical Activity and Exercise in Survivors of Breast Cancer questionnaire at baseline, post intervention, and at six month follow up
3. Sleep difficulties are measured using Insomnia Severity Index at post intervention, and at six month follow up
4. Self-efficacy in general health management is measured using the Perceived Health Competency questionnaire at baseline, post intervention, and at six month follow up
5. Fitness is measured using the six minute walk/run test, handgrip dynamometer, sit to stand test, sit & reach test and the one legged balance test at baseline, post intervention, and at six month follow up
6. Vascular function is measured using the arterial stiffness via pulse wave velocity at baseline, post intervention, and at six month follow up
7. Body weight, height and blood pressure are measured at baseline, post intervention, and at six month follow up
8. Physical activity levels are measured using the International Physical Activity Questionnaire (IPAQ) at baseline, post intervention, and at six month follow up
9. Salivary cortisol are measured using saliva samples at baseline and post intervention
10. Cytokines are measured using blood samples at baseline, post intervention, and at six month follow up

### **Completion date**

01/12/2017

# Eligibility

## Key inclusion criteria

1. Women and men
2. Aged 18 or older
3. Breast, colorectal and prostate cancer survivors
4. At least 6 weeks but not more than 10 years following the completion of surgery, radiotherapy and chemotherapy (to allow for stabilisation of fatigue following treatment) but not excluding those on ongoing hormonal therapy
5. Ongoing fatigue (FACT-F score <45) (the lower the score the higher the fatigue)
6. Currently undertaking less than 90 min or more of moderate intensity exercise weekly

## Participant type(s)

Other

## Healthy volunteers allowed

No

## Age group

Adult

## Lower age limit

18 years

## Sex

All

## Total final enrolment

37

## Key exclusion criteria

1. Inability to travel for testing and to group exercise/health education sites
2. GP unwilling to provide medical clearance for moderate intensity exercise
3. Orthopaedic limitations that render participant unable to participate in a class-based moderate intensity exercise programme
4. Currently undertaking 90 min or more of moderate intensity exercise weekly

## Date of first enrolment

26/06/2015

## Date of final enrolment

26/01/2017

# Locations

## Countries of recruitment

Ireland

**Study participating centre**  
**University Hospital Waterford**  
Dunmore Road  
Waterford  
Ireland  
X91 ER8E

**Study participating centre**  
**Solas Cancer Support Centre**  
Williamstown  
Waterford  
Ireland

-

**Study participating centre**  
**Solas Cancer Support Centre West Waterford**  
Main street,  
Dungarvan  
Co. Waterford  
Ireland

-

## **Sponsor information**

**Organisation**  
Waterford Institute of Technology

## **Funder(s)**

**Funder type**  
University/education

**Funder Name**  
Waterford Institute of Technology

## **Results and Publications**

**Individual participant data (IPD) sharing plan**

The datasets generated during and/or analysed during the current study will be stored in a publically available repository <https://www.researchgate.net/project/Evaluation-of-a-Sustainable-Intervention-using-Exercise-for-Cancer-Fatigue-ESIE-CF-Trial>. They will also be will be included in the subsequent results publication and will be available upon request from [patricia.sheehan@postgrad.wit.ie]

## IPD sharing plan summary

Other

## Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>		04/02/2020	14/10/2022	Yes	No