Developing tests for endometrial cancer detection

Submission date	Recruitment status No longer recruiting	[X] Prospectively registered		
02/08/2018		[X] Protocol		
Registration date	Overall study status	Statistical analysis plan		
09/08/2018	Completed Condition category	☐ Results		
Last Edited		Individual participant data		
11/04/2023	Cancer	Record updated in last year		

Plain English summary of protocol

https://www.cancerresearchuk.org/about-cancer/find-a-clinical-trial/a-study-looking-at-a-new-test-for-womb-cancer-detect

Contact information

Type(s)

Public

Contact name

Miss Suzanne Carter

Contact details

Division of Cancer Sciences
University of Manchester
St Mary's Hospital
Oxford Road
Manchester
United Kingdom
M13 9WL
+44 (0)161 701 6912
suzanne.carter@manchester.ac.uk

Type(s)

Scientific

Contact name

Dr Emma Crosbie

Contact details

Division of Cancer Sciences University of Manchester St Mary's Hospital Oxford Road Manchester United Kingdom M13 9WL

Additional identifiers

Protocol serial number

R04415

Study information

Scientific Title

DEveloping Tests for Endometrial Cancer deTection

Acronym

DETECT Multicentre

Study objectives

The aim of the study is to establish the diagnostic test accuracy of urogenital cytology for endometrial cancer detection in women with unexplained postmenopausal bleeding.

Ethics approval required

Old ethics approval format

Ethics approval(s)

North West - Greater Manchester West Research Ethics Committee, 27/06/2018, ref: 16/NW /0660

Study design

Prospective multicentre double-blind diagnostic test accuracy study

Primary study design

Observational

Study type(s)

Diagnostic

Health condition(s) or problem(s) studied

Endometrial cancer

Interventions

After written informed consent, the trialists will obtain medical history and matched urine and vaginal samples from women with unexplained postmenopausal bleeding. Urine samples will be self collected in a sterile pot and vaginal samples will be taken by a research practitioner using a Delphi screener according to a strict protocol. The urine and vaginal samples will then be transferred to the cytopathology department at Manchester University NHS Foundation Trust for cytological assessment. The accuracy of urogenital cytology will be measured against standard diagnostic tests for endometrial cancer.

Intervention Type

Other

Primary outcome(s)

Sensitivity: the proportion of women who have endometrial cancer who test positive by urogenital cytology (true positive rate) and negative predictive value – the proportion of test negatives who are true negatives. The accuracy of urine +/- vaginal cytology (index test) will be defined by the results of standard endometrial cancer diagnostic tests

Key secondary outcome(s))

- 1. Specificity: the proportion of women who do not have endometrial cancer who test negative by urogenital cytology (true negative rate)
- 2. False positive/negative rates (including clinical scenarios associated with these)
- 3. Positive predictive value
- 4. Test acceptability (short questionnaire to compare acceptability of urogenital cytology with standard diagnostic tests)

Exploratory analyses beyond the scope of this study:

The trialists will collect the residual urogenital cytology samples and store them in the MFT Biobank for future biomarker discovery work. They will centrifuge the samples to pellet the cellular material and freeze the pellet plus an aliquot of the supernatant.

Completion date

31/10/2021

Eligibility

Key inclusion criteria

- 1. Women with unexplained postmenopausal bleeding attending for urgent investigations to exclude endometrial cancer
- 2. Written informed consent to participate

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

Female

Total final enrolment

1890

Key exclusion criteria

Current exclusion criteria as of 21/12/2018:

- 1. Abnormal bleeding before the menopause (in whom the risk of cancer is much lower)
- 2. Previous diagnosis of endometrial cancer
- 3. Previous hysterectomy
- 4. Mirena coil in situ or removed within the last 3 months
- 5. Any other condition that would compromise participant safety or data integrity

Previous exclusion criteria:

- 1. Abnormal bleeding before the menopause (in whom the risk of cancer is much lower)
- 2. Previous diagnosis of endometrial cancer
- 3. Previous hysterectomy

Date of first enrolment 03/09/2018

Date of final enrolment 01/09/2021

Locations

Countries of recruitment

United Kingdom

England

Study participating centre St Mary's Hospital

Oxford Road Manchester United Kingdom M13 9WL

Study participating centre Fairfield General Hospital

Rochdale Old Road Bury United Kingdom BL9 7TD

Study participating centre Royal Oldham Hospital

Rochdale Road Manchester United Kingdom OL1 2JH

Study participating centre North Manchester General Hospital

Delaunays Road Crumpsall Manchester United Kingdom M8 5RB

Study participating centre Tameside General Hospital

Fountain Street Ashton under Lyne United Kingdom OL6 9RW

Study participating centre Wythenshawe Hospital

Southmoor Road Manchester United Kingdom M23 9LT

Study participating centre Trafford General Hospital

Moorside Road Davyhulme Manchester United Kingdom M41 5SL

Sponsor information

Organisation

Manchester University Hospital NHS Foundation Trust

ROR

https://ror.org/00he80998

Funder(s)

Funder type

Charity

Funder Name

The Jon Moulton Charity Trust

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are/will be available upon request from Prof. Emma Crosbie (emma.crosbie@manchester.ac.uk). The consent form was adapted to include a specific clause to share anonymised data. Early versions may not include this.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<u>Protocol article</u>		28/07/2021	21/09/2021	Yes	No
HRA research summary			28/06/2023	No	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes