

A placebo-controlled double blind preliminary trial to study the efficacy and safety of Gelclair in controlling the symptoms of oral lichen planus

Submission date 30/09/2004	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
Registration date 30/09/2004	Overall study status Completed	<input type="checkbox"/> Protocol
Last Edited 11/08/2016	Condition category Skin and Connective Tissue Diseases	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Ms Penelope Shirlaw

Contact details

Oral Medicine Department

22nd Floor, Guy's Tower

Guy's Hospital

St Thomas Street

London

United Kingdom

SE1 9RT

+44 (0)20 7188 4399

pepe.shirlaw@gstt.sthames.nhs.uk

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N0013137372

Study information

Scientific Title

A placebo-controlled double blind preliminary trial to study the efficacy and safety of Gelclair in controlling the symptoms of oral lichen planus

Study objectives

To compare the symptom control offered by Gelclair vs placebo in patients with symptomatic oral lichen planus. Gelclair will be a useful adjunct in the management of pain associated with oral lichen planus.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Not specified

Study type(s)

Not Specified

Participant information sheet

Health condition(s) or problem(s) studied

Skin and Connective Tissue Diseases: Oral lichen planus

Interventions

Patients presenting to the department of oral medicine will be assessed for their suitability for inclusion within the trial. They will be invited to take part if they are diagnosed with lichen planus not due to a specific cause and confirmed histologically. They will be paired according to their symptoms at the time of presentation and randomised to either Gelclair or placebo. Normal treatment for lichen planus in the form of topical steroids will be prescribed as normal.

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

Gelclair

Primary outcome measure

Gelclair is of use in managing the symptoms of pain in oral lichen planus. Primary response criteria: symptom control over an eight-week period, usage of topical corticosteroids (patient-controlled).

Secondary outcome measures

Tolerability and acceptability

Overall study start date

15/01/2004

Completion date

15/06/2005

Eligibility

Key inclusion criteria

30 patients in control (placebo) group, 30 in Gelclair. Matched by symptoms and extent of disease at initial presentation.

Participant type(s)

Patient

Age group

Not Specified

Sex

Not Specified

Target number of participants

60

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

15/01/2004

Date of final enrolment

15/06/2005

Locations

Countries of recruitment

England

United Kingdom

Study participating centre

Oral Medicine Department

London

United Kingdom

SE1 9RT

Sponsor information

Organisation

Department of Health

Sponsor details

Richmond House

79 Whitehall

London

United Kingdom

SW1A 2NL

Sponsor type

Government

Website

<http://www.dh.gov.uk/Home/fs/en>

Funder(s)

Funder type

Government

Funder Name

Guy's and St Thomas' NHS Trust (UK)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration