

# Stigma of living as an autism carer: a brief psycho-social support intervention (SOLACE)

<b>Submission date</b> 04/10/2017	<b>Recruitment status</b> No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
<b>Registration date</b> 13/10/2017	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 23/04/2020	<b>Condition category</b> Mental and Behavioural Disorders	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

### Background and study aims

Stigma is widespread in families with autism and has a strong impact on the psychological well-being of caregivers of autistic children. Autism caregivers are found to have significantly lower psychological well-being than carers of any other disabilities. Research has shown that stigma lowers self-esteem, produces feelings of self-blame, reduces feelings of hope and increases feelings of loneliness. For caregivers, it additionally increases the feelings of caregiver burden. To protect caregivers from the harmful effects of stigma will have a positive effect on their mental health and subsequently on their caregiving abilities. The aim of this study is to address this unmet need of carers of autistic children by developing and testing a group-based stigma protection intervention. As there are currently no such interventions available it is unknown what will be effective, acceptable and achievable with such an intervention. It is therefore necessary to carry out a small study to assess the feasibility and acceptability of the intervention for a future larger study.

### Who can participate?

Any family caregiver aged over 18 who lives in the county of Bedfordshire and provides care for young children (aged up to 10 years) who are about to receive an autism diagnosis, are currently obtaining a diagnosis, or have received a diagnosis within the past 12 months.

### What does the study involve?

Caregivers who agree to take part are randomly allocated to either the control group or to the experimental group. Caregivers allocated to the control group receive no intervention whereas caregivers allocated to the experimental group take part in an 8-week group-based stigma protection program led by a facilitator. The aim of the intervention program is to increase the psychological well-being of caregivers by equipping them with skills to cope with stigma and to prevent internalisation of stigma. To do this, variables that are found to affect the stigma-mental health relationship are targeted such as self-esteem, self-blame, compassion and acceptance, positive meaning of caregiving and social support. There are eight weekly 90 minute sessions; three of these sessions are face to face and the remaining sessions are delivered online via video conference as this is considered to be most practical and beneficial for caregivers. The psychological well-being of the participants is assessed at the end of the intervention (week 8) and 6 weeks follow up

What are the possible benefits and risks of participating?

The possible benefits of the group sessions are that participants may feel better equipped to cope with the negative experiences of stigma and feel an improvement in their well-being and caregiving abilities. It is unlikely that there are negative effects of taking part in the study.

Where is the study run from?

The study is situated in Bedfordshire and the face to face meetings are likely to be held in Bedford or Luton (UK)

When is the study starting and how long is it expected to run for?

October 2016 to January 2019

Who is funding the study?

The University of Bedfordshire and Autistica (UK)

Who is the main contact?

Dr Chris Papadopoulos

chris.papadopoulos@beds.ac.uk

## Contact information

### Type(s)

Scientific

### Contact name

Dr Chris Papadopoulos

### Contact details

University of Bedfordshire

Putteridge Bury

Hitchin Road

Luton

United Kingdom

LU2 8LE

+44 (0)1582 489056

chris.papadopoulos@beds.ac.uk

### Type(s)

Public

### Contact name

Miss Annemarie Lodder

### Contact details

University of Bedfordshire

Putteridge Bury

Hitchin Road

Luton

United Kingdom

LU2 8LE

**Type(s)**

Scientific

**Contact name**

Prof Gurch Randhawa

**Contact details**

University of Bedfordshire  
Putteridge Bury  
Hitchin Road  
Luton  
United Kingdom  
LU2 8LE

**Additional identifiers****Protocol serial number**

2.0

**Study information****Scientific Title**

The development and evaluation of a stigma protection intervention for family caregivers of autistic children: a feasibility study

**Acronym**

SOLACE

**Study objectives**

The research question of this study is: To what extent is a brief psycho-social stigma protection intervention for family caregivers of young children on the autism spectrum designed primarily to improve psychological well-being, feasible and acceptable?

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

University of Bedfordshire Research Ethics Committee - submission pending

**Study design**

Parallel-group randomised controlled trial

**Primary study design**

Interventional

**Study type(s)**

Quality of life

**Health condition(s) or problem(s) studied**

## The impact of stigma on the psychological health of carers of autistic children

### **Interventions**

There are two arms of this parallel RCT; the experimental group and the control group which will run at the same time. Participants will be randomly allocated to either group via assigning the random numbers from random number tables to the experimental group. Participants in the control group will receive no treatment. Participants allocated to the intervention group will take part in an 8-week group-based intervention program run weekly for 90 minutes each. The intervention will be delivered face to face as well as via video conference. The sessions will target the modifiable psychosocial variables found to moderate the relationship between stigma and mental health such as self-esteem, self-blame, compassion, positive meaning in caregiving, acceptance and social isolation. A combination of psycho-education, cognitive restructuring and acceptance commitment therapy techniques will be used in the sessions.

### **Intervention Type**

Behavioural

### **Primary outcome(s)**

1. The primary outcome measure proposed to measure the preliminary effectiveness of the intervention is the psychological well-being of the participants, measured with the Mental Health Inventory (MHI-5) at baseline, mid-intervention (week 4), at the end of the intervention (week 8) and 6 weeks follow up
2. The retention rate is measured by how many caregivers consented versus how many caregivers completed the intervention and all of the assessments at the end of intervention
3. The willingness to be randomised is measured as part of the baseline data collection by asking participants if they are happy to be randomly allocated to either group, before the intervention commences
4. The consent rate is assessed by comparing how many caregivers were sent the information pack (including consent forms) versus how many consented to take part
5. Reasons for not participating in the study; People who did not consent are asked to provide a reason why they do not wish to consent to take part
6. The feasibility and acceptability of the intervention and outcome measurement tools, assessed using a qualitative focus group after the end of the intervention phase. The participants are also invited to provide their opinions on whether and how the intervention could be refined to increase the likelihood of effectiveness of a future pilot intervention study.
7. The acceptability of the intervention and outcome measures is measured quantitatively using a brief questionnaire at the end of the intervention
8. Initial estimate for sample size calculation for a future main RCT, estimated using pre- and post- means and standard deviations of the primary outcome measure (psychological well-being, MHI-5)

### **Key secondary outcome(s)**

Secondary measures to measure the preliminary effectiveness of the intervention:

1. Stigma and self stigma, measured using Perceived Public Stigma Scale (PPSS); Perceived Courtesy Stigma Scale (PCSS), Affiliate Stigma Scale
2. Self-esteem, measured using Rosenberg's 10-item Self-Esteem Scale
3. Self-compassion, measured using Self-Compassion Scale-Short Form (SCS-SF)
4. Positive meaning in caregiving, measured using the 11-item scale devised by Werner and Shulman and in 2013  
Self-Blame Scale adapted from Werner and Shulman (2013)
5. Social isolation, measured using Short-form UCLA Loneliness Scale (ULS-4)

Measured at baseline, mid-intervention (week 4), week 8 and 6 weeks post-intervention. Both control and experimental group complete the same measures.

**Completion date**

01/04/2019

## Eligibility

**Key inclusion criteria**

1. Aged over 18
2. Reside within the county of Bedfordshire
3. Provide care for young children (aged up to 10 years) who are about to receive an autism diagnosis, are currently obtaining a diagnosis, or have received a diagnosis within the past 12 months
4. Have access to the internet to be able to take part in the group sessions
5. Speak and understand English

**Participant type(s)**

Carer

**Healthy volunteers allowed**

No

**Age group**

Adult

**Lower age limit**

18 years

**Sex**

All

**Total final enrolment**

17

**Key exclusion criteria**

1. The child they care for has been diagnosed more than 12 months ago
2. The child they care for is above 10 years of age
3. Participants reside outside Bedfordshire
4. Have no access to the internet
5. Do not speak and understand English

**Date of first enrolment**

01/03/2018

**Date of final enrolment**

30/09/2018

## Locations

**Countries of recruitment**

United Kingdom

England

**Study participating centre****Autism Bedfordshire**

Autism Bedfordshire

Salamander House

2 – 10 St John's Street

Bedford

United Kingdom

MK42 0DH

**Study participating centre****Luton Borough Council (Special Educational Needs Service Team)**

Luton Borough Council, Town Hall

Luton

United Kingdom

LU1 2BQ

**Sponsor information****Organisation**

University of Bedfordshire

**ROR**

<https://ror.org/0400avk24>

**Funder(s)****Funder type**

Charity

**Funder Name**

Autistica

**Alternative Name(s)****Funding Body Type**

Government organisation

### Funding Body Subtype

Trusts, charities, foundations (both public and private)

### Location

United Kingdom

### Funder Name

University of Bedfordshire

### Alternative Name(s)

### Funding Body Type

Private sector organisation

### Funding Body Subtype

Universities (academic only)

### Location

United Kingdom

## Results and Publications

### Individual participant data (IPD) sharing plan

The data sharing plans for the current study are unknown and will be made available at a later date.

### IPD sharing plan summary

Data sharing statement to be made available at a later date

### Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>	results	01/12/2020	23/04/2020	Yes	No
<a href="#">Protocol article</a>	protocol	26/02/2019	13/03/2019	Yes	No
<a href="#">Participant information sheet</a>	Participant information sheet	11/11/2025	11/11/2025	No	Yes