

Prevention of complications after endoscopic retrograde cholangio-pancreaticography using the antihypertensive drug Cozaar®

Submission date 13/11/2009	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 04/01/2010	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 19/05/2022	Condition category Digestive System	<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr Mats Lindblad

Contact details
Upper Gastrointestinal Research Group (UGIR)
Karolinska Institutet
Norra Stationsgatan 67
Stockholm
Sweden
171 76
+46 (0)8 517 711 43
mats.lindblad@karolinska.se

Additional identifiers

Clinical Trials Information System (CTIS)
2005-004545-34

Protocol serial number
N/A

Study information

Scientific Title

A randomised controlled trial of the angiotensin II receptor blocker losartan (Cozaar®) in the prevention of hyperenzymemia after endoscopic retrograde cholangio-pancreaticography (ERCP)

Study objectives

Angiotensin II receptor type 1 blocker prevents post-endoscopic retrograde cholangio-pancreaticography (ERCP) pancreatitis.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Regional Ethical Committee in Stockholm approved on the 12th January 2005 (ref: 2005/1278-31/2)

Study design

Triple blinded randomised placebo-controlled multicentre study

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Post-endoscopic retrograde cholangio-pancreaticography pancreatitis

Interventions

Patients are randomised to placebo or 50 mg losartan (Cozaar®) given orally one hour before ERCP. The interventions are given once only; planned follow up is 24 hours.

Intervention Type

Drug

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Losartan (Cozaar®)

Primary outcome(s)

Hyperenzymemia (amylase and or lipase) 24 hours after ERCP

Key secondary outcome(s)

1. Pancreatitis after ERCP defined as abdominal pain persisting more than 24 hours after ERCP and hyperenzymemia defined as three times the upper normal limit
2. Pain measured by the visual analogue scale (VAS) (0 = no pain, 10 = unbearable pain) pre-ERCP and 24 hours after ERCP

Completion date

31/10/2008

Eligibility

Key inclusion criteria

1. Patients above 18 years of age, either sex
2. ERCP indicated for diagnostic or therapeutic reasons
3. Informed consent

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

1. Previous ERCP within one year
2. Current elevation of pancreatic amylase and lipase
3. Ongoing acute or chronic pancreatitis
4. Current use of any angiotensin I converting enzyme (ACE) inhibitor or angiotensin II type 1 receptor blocker
5. Bilateral renal artery stenosis or unilateral in case of a single kidney
6. Known hypersensitivity to angiotensin II type 1 receptor blockers
7. Pregnancy
8. Breastfeeding
9. Predefined severe disease (e.g. ongoing sepsis, disseminated intravascular coagulopathy, acute circulatory collapse, severe dehydration, hypovolaemia, severe renal insufficiency or severe liver failure)

Date of first enrolment

01/04/2006

Date of final enrolment

31/10/2008

Locations

Countries of recruitment

Sweden

Study participating centre
Upper Gastrointestinal Research Group (UGIR)
Stockholm
Sweden
171 76

Sponsor information

Organisation
Karolinska Institutet (Sweden)

ROR
<https://ror.org/056d84691>

Funder(s)

Funder type
Research organisation

Funder Name
Swedish Society of Medicine (Sweden)

Funder Name
Lisa and Johan Grönberg Foundation (Sweden)

Results and Publications

Individual participant data (IPD) sharing plan
Not provided at time of registration

IPD sharing plan summary
Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Basic results		05/02/2021	19/05/2022	No	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes