

A clinical study to assess the efficacy of an electric toothbrush with two different mode settings to reduce dental plaque and gingival inflammation

Submission date 14/07/2023	Recruitment status No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 17/07/2023	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 25/06/2025	Condition category Oral Health	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and study aims

Gingivitis is a common and mild form of gum inflammation that commonly occurs because plaque accumulates on the teeth. It can be prevented and treated with good oral hygiene. Toothbrushes are continuously tested for their effectiveness and safety as new devices or improvements of features on existing devices are developed. The aim of this study is to evaluate and compare the efficacy of two different frequency settings for a new experimental power brush to a regular manual brush in the reduction of gingivitis and dental plaque over an up to 4-week period.

Who can participate?

Generally healthy adults with evidence of plaque and mild to moderate gingivitis.

What does the study involve?

Participants will be randomly assigned to either the test group #1 (electric toothbrush with 100Hz operating mode), test group #2 (electric toothbrush with 85Hz operating mode) or the Control group (regular manual toothbrush). Participants will use their assigned toothbrush with a regular toothpaste twice daily at home for the duration of the assignment. Toothbrushes will be returned at the end of the study.

The study is designed to assess if the participants in the two test groups experience an improvement in oral health in comparison to the Control.

Plaque and gingivitis measurements will be taken at baseline, week 1, and week 4 visits.

The individual appointments will be scheduled for about the same time for all visits. Participants will be instructed to abstain from any oral hygiene for 12 hours before all visits.

What are the possible benefits and risks of participating?

Participation will help with the development of products that aim to improve oral health. There will be no notable risks involved with participating. This study involves the use of toothbrushes as part of a normal oral hygiene routine. No behavior with increased risk will be requested from

participants. The toothpaste provided in this study is currently marketed. The risk from chemical hazard is negligible, or no greater than what would have been encountered during daily life. The experimental electrical toothbrush is made from materials used in currently marketed brushes and the Control regular manual toothbrush is currently marketed. There are no anticipated risks from the materials used in the experimental toothbrush. Also, toothbrushes are not anticipated to cause any serious or long-term effects on oral tissue including gum recession.

Where is the study run from?
All Sum Research Ltd. (Canada)

When is the study starting and how long is it expected to run for?
June 2023 to October 2023

Who is funding the study?
Procter and Gamble Company (USA)

Who is the main contact?
Dr Chhaju Ram Goyal, DDS
crgoyal@allsumrc.com

Contact information

Type(s)

Principal investigator

Contact name

Dr Chhaju Ram Goyal

Contact details

6635 Kitimat Rd. #36 & #37
Mississauga, Ontario
Canada
L5N 6J2
+1 (0)905 812 1099
crgoyal@allsumrc.com

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

2023041

Study information

Scientific Title

A 4-week clinical study to compare a new electrical toothbrush used with two different frequency settings to a manual control toothbrush in the reduction of gingivitis and plaque

Study objectives

The objective of the study is to evaluate and compare the efficacy of a new experimental electric toothbrush with two different frequency settings to a regular manual toothbrush in the reduction of gingivitis and dental plaque over a 4-week period by using the Modified Gingival Index, the Gingival Bleeding Index and the Rustogi Modification of the Navy Plaque Index.

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 12/07/2023, Veritas IRB Inc. (3551 St. Charles Blvd., Suite 501, Kirkland, Quebec, H9H 3C4, Canada; +1 (0)514 337 0442; infoirb@veritasirb.com), ref: 2023-3305-15178-5

Study design

Single-center examiner-blind 4-week 3-treatment parallel-group randomized study

Primary study design

Interventional

Study type(s)

Prevention

Health condition(s) or problem(s) studied

Evidence of dental plaque and gingivitis

Interventions

Participants are stratified at baseline on mean gingivitis score, number of bleeding sites, mean plaque index and tobacco use. Within these strata, participants are randomly assigned to one of the three treatment groups (experimental electric toothbrush operating with either 100Hz or 85Hz or a regular Control manual toothbrush).

The randomization will be done using a computer-based program which is provided by the sponsor.

Participants are instructed to use the study products according to the manufacturer's instructions (electric toothbrush groups) or in their customary manner (manual brush group) at home twice daily (morning and evening) in place of their normal oral hygiene for the duration of the study (4 weeks). All products will be used with a regularly marketed dentifrice.

Plaque and gingivitis measurements will be taken at Baseline, Week 1, and Week 4 visits.

Intervention Type

Device

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Oral-B iO2

Primary outcome(s)

Whole mouth plaque change from Baseline at Week 4 measured by the Rustogi Modification of the Navy Plaque Index (RMNPI).

Key secondary outcome(s)

1. Number of bleeding sites change from Baseline at Week 4 measured by visual examination
2. Gingivitis change from Baseline at Week 4 measured by the Gingival Bleeding Index and the Modified Gingival Index.

Completion date

13/10/2023

Eligibility

Key inclusion criteria

1. Give written informed consent prior to study participation and be given a signed copy of their informed consent form
2. Be at least 18 years of age and mainly use a manual toothbrush;
3. Be in good general health as determined by the investigator/designee based on a review /update of their medical history;
4. Possess a minimum of 16 natural teeth with facial and lingual scorable surfaces;
5. Have localized or generalized gingivitis with a range of 10% to 70% bleeding sites (sites with a score of 1 or 2 on the GBI index) for Baseline exam);
6. Have a whole mouth mean MGI score between 1.75 and 2.5 for Baseline exam;
7. Have a whole mouth RMNPI score of greater than 0.5 for Baseline exam;
8. Agree not to participate in any other oral care study for the duration of this study;
9. Agree to not to have any elective dentistry, including dental prophylaxis, until study completion and to report any non-study dentistry received at any time during the course of this study;
10. Agree to refrain from using any non-study oral hygiene products for the study duration;
11. Agree to return for all their scheduled visits and to follow all study procedures;
12. Refrain from brushing their teeth or from performing any other oral hygiene procedure anytime within the 12 hours prior to Baseline Visit and agree to follow these same restrictions prior to all visits;
13. Refrain from medicated lozenges, breath mints, eating, drinking*, chewing gum and using tobacco (of any kind) for at least 4 hours prior to this visit and agree to follow these same restrictions prior to all visits. *(Allowed small sips of water up until 45 minutes prior to their appointments.)

Participant type(s)

Healthy volunteer

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Total final enrolment

90

Key exclusion criteria

1. A condition requiring the need for antibiotic premedication prior to dental procedures;
2. Severe periodontal disease, including but not limited to, purulent exudates, generalized mobility, and/or severe recession;
3. Any carious lesions requiring restorative treatment;
4. Active treatment for the following conditions: periodontitis, cancer, or a seizure disorder;
5. Taking an antibiotic or using a chlorhexidine mouth rinse any time within the previous 2 weeks;
6. Having a dental prophylaxis any time within the previous 4 weeks;
7. Suffer from diabetes;
8. Taking anti-inflammatory or anti-coagulant medications any time within the previous 2 weeks;
9. Have any of the following: orthodontic appliances, removable partial dentures, peri/oral piercings, a pacemaker or other implanted device;
10. Oral/gum surgery within the previous two months;
11. A disease or condition that could possibly interfere with examination/procedures or with the subject's safe completion of this study (including allergies to dye).

Date of first enrolment

15/09/2023

Date of final enrolment

20/10/2023

Locations

Countries of recruitment

Canada

Study participating centre

All Sum Research Center Ltd.

6635 Kitimat Rd. #36 & #37

Mississauga, Ontario

Canada

L5N 6J2

Sponsor information

Organisation

Procter & Gamble (United States)

ROR

https://ror.org/04dkns738

Funder(s)

Funder type

Industry

Funder Name

Procter and Gamble

Alternative Name(s)

Procter & Gamble, PandG, The Procter & Gamble Company, P and G, Procter & Gamble Company, P&G

Funding Body Type

Government organisation

Funding Body Subtype

For-profit companies (industry)

Location

United States of America

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are not expected to be made available because if the raw data is available but not analyzed appropriately by qualified experts in the area, it may lead to misinterpretation of the results.

IPD sharing plan summary

Not expected to be made available

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		17/06/2025	25/06/2025	Yes	No