

Supporting girls in Nepal to cope with period pain through menstrual health and justice workshops

Submission date 10/06/2025	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 20/06/2025	Overall study status Ongoing	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 20/06/2025	Condition category Other	<input type="checkbox"/> Individual participant data <input checked="" type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Menstruation is a normal and healthy part of life, but in many places it is seen as shameful or taboo. This is especially the case in Nepal, where nearly all women and girls are restricted from activities during their period, including joining in with festivals/celebrations, eating/drinking some things, and sleeping in their home. Girls often do not know about menstruation when they have their first period and face a lot of misinformation.

Period pain (dysmenorrhoea) affects up to 90% of girls and can have a substantial impact on girls' health and wellbeing, and stop them going to school. However, there is very little research on how best to help girls manage this pain, especially in settings where access to healthcare is limited.

This study aims to test whether a programme of guided workshops that teach girls about their periods, menstrual pain, and practical coping skills can reduce the impact of pain on their daily lives. The programme also includes workshops for mothers and wider members of the community to help reduce stigma and improve knowledge in the wider community.

Who can participate?

Girls aged 13-18 years old

What does the study involve?

The menstrual health and justice (MeJARa) programme is a series of 12 interactive workshops for adolescent girls. Mothers (or caregivers) and wider community members will take part in a shorter programme of workshops.

The programme covers the things that matter most to girls about menstruation. The programme has been developed by a team from the UK and Nepal after research talking to girls in Nepal about what they want, as well as their families and wider community.

This programme will take place in two districts of Nepal (Kaski and Surkhet). Girls will attend weekly 60-minute sessions in groups of 20, led by a trained facilitator in their community. Local facilitators will be trained by the study team from the UK and Nepal.

The girls' workshops will include five topic areas:

- Menstrual health and biology;

- Healthy lifestyle habits;
- Pain psychoeducation;
- Pain coping skills;
- Communication skills.

The mothers/caregivers and community members workshops cover three topics after an introductory session to encourage them to support the programme:

- Menstrual cycle and beliefs;
- Menstrual pain education;
- Ways to support girls' menstrual health.

Adults will join the girls for a final session which will be a celebration of completing the programme and closing ceremony.

A questionnaire will be used to assess girls and mothers/caregivers menstrual experiences, knowledge and attitudes, with a focus on pain. The questionnaire will take place before the workshops begin, straight after they finish, and a year later to see if the programme has had any lasting impact. Communities will be randomly assigned to receive the workshops or not, with half the girls in communities running the MeJARa programme and half the girls in communities with none.

What are the possible benefits and risks of participating?

Benefits:

- Girls may feel more confident and better able to manage menstrual pain;
- Girls may learn valuable information about the menstrual cycle and practical coping strategies to improve their menstrual experiences;
- Girls may learn how to advocate for themselves through communication strategies thus empowering them and improving communication within families and communities;
- Stigma around menstruation may be reduced as girls, their parents (or caregivers), and wider community members will learn facts about menstruation and pain and share experiences.

Risks:

- Girls may feel upset or frustrated if they are still expected to follow menstrual restrictions;
- Girls may not be able to practice the skills they have learned for coping with pain if their families are not supportive and their pain might continue to be minimised and dismissed;
- Some participants may feel shy or uncomfortable talking about menstruation, especially to begin with. They will not be asked to share anything they are uncomfortable with and all sessions will be run in a safe, respectful, and supportive environment by trained facilitators.

Where is the study run from?

The MeJARa study is being run by the University of Bath, UK and the Center for Research on Environment Health and Population Activities (CREHPA), Nepal. It takes place in community venues in two district of Nepal: Surkhet, Karnali province and Kaski, Gandaki province.

When is the study starting and how long is it expected to run for?

December 2022 to November 2027, with the workshops planned for July to October 2025

Who is funding the study?

UK Research and Innovation (UKRI)

Who is the main contact?

1. Dr Melanie Channon

mdc51@bath.ac.uk

2. Dr Mahesh Puri, Co-Director, CREHPA

mahesh@crehpa.org.np

Study website

<https://www.mejara-project.com>

Contact information

Type(s)

Public, Scientific, Principal Investigator

Contact name

Dr Melanie Channon

ORCID ID

<https://orcid.org/0000-0003-4820-0928>

Contact details

3E, Department of Social and Policy Sciences, University of Bath, Claverton Down
Bath
United Kingdom
BA2 7AY
+44 1225 384513
mdc51@bath.ac.uk

Additional identifiers

EudraCT/CTIS number

Nil known

IRAS number**ClinicalTrials.gov number**

Nil known

Secondary identifying numbers

UKRI Horizon Europe Guarantee EP/X02265X/1

Study information

Scientific Title

Effect of group-based menstrual justice workshops and psychoeducation on menstrual pain interference among adolescent girls in Nepal: a cluster randomised-controlled trial (MeJARa)

Acronym

MeJARa

Study objectives

The primary objective is to reduce menstrual pain interference in girls.

Primary hypothesis:

H1: Girls who receive the psychological intervention will have lower pain interference post-

intervention and at follow-up as compared to the control group.

H2: There will be no difference in adverse events reported between intervention and control groups.

Ethics approval required

Ethics approval required

Ethics approval(s)

1. Approved 23/06/2023, Nepal Health Research Council (Ramshah Path, PO Box: 7626, Kathmandu, N/A, Nepal; +977 14254220; nhrc@nhrc.gov.np), ref: 375/2023

2. Approved 19/07/2023, University of Bath (Claverton Down, Bath, BA2 7AY, Nepal; -; research-ethics@bath.ac.uk), ref: 0076-478

Study design

Cluster randomized-controlled trial

Primary study design

Interventional

Secondary study design

Cluster randomised trial

Study setting(s)

Community

Study type(s)

Quality of life

Participant information sheet

Not available in web format, please use contact details to request a participant information sheet

Health condition(s) or problem(s) studied

Dysmenorrhea and menstrual health in adolescent girls

Interventions

Menstrual education and coping skills

The intervention has been designed to be simple and replicable, with the intention that should it be found to be effective and acceptable; it can continue to be used by the local communities outside of the remit of this research. Each girl will receive a resource booklet summarising key pain coping skills and a period tracker. This replicability has been the foundation for many features of the intervention, such as the handout materials being black and white and only a couple of pages for each session, and fact-based so that they could be used for any audience. The facilitation guide is more detailed and provides scripts and lesson plans which are specifically targeted to the audience.

The intervention development was informed by qualitative interviews conducted prior to the intervention development which explored what girls and stakeholders wanted from an intervention, pain and medication beliefs, and understandings of pain and medication.

Girls intervention

The intervention delivered to the girls will consist of 12 sessions of 60 minutes. The intervention will be delivered in groups on a weekly basis.

The intervention consists of five components:

- 1) Menstrual education: educate the girls about the biology of menstruation, products and care during menstruation.
- 2) Lifestyle factors: information about nutrition, hydration and sleep.
- 3) Pain psychoeducation: education about the biopsychosocial influences of pain and address misbeliefs about pain and medication that emerged from qualitative research prior to the intervention.
- 4) Pain coping skills: providing the girls with pain coping skills such as relaxation techniques, distraction, and visualisation to manage menstrual pain in the moment.
- 5) Communication and skills practice: help girls communication pain to stakeholders and family members. Practice skills.

Parent and stakeholder intervention

Parents and stakeholders will receive a shorter intervention compared to girls, consisting of 4 sessions:

- 1) Welcome and introduction
- 2) Menstrual cycle and beliefs
- 3) Menstrual pain education
- 4) Ways to support girls with menstrual health/justice

Stakeholders will then join the girls for a final session which is a celebration of completing the intervention and closing ceremony.

Intervention delivery and training of healthcare facilitators

The intervention will be delivered by local Nepali facilitators who will have been trained to deliver the intervention by the study team (consisting of Nepali and British members) in a 'train the trainer' approach. Training will take 5 days.

The intervention materials have been designed in collaboration with local Nepali collaborators. The co-creation of the materials with Nepali collaborators ensures that all aspects are culturally appropriate and applicable.

Clusters will be stratified by district (Surkhet and Kaski) and then by community types (rural and urban), resulting in four cluster groups (Surkhet urban, Surkhet rural, Kaski urban, Kaski rural) with 12 clusters in each. Clusters will be allocated to the intervention or control arm via a computer generated random number assignment, with half being assigned to the intervention group within each strata.

Intervention Type

Behavioural

Primary outcome measure

Pain interference measured using a 12 item scale adapted to the Nepali context, at baseline, post-intervention, and at 1-year follow up.

Secondary outcome measures

The secondary outcome measures will be assessed at baseline, at the end of the intervention, and 1-year after the intervention. The following outcomes are measured for the adolescent girls

and collected via in-person enumerator administered questionnaire:

1. Pain intensity of the last menstrual period measured using the visual analogue scale (VAS)
2. Usual pain intensity during menstruation measured using the visual analogue scale (VAS)
3. Depression measured using the Nepali Depression Self Rating Scale (NDSRS)
4. Anxiety measured using the GAD-7
5. Pain catastrophising measured using the Pain Catastrophising Scale for Children (PCS-C)
6. Beliefs about menstrual pain using the Pain Beliefs Questionnaire (PBQ)
7. Menstrual practices measured using the Menstrual Practice Needs Scale (MNPS)
8. Knowledge of the menstrual cycle using eight true/false statements
9. Menstrual stigma measured using the Nepali Menstrual Stigma Scale (NMSS)
10. Sleep measured by the sleep related impairment scale
11. Health seeking behaviour measured by use of painkillers and health facility visits
12. Overall wellbeing measured by WHOQoL
13. Menstrual restrictions practiced measured by questions about whether girls avoid doing 14 different activities during their menstrual period, with an additional question to report restrictions not otherwise listed.

The following outcomes are measured for caregivers and collected via in-person enumerator administered questionnaire:

14. Menstrual stigma measured using the Nepali Menstrual Stigma Scale (NMSS)
15. Adult responses to girls' menstrual pain using the Adult Response to Children's Symptoms (ARCS) adult report version
16. Beliefs about menstrual pain using the Pain Beliefs Questionnaire (PBQ)

Overall study start date

01/01/2023

Completion date

31/10/2027

Eligibility

Key inclusion criteria

For the adolescents, the inclusion criteria are:

1. Female aged 13 to 18 years old.

We will include stakeholders which includes mothers/mother in laws/female caregivers, fathers, community leaders, religious leaders, school teachers/nurses, healthcare providers in the community. The inclusion criteria are:

1. Caregiver of girl enrolled in trial

Participant type(s)

Resident

Age group

Mixed

Lower age limit

13 Years

Upper age limit

18 Years

Sex

Female

Target number of participants

1920 girls, 48 clusters with 40 participants per cluster

Total final enrolment

1920

Key exclusion criteria

1. Unable to provide informed consent/assent

Date of first enrolment

14/12/2024

Date of final enrolment

20/01/2025

Locations**Countries of recruitment**

Nepal

Study participating centre**Kopila Nepal**

PO Box 287, Bulaundi-6, Pokhara, Gandaki Province

Pokhara

Nepal

33411

Study participating centre**YGGP**

Birendranagar-8, Surkhet, Karnali

Birendranagar

Nepal

N/A

Sponsor information**Organisation**

University of Bath

Sponsor details

Claverton Down
Bath
England
United Kingdom
BA2 7AY
+44 (0)1225 388388
hss-dc-support@bath.ac.uk

Sponsor type

University/education

Website

<http://www.bath.ac.uk/>

ROR

<https://ror.org/002h8g185>

Funder(s)

Funder type

Government

Funder Name

UK Research and Innovation

Alternative Name(s)

UKRI

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

United Kingdom

Results and Publications

Publication and dissemination plan

Planned publication in peer-reviewed journals, to share baseline, post-intervention results, and final 1-year follow up results.

Intention to publish date

01/12/2027

Individual participant data (IPD) sharing plan

The anonymised quantitative survey data from the three rounds of data collection will be made available, but the details will be made available at a later date.

IPD sharing plan summary

Data sharing statement to be made available at a later date