# Effects of mindfulness-based stress reduction (MBSR) on stress, depression, self-esteem and mindfulness in Thai nursing students

Submission date	Recruitment status	Prospectively registered	
23/04/2014	No longer recruiting	☐ Protocol	
Registration date	Overall study status	Statistical analysis plan	
22/05/2014	Completed	Results	
Last Edited	Condition category	Individual participant data	
22/05/2014	Mental and Behavioural Disorders	<ul><li>Record updated in last year</li></ul>	

## Plain English summary of protocol

Background and study aims

Nursing students are prone to high levels of stress. This can lead to poor physical and psychological health and result in low self-esteem and poorer academic performance. Students that are able to reduce their stress levels will be healthier, more productive and will be more successful in their academic and clinical studies. This, in turn, is likely to improve the quality of nursing care. The mindfulness-based stress reduction (MBSR) program is an eight-week workshop that teaches people a number of mindfulness techniques. It is known to significantly reduce stress levels, anxiety and depression. There have been several studies on MBSR that has been used to reduce stress levels in student nurses, but only with small groups of people, with no control group or tailored program. This study will assess how effective the program is at reducing stress and depression in Thai nursing students and whether it improves their self-esteem and mindfulness.

# Who can participate?

Male and female nursing students, aged 18-20 years studying in the first and the second years of the Bachelor of nursing at the University of Phayao, Thailand.

#### What does the study involve?

127 participants are randomly assigned into one of two study groups. One group is split into three groups, all of which attend the MBSR program. The other group is the control. They do not take part in the MBSR program but have access to the mental health services from the Mental Health Counselling Centre at the university. All participants are asked to complete a baseline demographic questionnaire, collecting information on age, gender, year of study, educational background, religion, family status, financial status and any previous experiences of mindfulness practice. We also ask them to complete a series of questionnaires assessing stress, depression, self-esteem, mindfulness and use of health and counselling services. These questionnaires are collected at the beginning of the study and then at 8-weeks, 16-weeks and 32-weeks afterwards. We will also look at the participants academic grades, to investigate the impact of stress and stress management on their academic performance. Control participants will be offered the opportunity to receive a two-day intensive mindfulness workshop once the study is completed.

What are the possible benefits and risks of participants?

Benefits: Participants in the MBSR program are likely to benefit by learning to use mindfulness techniques to more effectively manage stress.

Risks: Some participants in the MBSR might experience discomfort including pain, numbness, cramping in the legs, and drowsiness.

Where is the study run from?

School of Nursing and Midwifery, Faculty of Health and Medicine, the University of Newcastle, Australia

When is the study starting and how long is it expected to run for? From August 2013 to July 2014.

Who is funding the study?

The study is being conducted as PhD research within the School of Nursing and Midwifery, Faculty of Health and Medicine, The University of Newcastle, Australia.

Who is the main contact?
Professor Michael Hazelton
Michael.Hazelton@newcastle.edu.au

# **Contact information**

#### Type(s)

Scientific

#### Contact name

Prof Michael Hazelton

#### Contact details

School of Nursing and Midwifery
Faculty of Health and Medicine
The University of Newcastle
University Drive
Callaghan
Australia
2308
+61 2 4921 5695
Michael.Hazelton@newcastle.edu.au

# Additional identifiers

Protocol serial number

N/A

# Study information

#### Scientific Title

Effects of mindfulness-based stress reduction (MBSR) on stress, depression, self-esteem and mindfulness in Thai nursing students: A randomised controlled trial

#### **Study objectives**

An eight week program of mindfulness-based stress reduction (MBSR) will reduce stress and depression and increase self-esteem and mindfulness in nursing students in Thailand.

## Ethics approval required

Old ethics approval format

#### Ethics approval(s)

The study has joint ethics approval from the following ethics committees:

- 1. Human Research Ethics Committee, The University of Newcastle (Australia), 24/04/2013; Ref. H-2012-0347
- 2. Ethical Committee on Human Rights Related to Research Involving Human Subjects, University of Phayao (Thailand), 08/08/2013; Ref. 56-02-04-0008

#### Study design

Randomised double blinded parallel group trial

#### Primary study design

Interventional

#### Study type(s)

Quality of life

#### Health condition(s) or problem(s) studied

Stress and Depression

#### **Interventions**

The intervention group received the MBSR program, whereas the control group were able to access existing mental health services on an as-needed basis. The MBSR program comprised of 8 weekly 2.5 hour group sessions and one full day (8 hours) silent practice, held in the 6th week of the program. The weekly sessions included a series of activities designed to develop mindfulness skills and practice. The MBSR intervention was delivered by a research team member trained in this form of psychosocial intervention.

#### **Intervention Type**

Other

#### **Phase**

Not Applicable

#### Primary outcome(s)

A series of questionnaires assessing stress, depression, self-esteem, mindfulness were administered at baseline, 8 weeks, 16 weeks and 32 weeks.

- 1. Stress was measured using the Perceived Stress Scale (PSS); scores ranged from 0 (never) to 4 (very often)
- 2. Depression was measured using the Centre for Epidemiology Studies-Depression Scale (CESD); scores ranged from 0 (rarely or none) to 3 (most or all)
- 3. Self-esteem was measured using the Rosenberg Self-Esteem Scale (RSES), scores ranged from

- 1 (strongly disagree) to 4 (strongly agree)
- 4. Mindfulness was measured using the Mindful Attention Awareness Scale (MAAS), scores ranged from 0 (almost always) to 6 (almost never)

#### Key secondary outcome(s))

- 1. The utilisation of health and counselling services were measured using a specially designed Health and Counselling Service Utilisation Questionnaire, at baseline, 8 weeks, 16 weeks and 32 weeks
- 2. Difference in intervention and control group participants academic grades in the undergraduate nursing program was measured by accessing participants' academic records at the end of the academic period (semester) in which the research was conducted

#### Completion date

13/07/2014

# **Eligibility**

## Key inclusion criteria

Female and male nursing students, aged 18-20 years and studying in the first and the second years of the Bachelor of Nursing at the University of Phayao, Thailand

#### Participant type(s)

**Patient** 

## Healthy volunteers allowed

No

# Age group

Adult

# Lower age limit

18 years

# Upper age limit

20 years

#### Sex

All

## Key exclusion criteria

Nursing students in the third and fourth years of the Bachelor of Nursing at the University of Phayao, Thailand

#### Date of first enrolment

15/08/2013

#### Date of final enrolment

13/07/2014

# Locations

#### Countries of recruitment

Australia

Thailand

Study participating centre School of Nursing and Midwifery Callaghan Australia 2308

# Sponsor information

#### Organisation

The University of Newcastle (Australia)

#### **ROR**

https://ror.org/00eae9z71

# Funder(s)

# Funder type

University/education

#### **Funder Name**

The University of Newcastle Australia (Australia) - School of Nursing and Midwifery, the Faculty of Health and Medicine

# **Results and Publications**

Individual participant data (IPD) sharing plan

#### IPD sharing plan summary

Not provided at time of registration

#### **Study outputs**

Output type Details Date created Date added Peer reviewed? Patient-facing?

Participant information sheet