

# Footprints in primary care

<b>Submission date</b> 24/06/2015	<b>Recruitment status</b> No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 24/06/2015	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 09/04/2020	<b>Condition category</b> Signs and Symptoms	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

### Background and study aims

For some patients who attend primary care more significantly than the norm, although they experience persistent symptoms, a cause cannot readily be identified. Often, GPs may feel a pressure to do something and may prescribe medications or refer them for investigations and specialist appointments that they do not need. This may do patients more harm than good and incur unnecessary costs. One general practice has recently taken the initiative to change the way they look after this group of patients. The GPs have received expert training in a technique called BATHE that enhances the therapeutic relationship with their patients. When a patient seeks medical advice, either in a telephone or face-to-face consultation, after obtaining information about their complaint, the doctor applies the technique. The patients report high satisfaction with their care and consulting rates have dropped. We would like to take this model and observe whether it works in a wider range of patients in different types of practices. We also want to find out whether the intervention could be tested in a larger trial.

### Who can participate?

Adult patients attending one of the GP practices taking place in the study,

### What does the study involve?

Participating GP practices are randomly allocated into either the intervention group or control group. Eligible patients attending a control group GP practice receive normal care. Eligible patients attending an intervention group GP practice receive care via the BATHE technique. Data is collected from practice records and, using a questionnaire, from the patients themselves, about the service they receive over a period of 12 months, related personal costs, and any change in their health. We also record a sample of consultations to see how well the GPs are applying their training and we interview a group of patients and practice staff about their experiences. The results will be used to inform the design of a large study which will provide evidence about the effectiveness and cost-effectiveness of this method of caring for this patient group.

### What are the possible benefits and risks of participating?

Not provided at time of registration

### Where is the study run from?

NHS Bristol, North Somerset and South Gloucestershire Clinical Commissioning Groups (UK)

When is the study starting and how long is it expected to run for?  
July 2015 to August 2015

Who is funding the study?  
National Institute for Health Research (UK)

Who is the main contact?  
Dr Rebecca Barnes

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Dr Rebecca K. Barnes

**Contact details**  
University of Bristol  
Academic Unit of Primary Health Care, School of Social and Community Medicine  
Canyng Hall  
39 Whatley Road  
Bristol  
United Kingdom  
BS8 2PS

## Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

**Secondary identifying numbers**  
18657

## Study information

**Scientific Title**  
Testing the feasibility of a consultation-level intervention for patients in primary care who attend more significantly than the norm with clinically inexplicable symptoms

**Study objectives**  
Some patients attend primary care significantly more often than the norm, despite having no identifiable medical problem to account for this. These patients use considerable NHS resources without necessarily gaining benefit and may even be harmed by over-treatment. This feasibility study will assess whether GP training in BATHE, a rapid intervention for the assessment of psychosocial factors that might be contributing to patients' physical complaints, is an acceptable and potentially cost-effective model to reduce consulting rates.

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

NRES Committee South West - Central Bristol, 30/05/2015, ref: 15/SW/0085

**Study design**

Randomised; Interventional; Design type: Process of Care

**Primary study design**

Interventional

**Secondary study design**

Cluster randomised trial

**Study setting(s)**

GP practice

**Study type(s)**

Treatment

**Participant information sheet**

Not available in web format, please use contact details to request a participant information sheet

**Health condition(s) or problem(s) studied**

Topic: Primary Care; Subtopic: Primary care; Disease: All Diseases

**Interventions**

1. Intervention: GP training in the BATHE technique and assignment of eligible patients to a 'usual' GP
2. Control: Treatment as usual

BATHE is an acronym (Background, Affect, Trouble, Handling and Empathy) for an established consultation technique designed to facilitate a more 'whole person' approach. This includes taking into account all aspects of patients' lives that might be having an impact on their health, and supporting self-management

Follow Up Length: 12 month(s); Practices are randomised and eligible patients invited to participate

**Intervention Type**

Behavioural

**Primary outcome measure**

The primary outcome measure will be difference in number of consultations (including consultation type), hospital admissions, tests/investigations, referrals and prescriptions extracted from the patient record between baseline and 12 months. Items not available from this source will be obtained using a specially designed patient questions to be completed at 6 and 12 months.

## **Secondary outcome measures**

Secondary outcomes to be measured at baseline and 12 months include patient health-related quality of life measured using the EQ-5D-5L; the SF-12 Health Survey; the Patient Health Questionnaire (PHQ-9); the Generalised Anxiety Disorder (GAD-7) scale; the PHQ-15 for monitoring somatic symptom severity; the PAM-13 Patient Activation Measure to measure knowledge, skills and confidence integral to managing one's own health and healthcare; and a patient satisfaction measure based on the GP Patient Survey.

At months 3 and 6 the questionnaire will include the EQ-5D-5L, PHQ-15 and PAM-13 only

At 6 and 12 months, questionnaires will also be used to obtain: information about the use of social services; personal out-of-pocket expenditure by patients and their carers due to their health such as over-the-counter medicine and remedies, travel costs, and expenditure on prescriptions; and wider costs to society such as the use of voluntary services and time off work.

## **Overall study start date**

01/07/2015

## **Completion date**

31/08/2015

# **Eligibility**

## **Key inclusion criteria**

1. Registered patient at one of the study practices
2. Patients aged  $\geq 18$  years
3. Within top 3% attenders in the 12 months prior to commencement of records search

## **Participant type(s)**

Patient

## **Age group**

Adult

## **Lower age limit**

18 Years

## **Sex**

Both

## **Target number of participants**

Planned Sample Size: 90; UK Sample Size: 90; Description: 60 intervention, 30 control

## **Total final enrolment**

96

## **Key exclusion criteria**

1. Patients whose attendance can be accounted for by a diagnosed physical or mental illness
2. Patients with life-threatening illness such as cancer

3. Patients over 80 years with 4+medical problems
4. Patients at high risk of hospital admission
5. Patients undergoing distressing one-off events such as bereavement
6. Vulnerable adults and patients without capacity to provide informed consent

**Date of first enrolment**

01/07/2015

**Date of final enrolment**

31/08/2015

## **Locations**

**Countries of recruitment**

England

United Kingdom

**Study participating centre**

**NHS Bristol, North Somerset and South Gloucestershire Clinical Commissioning Group**

South Plaza, Marlborough Street

Bristol

United Kingdom

BS1 3NX

## **Sponsor information**

**Organisation**

University of Bristol

**Sponsor details**

Department of Social Medicine, Canynge Hall , Whiteladies Road

Bristol

England

United Kingdom

BS8 2PR

**Sponsor type**

University/education

**ROR**

<https://ror.org/0524sp257>

# Funder(s)

## Funder type

Government

## Funder Name

National Institute for Health Research

## Alternative Name(s)

National Institute for Health Research, NIHR Research, NIHRresearch, NIHR - National Institute for Health Research, NIHR (The National Institute for Health and Care Research), NIHR

## Funding Body Type

Government organisation

## Funding Body Subtype

National government

## Location

United Kingdom

# Results and Publications

## Publication and dissemination plan

Not provided at time of registration

## Intention to publish date

## Individual participant data (IPD) sharing plan

## IPD sharing plan summary

Not provided at time of registration

## Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>	results	09/01/2019	21/02/2020	Yes	No
<a href="#">Results article</a>	qualitative study results	03/09/2019	09/04/2020	Yes	No
<a href="#">HRA research summary</a>			28/06/2023	No	No