Daridorexant for Alzheimer's disease prevention

Submission date	Recruitment status Recruiting	[X] Prospectively registered		
06/10/2025		☐ Protocol		
Registration date	Overall study status Ongoing Condition category Mental and Behavioural Disorders	Statistical analysis plan		
07/10/2025		Results		
Last Edited		Individual participant data		
07/10/2025		[X] Record updated in last year		

Plain English summary of protocol

Background and study aims

Alzheimer's disease starts many years before symptoms appear, with harmful changes in the brain like the buildup of amyloid plaques and tau tangles. Researchers are looking for ways to slow or prevent these changes. This study is testing a sleep medication called daridorexant, which may help clear these proteins, reduce brain inflammation, and improve thinking skills. The goal is to see if daridorexant could help prevent Alzheimer's disease.

Who can participate?

People aged 50 to 90 years who are in generally good health and do not have Alzheimer's disease or any other form of dementia may be eligible. You don't need to have insomnia to take part. The study team will review your health and medications to make sure you meet all the requirements.

What does the study involve?

Participants will take either daridorexant or a placebo (a look-alike pill with no active ingredient) every night for one year, 30 minutes before bedtime. Before starting, there will be a screening visit to check eligibility, followed by a baseline evaluation with memory tests, questionnaires, a blood draw, and an optional lumbar puncture. Sleep will be tracked for a week using a headband device. These same tests will be repeated at the end of the year. There will also be safety checkins by phone and in-person visits at 3, 6, and 9 months.

What are the possible benefits and risks of participating?

There is no guaranteed personal benefit from joining the study, but participants may feel good about helping advance Alzheimer's research. Some people might experience better sleep or improved brain health, but these effects are not certain. Risks include mild side effects from the drug (like sleepiness, headache, or nausea), discomfort from blood draws or questionnaires, and possible headaches from the optional lumbar puncture. There's also a small risk of a privacy breach.

Where is the study run from?

The study is being conducted at the StoP-Alzheimer Centre, part of the Douglas Mental Health University Institute – Research Center in Montreal, Quebec, Canada.

When is the study starting and how long is it expected to run for? October 2023 to December 2028.

Who is funding the study? Weston Family Foundation (Canada)

Who is the main contact?

Jennifer Tremblay-Mercier, MSc, prevenir.alzheimer@douglas.mcgill.ca

Contact information

Type(s)

Principal investigator

Contact name

Mrs Sylvia Villeneuve

ORCID ID

https://orcid.org/0000-0003-2338-0467

Contact details

McGill University, 6875 Lasalle blvd Montreal Canada H4H 1R3 +1 5147616131 sylvia.villeneuve@mcgill.ca

Type(s)

Public

Contact name

Mrs Jennifer Tremblay-Mercier

Contact details

McGill University, 6875 Lasalle blvd Montreal Canada H4H 1R3 +1 5147616131 jennifer.tremblay-mercier@douglas.mcgill.ca

Type(s)

Scientific

Contact name

Mr Simon Ducharme

ORCID ID

https://orcid.org/0000-0002-7309-1113

Contact details

McGill University, 6875 Lasalle blvd Montreal Canada H4H 1R3 +1 5147616131 simon.ducharme@mcgill.ca

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

DARAD2025

Study information

Scientific Title

Double blind clinical trial of Daridorexant (dual orexin receptor antagonist) for Alzheimer's disease prevention

Acronym

PAD-DORA

Study objectives

This study will evaluate whether daridorexant, a sleep medication (Dual Orexin Receptor Antagonist (DORA)), can support brain health by promoting the clearance of proteins linked to the development and progression of Alzheimer's disease.

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 26/09/2025, Centre intégré universitaire de santé et de services sociaux de l'Ouest-del'Île-de-Montréal Research Ethics Board (6875 Lasalle blvd, Montreal, H4H 1R3, Canada; +1 514 761-6131; recherche.comtl@ssss.gouv.qc.ca), ref: 2025-1180

Study design

Single-site double-blind randomized placebo-controlled interventional study

Primary study design

Interventional

Study type(s)

Prevention

Health condition(s) or problem(s) studied

Prevention of Alzheimer's disease in participants without Alzheimer's disease dementia, experiencing sleep problems or not

Interventions

240 participants will be randomized (1:1). There are 2 arms. One experimental arm (daridorexant 50 mg) and one placebo arm. Study drug (daridorexant 50 mg or placebo) will be taken orally each night 30 minutes before bedtime for 1 year (the duration of the study).

Intervention Type

Drug

Phase

Phase II

Drug/device/biological/vaccine name(s)

Daridorexant (Quviviq) 50 mg DIN 02537443

Primary outcome(s)

Biological progression as measured by p-tau217/np-tau217 ratio in plasma. Time Frame: baseline up to estimated 12 months

Key secondary outcome(s))

- 1. Biological progression as measured by p-tau181/np-tau181 ratio in plasma. Time Frame: baseline up to estimated 12 months
- 2. Biological progression as measure by A β 42/A β 40 ratio in plasma. Time Frame: baseline up to estimated 12 months
- 3. Cognitive progression as measured with a modified version of the Preclinical Alzheimer Cognitive Composite Score. Time Frame: baseline up to estimated 12 months
- 4. Cognitive progression as measured with the XpressO MoCA medical screening tool. Time Frame: baseline up to estimated 12 months
- 5. $A\beta42/A\beta40$ ratio in cerebrospinal fluid in a subset of participants. Time Frame: baseline up to estimated 12 months
- 6. Sleep efficiency as measured by EEG recordings. Time Frame: baseline up to estimated 12 months.
- 7. Astroglial activation and astrocytosis as measured by glial fibrillary acidic protein (GFAP) levels in plasma. Time Frame: baseline up to estimated 12 months.
- 8. Biological progression as measured by p-tau181/np-tau181 ratio at 3 months, in plasma. Time Frame: baseline to estimated 3 months
- 9. Biological progression as measured by p-tau217/np-tau217 ratio at 3 months, in plasma. Time Frame: baseline to estimated 3 months

Completion date

15/12/2028

Eligibility

Key inclusion criteria

- 1. Without dementia as determined by: MoCA >21 or MMSE > 24 or Clinical Dementia Rating <1
- 2. Minimum of 6 years of formal education

- 3. Stable psychoactive medication for 1 month prior to screening with no intention to change dose during treatment period
- 4. Capacity to provide written consent in English or French

Participant type(s)

Healthy volunteer

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

50 years

Upper age limit

90 years

Sex

Male

Key exclusion criteria

- 1. Clinical diagnosis of major neurocognitive disorder
- 2. Unstable psychiatric condition
- 3. Clinically significant active suicidal ideations
- 4. Unstable medical condition in the opinion of the investigator.
- 5. Known or suspected history of drug or alcohol dependence or abuse within one year of the screening visit
- 6. Currently taking a DORA
- 7. Allergy or significant adverse reaction to DORA
- 8. Use of benzodiazepines or z-drugs > 2 times per week in the last month.
- 9. Use of major and moderate CYP3A4 inducers and inhibitors
- 10. Use of strong central nervous system depressants, opioids, strong analgesics, antipsychotics, sedative antidepressants.
- 11. Active use of cholinesterase inhibitors or memantine
- 12. Women who are breast feeding or pregnant
- 13. Severe obstructive sleep apnea (OSA)
- 14.Clinically significant non-treated rapid eye movement (REM) sleep behavior disorder, restless leg syndrome or parasomnia;
- 15. Diagnosis of narcolepsy

Date of first enrolment

14/10/2025

Date of final enrolment

15/12/2027

Locations

Countries of recruitment

Canada

Study participating centre

StoP-Alzheimer Centre (Douglas Mental Health University Institute - Research Centre)

6875, Lasalle blvd Montreal Canada H4H 1R3

Sponsor information

Organisation

Douglas Mental Health University Institute

ROR

https://ror.org/05dk2r620

Funder(s)

Funder type

Charity

Funder Name

Weston Family Foundation

Alternative Name(s)

The Weston Family Foundation, Fondation de la famille Weston, WFF

Funding Body Type

Private sector organisation

Funding Body Subtype

Trusts, charities, foundations (both public and private)

Location

Canada

Results and Publications

Individual participant data (IPD) sharing plan

Coded individual participant data will be shared through the StoP-Alzheimer Centre open science initiatives (Repository: registeredpreventad.loris.ca and via the Canadian Open Neuroscience Platform)

IPD sharing plan summary

Stored in publicly available repository

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes
Study website	Study website	11/11/2025	11/11/2025	No	Yes