

Middle turbinate medialisation using a transfixion suture following functional endoscopic sinus surgery: how effective is it in maintaining patency of the middle meatus?

Submission date 28/09/2007	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
Registration date 28/09/2007	Overall study status Completed	<input type="checkbox"/> Protocol
Last Edited 24/04/2012	Condition category Surgery	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Mr T H Malik

Contact details
East Lancashire Hospitals NHS Trust
The Royal Blackburn Hospital
Haslingden Road
Blackburn
United Kingdom
BB2 3HH

Additional identifiers

Protocol serial number
N0300148808

Study information

Scientific Title

Study objectives

Does medialising the middle turbinate with a single transfixion suture after functional endoscopic sinus surgery FESS improve the outcome of surgery?

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Surgery: Nose

Interventions

1. Medialisation of Middle Turbinate with transfixion suture performed
2. Suture not performed

Intervention Type

Procedure/Surgery

Phase

Not Specified

Primary outcome(s)

Pain, nasal obstruction, sense of smell, ante/post rhinorrhoea.

Key secondary outcome(s)

Size of access of middle meatus, presence/absence of adhesions.

Completion date

01/10/2004

Eligibility**Key inclusion criteria**

Patients undergoing anterior/ posterior ethmoidal FESS +/- Septoplasty.

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Not Specified

Sex

Not Specified

Key exclusion criteria

Patients in whom middle turbinate has been trimmed, previous septal or middle turbinate surgery.

Date of first enrolment

01/10/2003

Date of final enrolment

01/10/2004

Locations**Countries of recruitment**

United Kingdom

England

Study participating centre

East Lancashire Hospitals NHS Trust

Blackburn

United Kingdom

BB2 3HH

Sponsor information**Organisation**

Record Provided by the NHSTCT Register - 2007 Update - Department of Health

Funder(s)**Funder type**

Government

Funder Name

East Lancashire Hospitals NHS Trust (UK)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/06/2005		Yes	No