

# Exploring the effects of yoga therapy on heart rate and other patient-reported outcomes after cancer treatment

<b>Submission date</b> 06/12/2021	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
<b>Registration date</b> 08/12/2021	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 23/02/2024	<b>Condition category</b> Circulatory System	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

### Background and study aims:

After cancer treatment, many adults report unwanted side-effects such as anxiety, stress, depression, fatigue, and challenges with cognitive function. These patient-reported outcomes are associated with a disruption in breathing and heart rate, measured by heart rate variability. Patient-reported outcomes and heart rate variability have been associated with poor health outcomes and mortality rates. Therefore, interventions to improve heart rate variability and patient-reported outcomes among adults following cancer treatment are needed. Yoga therapy is an intervention that can improve heart rate variability and patient-reported outcomes. This study investigated the effects of a 7-week yoga therapy program on heart rate variability and specific patient-reported outcomes (i.e., cancer-related fatigue, anxiety, cognitive function, depression, stress, quality of life) in adults treated for cancer.

### Who can participate?

Participants were adults who completed cancer treatment recruited from the Ottawa Integrative Cancer Centre. Recruitment for this study is closed.

### What does the study involve?

Participants received one 1:1 yoga therapy session (i.e., one participant, one yoga therapist) and six weekly group-based yoga therapy sessions (i.e., 2-3 participants, one yoga therapist). During these sessions, participants wore a Hexoskin Smart Shirt to measure their heart rate variability. Participants completed questionnaires at seven time points: three times before the program (i.e., -6 weeks, -3 weeks, immediately before the 1:1 yoga therapy session), immediately after the 1:1 yoga therapy session, before the first group-based yoga therapy session, after the last group-based yoga therapy session, and during a 6-week follow-up.

### What are the possible risks and benefits of participating?

Yoga therapy has been shown to improve psychosocial outcomes such as anxiety and stress, enhance heart rate variability and reduce cardiovascular disease risk. There are no known risks associated with participating in this study.

Where is the study run from?

This study is run by the University of Ottawa and at the Canadian College of Naturopathic Medicine.

When is the study starting and how long is it expected to run for?

March 2017 to January 2020

Who is funding the study?

The Canadian CAM Research Fund.

Who is the main contact?

Dr Jennifer Brunet, Principle Investigator

[jennifer.brunet@uottawa.ca](mailto:jennifer.brunet@uottawa.ca)

## Contact information

### Type(s)

Public

### Contact name

Dr Jennifer Brunet

### ORCID ID

<https://orcid.org/0000-0003-3242-5444>

### Contact details

University of Ottawa

125 University (MNT 339)

Ottawa, ON

Canada

K1N 6N5

+1 613-562-5800 (3068)

[jennifer.brunet@uottawa.ca](mailto:jennifer.brunet@uottawa.ca)

### Type(s)

Scientific

### Contact name

Dr Jennifer Brunet

### Contact details

University of Ottawa

125 University (MNT 339)

Ottawa, ON

Canada

K1N 6N5

+1 613-562-5800 (3068)

[jennifer.brunet@uottawa.ca](mailto:jennifer.brunet@uottawa.ca)

## Additional identifiers

## **Clinical Trials Information System (CTIS)**

Nil known

## **ClinicalTrials.gov (NCT)**

Nil known

## **Protocol serial number**

Nil known

# **Study information**

## **Scientific Title**

Exploring the effects of yoga therapy on heart rate variability and patient-reported outcomes after cancer treatment: a single-subject experimental study protocol

## **Study objectives**

Yoga therapy (YT) will lead to improvements in heart rate variability (HRV), and furthermore that YT will lead to reduced cancer-related fatigue, anxiety, depression, and stress, improved cognitive function, and improved QoL. Changes in slopes for HRV and specific PROs across the transition from one phase to another phase (i.e., when 1:1 YT is introduced, when group-based YT is introduced, and when the YT program is completed) will also be examined to determine if there is a difference in level of change across phases. We have no hypothesis for this aim given its exploratory nature.

## **Ethics approval required**

Old ethics approval format

## **Ethics approval(s)**

Approved 14/03/2017, University of Ottawa Social Sciences and Humanities Research Ethics Boards (Tabaret Hall, 550 Cumberland S, Room 15, Ottawa, ON, Canada, K1N 6N5; +1 (613) 5625387; ethics@uottawa.ca), ref: H01-17-04

## **Study design**

Single-centre experimental exploratory single-subject

## **Primary study design**

Interventional

## **Study type(s)**

Quality of life

## **Health condition(s) or problem(s) studied**

Effects of Yoga Therapy (YT) on heart rate variability (HRV) of adults with a history of cancer

## **Interventions**

Each participant received a 1:1 YT session (i.e., one participant, one Yoga Therapist; intervention phase 1) and 6 weeks of group-based YT (i.e., 2-3 participants, one Yoga Therapist; intervention phase 2), and repeated assessments were conducted before, during, and after the YT program to assess if changes in outcomes occurred.

## **Intervention Type**

Behavioural

### **Primary outcome(s)**

HRV is measured using a Hexoskin Smart Shirt at all 7 assessment periods (1 = 6 weeks prior to the one-on-one yoga therapy (1:1 YT) session, 2 = 3 weeks prior to the 1:1 YT session, 3 = immediately prior to the 1:1 YT session, 4 = immediately following the 1:1 YT session, 5 = prior to the first group-based YT session, 6 = after the last group-based YT session, 7 = 6 week follow-up) and continuously between assessment 3 and 4 (i.e., throughout the 1:1 YT session).

### **Key secondary outcome(s)**

1. General state of regulation for different autonomic functions, namely orthostatic-circulatory, rest/activity, and digestive regulation measured using the Trait and State Autonomic Regulation (aR) scales at assessment periods 1, 2, 3, 5, 6, and 7.
2. Fatigue and its influence on global quality of life over a 7-day period measured using Functional Assessment of Cancer Therapy-Fatigue Scale (FACT-F) at assessment periods 1, 2, 3, 5, 6, and 7.
3. Impairment of cognitive abilities and its impact on quality of life during the past 7 days measured using Functional Assessment of Cancer Therapy-Cognitive Function Version 3 (FACT-Cog-Version 3) at assessment periods 1, 2, 3, 5, 6, and 7.
4. Depressive symptomatology during the past week measured using The Center for Epidemiologic Studies Depression (CES-D) short-form Scale at assessment periods 1, 2, 3, 5, 6, and 7.
5. Stress was measured using the Perceived Stress Scale (PSS; 10-item version) at assessment periods 1, 2, 3, 5, 6, and 7.
6. Subjective level of anxiety in specific situations and in general situations measured using The State-Trait Anxiety Inventory (STAI) at assessment periods 1, 2, 3, 4, 5, 6, and 7.
7. Health-related QoL (physical, social, emotional and functional well-being) measured using The Functional Assessment of Cancer Therapy General version 4 (FACT-G-Version 4) at assessment periods 1, 2, 3, 5, 6, and 7.
8. Sense of belonging to the group and sense of commonality with in-group members measured using The Group Identification Scale (GIS) at assessment periods 6 and 7.

### **Completion date**

01/01/2020

## **Eligibility**

### **Key inclusion criteria**

1.  $\geq 18$  years of age
2. Received a diagnosis of cancer (regardless of time since diagnosis);
3. Not undergone conventional cancer treatments (chemotherapy, radiotherapy, surgery) within the past 3 months and had none scheduled for the next 5 months;
4. Not currently on any cardiac medication;
5. Self-reported no YT practice since their cancer diagnosis;
6. Cleared for physical activity as indicated by physical activity readiness questions, and;
7. Willing and able to provide informed consent in English.

### **Participant type(s)**

Healthy volunteer

**Healthy volunteers allowed**

No

**Age group**

Adult

**Lower age limit**

18 years

**Sex**

All

**Total final enrolment**

25

**Key exclusion criteria**

Does not meet inclusion criteria

**Date of first enrolment**

01/05/2017

**Date of final enrolment**

01/12/2019

**Locations****Countries of recruitment**

Canada

**Study participating centre**

**Ottawa Integrative Cancer Centre**

429 MacLaren St.

Ottawa, ON

Canada

K2P 0M7

**Sponsor information****Organisation**

University of Ottawa

**ROR**

<https://ror.org/03c4mmv16>

# Funder(s)

## Funder type

Research organisation

## Funder Name

Canadian CAM Research Fund

# Results and Publications

## Individual participant data (IPD) sharing plan

The data cannot be shared as participants were assured that their data would be kept private and confidential to the extent permitted by law and that only the research team would have access to the data.

## IPD sharing plan summary

Not expected to be made available

## Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>		22/02/2024	23/02/2024	Yes	No
<a href="#">Protocol article</a>		08/04/2022	11/04/2022	Yes	No