Open-label, multicentre study to assess the persistence on treatment in women with postmenopausal osteoporosis receiving oncemonthly ibandronic acid with either a patient support programme (PSP) or bone turnover marker monitoring (BM)

Recruitment status	Prospectively registered
No longer recruiting	☐ Protocol
Overall study status	Statistical analysis plan
Completed	Results
Condition category	Individual participant data
Musculoskeletal Diseases	Record updated in last year
	No longer recruiting Overall study status Completed Condition category

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Patricia Campbell

Contact details

Roche Products Ltd 40 Broadwater road Welwyn Garden City United Kingdom AL7 3AY +44 (0)1707 367862

Additional identifiers

Protocol serial number

ML 18373

Study information

Scientific Title

Acronym

Back up study

Study objectives

The aim of the study is to compare the persistence rates of patients treated with once-monthly ibandronic acid who receive feedback on the change in their bone turnover marker with patients who receive once-monthly ibandronic acid and a patient support programme.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Multicentre randomised open label controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Osteoporosis

Interventions

Patients randomised to:

- 1. Treatment with once-monthly ibandronic acid and feedback on the change in their bone turnover marker
- 2. Treatment with once-monthly ibandronic acid and a patient support programme

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

To assess persistence on treatment (time on therapy) of once-monthly ibandronic acid when patients are randomised to either ibandronic acid with patient support programme (PSP) or once-monthly ibandronic acid with bone turnover marker monitoring (BM).

Key secondary outcome(s))

To ascertain reasons for discontinuation from treatment.

Completion date

28/02/2006

Eligibility

Key inclusion criteria

- 1. Women with postmenopausal osteoporosis diagnosed according to the clinical judgment of the treating physician
- 2. Patients who, in the opinion of the investigator, are able to comply with the protocol requirements and are independent (self caring)
- 3. Patients who have signed informed consent

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Senior

Sex

Female

Key exclusion criteria

- 1. Patients who were previously exposed to or are currently on a bisphosphonate
- 2. Patients who have had a fracture(s) in the past 6 months
- 3. Patients who have been on hormone replacement therapy (HRT) in the past 6 months
- 4. Patients who are unlikely to complete the entire 6-month study period due to significant medical condition
- 5. Patients with an inability to stand or sit upright for at least 60 minutes
- 6. Patients with abnormalities of the oesophagus that delay oesophageal emptying, such as achalasia and stricture
- 7. Patients with hypersensitivity to bisphosphonates
- 8. Administration of any investigational drug within 30 days preceding the first dose of the study drug
- 9. Patients with galactose intolerance

Date of first enrolment

06/06/2005

Date of final enrolment

28/02/2006

Locations

Countries of recruitment

United Kingdom

England

Study participating centre Roche Products Ltd Welwyn Garden City United Kingdom AL7 3AY

Sponsor information

Organisation

Roche Products Ltd (UK)

ROR

https://ror.org/024tgbv41

Funder(s)

Funder type

Industry

Funder Name

Roche Products Ltd (UK)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration