Improving the safety and efficacy of anticoagulation therapy

Submission date	Recruitment status No longer recruiting	Prospectively registered		
21/10/2010		☐ Protocol		
Registration date	Overall study status Completed Condition category Haematological Disorders	Statistical analysis plan		
21/10/2010		Results		
Last Edited		Individual participant data		
30/09/2016		Record updated in last year		

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Hilary Wynne

Contact details

Newcastle upon Tyne Hospitals NHS Foundation Trust Queen Victoria Road Newcastle Upon Tyne United Kingdom NE1 4LP

Additional identifiers

Protocol serial number

8579

Study information

Scientific Title

Improving the safety and efficacy of anticoagulation therapy for thromboembolic disease through vitamin K: a single centre randomised controlled trial

Study objectives

To investigate whether daily supplementation with vitamin K improves the stability of anticoagulation control in patients on chronic therapy with warfarin.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Sunderland Research Ethics Committee, 08/06/2009, ref: 09/H0904/25

Study design

Single-centre non-randomised observational screening cohort study

Primary study design

Observational

Study type(s)

Screening

Health condition(s) or problem(s) studied

Topic: Blood; Subtopic: Blood (all Subtopics); Disease: Non-malignant haematology

Interventions

Randomised (blinded) to vitamin K/placebo 150 μ g orally once daily for 6 months. Follow-up at 1, 2, 4, 8, 12, 16, 20, and 24 weeks post initial dose.

Intervention Type

Supplement

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Vitamin K

Primary outcome(s)

Percent time within target INR (calculated by the method of interpolation) for the study period, measured at baseline and weeks 1, 2, 4, 8, 12, 16, 20 and 24 weeks.

Key secondary outcome(s))

- 1. Clinical events of major (defined as bleeding that led to loss of 2 units of blood over a 7 day period
- 2. Days attending anticoagulation clinic to monitor and achieve target International Normalised Ratio (INR)
- 3. Markers of lack of efficacy including recurrent thrombosis
- 4. The number of warfarin dose changes
- 5. Quality of life questionnaires recorded at baseline and repeated at the end of the study

Completion date

01/01/2013

Eligibility

Key inclusion criteria

- 1. Long term warfarin therapy
- 2. Aged greater than or equal to 18 years
- 3. Male and female

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

- 1. Abnormal hepatic or renal function
- 2. Impairment of cognitive function

Date of first enrolment

01/07/2010

Date of final enrolment

01/01/2013

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

Newcastle upon Tyne Hospitals NHS Foundation Trust

Newcastle Upon Tyne United Kingdom NE1 4LP

Sponsor information

Organisation

Newcastle upon Tyne Hospitals NHS Foundation Trust (UK)

ROR

https://ror.org/05p40t847

Funder(s)

Funder type

Government

Funder Name

National Institute for Health Research (NIHR) (UK) - Research for Patient Benefit (RfPB) programme

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
HRA research summary			28/06/2023	No	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes