

# Allopurinol in the prevention of superficial bladder tumour recurrence

<b>Submission date</b> 01/05/2006	<b>Recruitment status</b> Stopped	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 17/08/2006	<b>Overall study status</b> Stopped	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
<b>Last Edited</b> 09/01/2017	<b>Condition category</b> Cancer	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

<http://www.cancerhelp.org.uk/trials/a-trial-looking-new-drug-help-stop-early-bladder-cancer-coming-back-after-treatment-rapor>

## Contact information

### Type(s)

Scientific

### Contact name

Mr Leyshon Griffiths

### Contact details

Clinical Sciences Unit  
Leicester General Hospital  
Gwendolen Road  
Leicester  
United Kingdom  
LE5 4PW  
+44 (0) 116 258 4617  
trlg1@le.ac.uk

## Additional identifiers

### Protocol serial number

06/Q2501/64

## Study information

### Scientific Title

Allopurinol in the prevention of superficial bladder tumour recurrence

**Acronym**

RAPOR

**Study objectives**

Allopurinol reduces the risk of recurrence of superficial bladder cancer.

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

Being considered for approval by the Nottingham REC 2 (reference: UHL 9950 ETHICS 06/Q2501/64), final approval received 03/05/2006.

**Study design**

A single centre, randomised placebo controlled trial

**Primary study design**

Interventional

**Study type(s)**

Prevention

**Health condition(s) or problem(s) studied**

Superficial transitional cell carcinoma of the urinary bladder

**Interventions**

Allopurinol 100 mg once daily with food or placebo drug

**Intervention Type**

Drug

**Phase**

Phase II

**Drug/device/biological/vaccine name(s)**

Allopurinol

**Primary outcome(s)**

Time to biopsy-proven bladder tumour recurrence whilst taking allopurinol 100 mg once daily or placebo.

**Key secondary outcome(s)**

To evaluate the tolerability of allopurinol in patients with superficial bladder cancer, and to identify any adverse events.

**Completion date**

01/01/2016

**Reason abandoned (if study stopped)**

Participant recruitment issue

# Eligibility

## Key inclusion criteria

1. Patients with solitary Transitional Cell Carcinoma (TCC) Ta or T1 bladder tumour (Grade one to two) that recurs at three months
2. Patients with multifocal TCC Ta bladder tumours (Grade one to two) that do not recur at three months
3. Patients with multifocal TCC Ta bladder tumours (Grade one to two) that recurs at three months

## Participant type(s)

Patient

## Healthy volunteers allowed

No

## Age group

Not Specified

## Sex

All

## Key exclusion criteria

1. Tumours with a higher risk of progression to muscle-invasive bladder cancer
2. Non-TCC bladder cancer
3. Multifocal T1 or Grade three TCC
4. Carcinoma in situ
5. More than one instillation of intravesical chemotherapy
6. Intravesical Bacillus Calmette-Guerin (BCG) therapy

Other reasons:

1. Current azathioprine or mercaptopurine treatment
2. Serum creatinine more than 200 µmol/l
3. Pregnant
4. Breast feeding
5. Aged under 18 year of age
6. Previous Allopurinol hypersensitivity
7. Current allopurinol treatment

## Date of first enrolment

01/06/2006

## Date of final enrolment

01/01/2016

# Locations

## Countries of recruitment

United Kingdom

England

**Study participating centre**  
**Clinical Sciences Unit**  
Leicester  
United Kingdom  
LE5 4PW

## Sponsor information

**Organisation**  
Leicester General Hospital (UK)

**ROR**  
<https://ror.org/02zg49d29>

## Funder(s)

**Funder type**  
Government

**Funder Name**  
University Hospitals of Leicester NHS Trust (UK)

## Results and Publications

**Individual participant data (IPD) sharing plan**

**IPD sharing plan summary**  
Not provided at time of registration