Evaluation versus placebo of the effects on heart rate, haemodynamic parameters, safety and tolerability of 5 mg bolus of ivabradine followed by 8-hour infusion of 5 mg of ivabradine, given to patients undergoing a percutaneous coronary intervention following a myocardial infarction with ST segment elevation (STEMI): a pilot, blind, randomised, placebo-controlled, international, multi-centre study including the ancillary sub-study to the clinical study protocol

Submission date 06/08/2008	Recruitment status No longer recruiting	 Prospectively registered Protocol
Registration date 25/09/2008	Overall study status Completed	 [] Statistical analysis plan [X] Results
Last Edited 18/04/2018	Condition category Circulatory System	Individual participant data

Plain English summary of protocol

Not provided at time of registration and not expected to be available in the future

Contact information

Type(s) Scientific

Contact name Prof Philippe Steg

Contact details Centre Hospitalier Bichat-Claude Bernard Cardiology Department 46 rue Henri Huchard Paris France 75877

Additional identifiers

EudraCT/CTIS number 2005-005122-31

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers CL2-16257-060

Study information

Scientific Title

Evaluation versus placebo of the effects on heart rate, haemodynamic parameters, safety and tolerability of 5 mg bolus of ivabradine followed by 8-hour infusion of 5 mg of ivabradine, given to patients undergoing a percutaneous coronary intervention following a myocardial infarction with ST segment elevation (STEMI): a pilot, blind, randomised, placebo-controlled, international, multi-centre study including the ancillary sub-study to the clinical study protocol

Acronym

VIVIFY

Study objectives Evaluate the effect of ivabradine over placebo on heart rate and haemodynamic parameters.

Ethics approval required Old ethics approval format

Ethics approval(s)

The First French Ethics Committee gave approval on the 11/01/2006 from CCPPRB paris-Pitié-Salpêtrière (dossier 103-05)

Study design Randomised, blinded, placebo-controlled, two parallel and unbalanced treatment arms study

Primary study design Interventional

Secondary study design Randomised controlled trial

Study setting(s) Not specified

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details to request a patient information sheet

Health condition(s) or problem(s) studied

Acute myocardial infarction with ST segment elevation (STEMI) leading to a percutaneous coronary intervention

Interventions

Intravenous injection of 5 mg/placebo, followed by 5 mg/placebo infusion during 8 hours of ivabradine.

Intervention Type

Drug

Phase Not Specified

Drug/device/biological/vaccine name(s)

Ivabradine

Primary outcome measure

Effect on heart rate and blood pressure from the time of drug administration to 24 hours.

Secondary outcome measures

1. Cardiac markers (successive measurements during the 24 hours post-drug administration)

- 2. Echocardiography parameters (6 to 48 hours post-drug administration)
- 3. Magnetic resonance imaging parameters (sub-study) prior to discharge and at month 4
- 4. Pharmacokinetics measurements (during 24 hours post-study drug administration)

Overall study start date 19/05/2006

Completion date

31/03/2009

Eligibility

Key inclusion criteria

- 1. Male or female of non-childbearing potential, aged 40 to 80 years
- 2. Patients who are undergoing a percutaneous coronary intervention following an acute myocardial infarction with ST segment elevation
- 3. Sinus rhythm
- 4. Heart rate greater than 80 beats per minute
- 5. Systolic blood pressure greater than 90 mmHg

Participant type(s)

Patient

Age group

Adult

Sex

Both

Target number of participants

120

Key exclusion criteria

1. Sick sinus syndrome, second-degree or third degree atrioventricular (AV) block

- 2. Atrial fibrillation or flutter
- 3. Hypertrophic cardiomyopathy, severe valvular disease or congenital disease
- 4. Moderate or severe liver disease
- 5. Unstable vital signs at clinical examination, stage IV Killip heart failure

6. Moderate or severe renal failure as measured by glomerular filtration rate (GFR) less than 60 ml/min/1.73m^2 of body surface area

Date of first enrolment

19/05/2006

Date of final enrolment 31/03/2009

Locations

Countries of recruitment

Australia

Belgium

France

Germany

Spain

Study participating centre Centre Hospitalier Bichat-Claude Bernard Paris France FR-75877

Sponsor information

Organisation Institut de Recherches Internationales Servier (France)

Sponsor details

50 rue Carnot Suresnes France 92284

Sponsor type Industry

Website http://www.servier.com/

ROR https://ror.org/034e7c066

Funder(s)

Funder type Industry

Funder Name Institut de Recherches Internationales Servier (France)

Results and Publications

Publication and dissemination plan

Publication plan: Summary results are published in https://clinicaltrials.servier.com.

Intention to publish date

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study will be available upon request from https://clinicaltrials.servier.com if a Marketing Authorisation has been granted after 1st January 2014.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Basic results				No	No
<u>Results article</u>	results	01/09/2013		Yes	Νο