

Nordic Long-term Obsessive compulsive disorder (OCD) Treatment Study

Submission date 20/10/2007	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 19/03/2008	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 10/07/2025	Condition category Mental and Behavioural Disorders	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and study aims

Pediatric Obsessive Compulsive Disorder (OCD) is a serious and often chronic disorder involving obsessive and excessive fears, and behaviours (i.e., rituals) that aim to neutralize the fears and dangers. The symptoms lead to impairment and reduced quality of life. There is impressive evidence for the effectiveness of Cognitive Behaviour Therapy (CBT) with exposure to the feared situations and response prevention of the rituals. Moreover, CBT gives good symptom relief in many, better than drug treatments (i.e., serotonin reuptake inhibiting drugs [SSRIs]). SSRI treatment also has an impressive evidence base. However, little is known about what treatments to offer in children and adolescents who do not benefit from CBT. So, our study aims at investigating whether continued CBT or a switch to sertraline (an SSRI) is best in these non-responding children and adolescents. However, we are also interested in investigating whether regular child and adolescent clinicians can be taught such CBT and be as efficient as psychotherapists working in specialized OCD clinics.

Who can participate?

Children and adolescents, aged 7-17 years, with moderate to severe OCD.

What does the study involve?

Following a thorough baseline diagnostic work-up, patients participate in 14 sessions of CBT. Assessments are made also at the 7th and 13th weeks of the therapy. Youngsters who do not benefit from CBT are then randomly allocated to either sertraline or to continued CBT.

What are the possible benefits and risks of participating?

The participants receive state-of-the-art CBT and drug treatment which increase the chance of symptom relief, while the risks are small.

Where is the study run from?

Three Scandinavian countries (Sweden, Norway and Denmark) contribute. The Center for Child and Adolescent Mental Health, Eastern and Southern Norway (RBUP) is the data center.

When is the study starting and how long is it expected to run for?

The study started in 2008, has now stopped inclusion, and is currently working on a long-term follow-up scheme to study whether gains from therapy are durable.

Who is funding the study?

All participating centers finance their own contribution with the aid of the local hospital or grants from research foundations. At RBUP, grants from research foundations have covered costs associated with graduate students. RBUP and the Norwegian Research Council have contributed to an electronic data capture system.

Who is the main contact?

Dr Tord Ivarsson

tord.ivarsson@r-bup.no

Contact information

Type(s)

Scientific

Contact name

Dr Tord Ivarsson

Contact details

Gullhaug Torg 4B

Oslo

Norway

0484

+47 (0)22 58 60 00

tord.ivarsson@r-bup.no

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

NordLOTS protocol 1.2

Study information

Scientific Title

Nordic Long-term Obsessive compulsive disorder (OCD) Treatment Study

Acronym

NordLOTS

Study objectives

Children and adolescents with obsessive compulsive disorder (OCD) who do not respond to a course of cognitive behaviour therapy (CBT) will benefit equally from sertraline and from continued CBT. Identification of CBT versus sertraline responders is possible. Non responders to CBT and sertraline will benefit from aripiprazol augmentation.

Ethics approval required

Old ethics approval format

Ethics approval(s)

1. Denmark, Institutional Review Board (IRB) (Den videnskabetiske komité for Region Midtjylland), ref: 20070140
2. Sweden, IRB, 04/02/2008
3. Norway, IRB, 10/03/2008

Study design

Randomized active controlled trial with three steps:

- 1: Open uncontrolled
- 2: Randomised and controlled
- 3: Open uncontrolled

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Not specified

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use contact details to request a participant information sheet

Health condition(s) or problem(s) studied

Obsessive compulsive disorder

Interventions

Step 1: Cognitive behaviour therapy (CBT)

Step 2: Sertraline plus CBT support (less intensive CBT) or intensive CBT

Step 3: Sertraline plus CBT support plus aripiprazol

Non-responders to CBT are randomised to continued CBT or sertraline with CBT support. CBT plus sertraline non-responders are treated un-controlled with aripiprazol. Outcome is studied for 36 months.

Dosing schedule of sertraline:

Week 0: no dose given

Week 1: 25 mg for 3 days, then 50 mg (range: 25 - 50 mg)

Week 2: 75 mg (range: 50 - 75 mg)
Weeks 3 - 4: 100 mg (range: 75 - 100 mg)
Weeks 5 - 7: 150 mg (range: 75 - 150 mg)
Weeks 8 - 12: 200 mg (range: 75 - 200 mg)
Weeks 6 - 12: 200 mg (range: 75 - 200 mg)

Dosing schedule of aripiprazole:

Week 0: no dose given
Week 1: 2.5 mg for 7 days (range: 2.5 mg)
Weeks 2 - 4: 5 mg (range: 2.5 - 5 mg)
Weeks 5 - 7: 7.5 mg (range: 2.5 - 7.5 mg)
Weeks 8 - 12: 10 - 20 mg (range: 2.5 - 20 mg)
Weeks 12 onwards: 2.5 - 20 mg

Intervention Type

Drug

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Sertraline, aripiprazole

Primary outcome measure

1. CYBOCS
2. Clinical Global Impression Scale
3. Clinical Global Improvement Scale
4. Children's OCD Impact Scale

Outcomes measured (approximately) at weeks 0, 7, 13, and months 6, 12, 24, 36.

Secondary outcome measures

1. Screen for Child Anxiety Related Disorders Revised (SCARED-R)
2. Mood and Feelings Questionnaire (MFQ)
3. Children's Global Assessment Scale (CGAS)
4. Child Behaviour Checklist (CBCL)
5. Family Accommodation Scale (FAS)
6. Need to add another treatment

Outcomes measured (approximately) at weeks 0, 7, 13, and months 6, 12, 24, 36.

Overall study start date

01/01/2008

Completion date

31/12/2013

Eligibility

Key inclusion criteria

1. Patients 7 - 17 years of age
2. Moderate-severe obsessive compulsive disorder according to Diagnostic and Statistical

Manual of Mental Disorders - Fourth Edition (DSM IV). Severity is defined by Children's Yale-Brown Obsessive Compulsive Scales (CY-BOCS) scores of 16 or above

Participant type(s)

Patient

Age group

Child

Lower age limit

7 Years

Upper age limit

17 Years

Sex

Both

Target number of participants

300 in step 1; 100 in step 2; 30 in step 3

Total final enrolment

269

Key exclusion criteria

1. Co-morbidity has not higher treatment priority (e.g. psychosis, anorexia nervosa, severe depression with suicidality, an autistic disorder or Asperger's syndrome)
2. Pervasive developmental disorders (PDD) not otherwise specified (NOS) is allowed if Clinical Global Impression (CGI) score for the PDD is less than or equal to 3 and CGI for the PDD NOS is less than or equal to CGI for the OCD
3. Mental retardation (intelligence quotient [IQ] less than 70)
4. Patients have not been treated with selective serotonin reuptake inhibitor (SSRI) or CBT for their OCD during the last year
5. If the patient is of non-Nordic ethnicity both the patient and one parent must speak a Nordic language

Date of first enrolment

01/01/2008

Date of final enrolment

31/12/2013

Locations**Countries of recruitment**

Denmark

Norway

Sweden

Study participating centre
Gullhaug Torg 4B
Oslo
Norway
0484

Sponsor information

Organisation

The Centre for Child and Adolescent Mental Health, Eastern and Southern Norway (R.BUP)
(Norway)

Sponsor details

Gullhaug Torg 4B
Oslo
Norway
0484
+47 (0)22 58 60 00
tord.ivarsson@r-bup.no

Sponsor type

Research organisation

Website

<http://www.r-bup.no/>

ROR

<https://ror.org/042s03372>

Funder(s)

Funder type

Research organisation

Funder Name

The Centre for Child and Adolescent Mental Health, Eastern and Southern Norway
(Regionsenter for Barn og Unges Psykiske helse [R.BUP]) (Norway) - for the Nordic coordination

Funder Name

The participating clinics finance their participation from local funding agencies

Results and Publications

Publication and dissemination plan
Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary
Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		29/10/2014		Yes	No
Results article		01/03/2015		Yes	No
Results article		01/11/2019	21/04/2020	Yes	No
Results article		01/04/2021	19/04/2021	Yes	No
Results article	Quality of life results	01/04/2021	22/04/2021	Yes	No
Results article	Relapse rates following remission	03/12/2023	11/12/2023	Yes	No
Results article		09/07/2025	10/07/2025	Yes	No