Survivors at risk: a randomised controlled trial of primary prevention of complicated grief among first degree relatives of suicide victims

Submission date	Recruitment status No longer recruiting	Prospectively registered		
28/04/2006		∐ Protocol		
Registration date	Overall study status	Statistical analysis plan		
28/04/2006	Completed	[X] Results		
Last Edited 26/04/2007	Condition category Mental and Behavioural Disorders	Individual participant data		
/D/U4//UU/	- Mental and Benavioural Disorders			

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Marieke de Groot

Contact details

University Medical Center Groningen (UMCG)
Department of Social Psychiatry
P.O. Box 30001
Groningen
Netherlands
9700 RB
+31 (0)50 3614701
m.h.de.groot@med.umcg.nl

Additional identifiers

Protocol serial number

METC 2002/137

Study information

Scientific Title

Study objectives

A brief (four sessions) nurse-led family focused intervention, based on cognitive behavioral therapy and psycho-education, offered between three and six months following the suicide, prevents depressive and complicated grief symptoms at 13 months bereavement.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approval received from the local ethics committee (ref: METC 2002/137).

Study design

Randomised controlled trial

Primary study design

Interventional

Study type(s)

Prevention

Health condition(s) or problem(s) studied

Suicide bereavement, complicated grief

Interventions

Brief, nurse-led family-focused four session intervention by trained psychiatric nurses, based on cognitive behavioural therapy and psycho-education versus care as usual (control).

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

- 1. Depression (Center for Epidemiologic Studies Depression Scale [CESD])
- 2. Complicated grief (Inventory of Traumatic Grief [ITG])
- 3. Traumatic Grief Evaluation of Response to Loss (TRGR2L)
- 4. Schedules for Clinical Assessment in Neuropsychiatry (SCAN)

Key secondary outcome(s))

- 1. Guilt
- 2. Relief
- 3. Satisfaction

Completion date

01/01/2004

Eligibility

Key inclusion criteria

Families (first-degree relatives, in-laws and spouses) of suicide victims recruited in the three northern provinces of the Netherlands between 1 September 1999 and 1 January 2002.

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Key exclusion criteria

- 1. Severe mental illness
- 2. Imprisonment of the deceased
- 3. Lack of Dutch fluency

Date of first enrolment

01/09/1999

Date of final enrolment

01/01/2004

Locations

Countries of recruitment

Netherlands

Study participating centre University Medical Center Groningen (UMCG)

Groningen Netherlands 9700 RB

Sponsor information

Organisation

University Medical Center Groningen (UMCG) (The Netherlands)

ROR

https://ror.org/03cv38k47

Funder(s)

Funder type

Research organisation

Funder Name

The Netherlands Organisation for Health Research and Development (ZonMw) (The Netherlands)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	Results	12/05/2007		Yes	No