Evaluation of antibiotic use in coronavirus (COVID-19) hospitalised patients

Submission date	Recruitment status No longer recruiting	Prospectively registered			
14/01/2021		[X] Protocol			
Registration date	Overall study status	[X] Statistical analysis plan			
17/05/2021	Completed	[X] Results			
Last Edited	Condition category	Individual participant data			
06/11/2025	Infections and Infestations				

Plain English summary of protocol

Background and study aims

Antibacterial agents (antibiotics) are usually used during the treatment of patients with more severe COVID-19 even though COVID-19 is caused by a virus, and antibiotics don't work against viruses. This is because doctors are concerned that there might be a bacterial infection on top of the viral infection, a so-called secondary infection, that is making matters worse. In fact, there is no good evidence to guide the use of antibiotics in COVID-19, and rates of secondary bacterial infection are thought to be low. The COVID-19 pandemic has therefore resulted in an unwanted increase in antibiotic use which will expose patients to more side effects, an increased risk of infection with superbugs, and increase costs.

This is a study about a blood test called procalcitonin (PCT) which is used in many hospitals to help diagnose bacterial infections and guide antibiotic treatment. There is a lack of clear evidence to support its use in lung infections, which means in some hospitals, clinicians have used the procalcitonin test to guide antibiotic decisions in COVID-19, whilst in other hospitals, they have not.

The PEACH study will analyse data from hospital trusts that did and did not use procalcitonin testing during the first wave of the COVID-19 pandemic. It will determine whether and how procalcitonin testing should be used in the NHS in future waves of COVID-19 to protect patients from antibiotic overuse.

Who can participate?

Patient-level data will be sourced from COVID-19 patients from 11 NHS acute hospitals

What does the study involve?

This study involves the analysis of data from before and during the first wave of the COVID-19 pandemic on the use of PCT testing by NHS trusts and hospitals from the antimicrobial pharmacist's network, professional networks of infection and critical care specialists, providers of PCT testing resources, Rx Info Ltd, Public Health England, and Public Health Wales. The study will also analyse the use of PCT testing and clinical outcomes of COVID-19 patients from 11 NHS acute hospitals during the first wave of the pandemic.

What are the possible benefits and risks of participating? This study looks only at historical data so no benefits or risks are anticipated.

Where is the study run from? The University of Leeds (UK)

When is the study starting and how long is it expected to run for? From October 2020 to December 2022

Who is funding the study?
The National Institute for Health Research (NIHR) (UK)

Who is the main contact?

Unfortunately, this study is not recruiting public volunteers at this time. This is because the research isn't ready for volunteers yet or the researchers are directly identifying volunteers in certain areas or hospitals. Please do not contact the research team as they will not be able to respond. For more information about COVID-19 research, visit the Be Part of Research homepage.

Contact information

Type(s)

Scientific

Contact name

Dr Jonathan Sandoe

ORCID ID

https://orcid.org/0000-0003-0193-8677

Contact details

University of Leeds and Leeds Teaching NHS Trust
Department of Microbiology
Old Medical School
The General Infirmary at Leeds
Leeds
United Kingdom
LS1 3EX
+44 (0)1133928783
J.sandoe@leeds.ac.uk

Type(s)

Scientific

Contact name

Prof Enitan Carrol

ORCID ID

https://orcid.org/0000-0001-8357-7726

Contact details

University of Liverpool
Institute of Infection and Global Health
8 West Derby Street
Liverpool
United Kingdom
L69 7BE
+44 (0)7721315021
edcarrol@liverpool.ac.uk

Type(s)

Public

Contact name

Dr Joanne Euden

ORCID ID

https://orcid.org/0000-0002-2844-6878

Contact details

Centre for Trials Research
College of Biomedical and Life Sciences
Cardiff University
7th Floor
Neuadd Meirionnydd
Heath Park
Cardiff
United Kingdom
CF14 4YS
No telephone contact provided
EudenJ@cardiff.ac.uk

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

v1.2

Study information

Scientific Title

PEACH: Evaluation of Antibiotic use in COVID-19 Hospitalised patients

Acronym

PEACH

Study objectives

The use of procalcitonin (PCT) testing, to guide antibiotic prescribing, safely reduced antibiotic use among patients who were hospitalised with COVID-19 during the first wave of the pandemic.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 03/03/21, West Midlands - Solihull Research Ethics Committee (The Old Chapel Royal Standard Place, Nottingham NG1 6FS; +44 (0)207 1048310; solihull.rec@hra.nhs.uk) Ref 21/WM /0052

Study design

Mixed methods controlled time-series analysis, matched case control study, interview study

Primary study design

Observational

Study type(s)

Screening

Health condition(s) or problem(s) studied

COVID-19 (SARS-CoV-2 infection), COVID-19 hospitalised patients

Interventions

PEACH will assess whether the use of procalcitonin (PCT) testing, to guide antibiotic prescribing, safely reduced antibiotic use among patients who were hospitalised with COVID-19 during the first wave of the pandemic in the UK.

This study will collect both trust-level and patient-level clinical data. Trust level data will be used to evaluate how widely PCT was used before the first COVID-19 wave, and the utilization of PCT testing to guide antibiotic prescribing during the first wave of COVID-19 pandemic in NHS hospital trusts caring for COVID-19 inpatients aged >16 years. Patient-level data will be used to evaluate the impact of PCT testing on antibiotic exposure and clinical outcome for COVID-19 patients.

Trust level data will be collected from different sources to maximise completeness and accuracy.

1. How widely PCT was used before and after the first wave of the COVID-19 pandemic in the UK using:

- 1.1. A questionnaire distributed to the antimicrobial pharmacist's network and through contacts within professional networks of infection and critical care specialists
- 1.2. Information from providers of testing resources
- 2.. Antibiotic consumption (Defined Daily Dose, by route and agent) between 01/03/2020 to 30 /06/2020 using data gathered by Rx Info Ltd, Public Health England, and Public Health Wales.

A retrospective observational analysis using propensity score matching will be used to assess the patient-level impact of PCT on antibiotic use and clinical outcomes. This analysis will use patient-level clinical data collected from 11 UK NHS trusts which did/did not use PCT routinely in COVID-19 patients aged >16 years. The patient-level cost of illness will be calculated from a secondary care NHS perspective from this data in a later stream of this study.

Semi-structured interviews with health care professionals will be used to explore the decision-making process around the use of antibiotics, identify the contextual factors, explore the feasibility and acceptability of PCT testing algorithms, and identify the key ingredients of successful implementation and normalisation of PCT algorithms in the management of COVID-19.

Intervention Type

Other

Primary outcome(s)

Current primary outcome measure as of 13/09/2022:

- 1. Change in level and/or trend of antibiotic prescribing rates following the introduction of PCT testing. Measures using the weekly trend of the number of defined daily doses (DDDs) of prespecified antibiotics commonly used for respiratory tract infection ('CAP-DDD') per number of COVID+ admissions collected by Rx Info Ltd, Public Health England, and Public Health Wales between 01/03/2020 and 30/06/2022
- 2. Length of early antibiotics therapy measured using patient-level data collected within the first 7 days of admission
- 3. Patient-level cost of illness from COVID-19 in NHS trusts measured using data gathered by Rx Info Ltd, Public Health England, and Public Health Wales at baseline and during the first 7 days of admission
- 4. Identifying and reviewing published evidence of cost-effectiveness
- 5. Cost-effectiveness of different PCT testing strategies in COVID-19

Previous primary outcome measure:

- 1. Antibiotic prescribing rates following the introduction of procalcitonin (PCT) testing measured using the number of defined daily doses (DDDs) of prespecified antibiotics commonly used for respiratory tract infection (CAP-DDD) per number of COVID+ hospital admissions collected by Rx Info Ltd, Public Health England, and Public Health Wales between 01/03/2020 to 30/06/2020
- 2. Length of early antibiotics therapy measured using patient-level data collected within the first 7 days of admission
- 3. Patient-level cost of illness from COVID-19 in NHS trusts measured using data gathered by Rx Info Ltd, Public Health England, and Public Health Wales at baseline and during the first 7 days of admission

Key secondary outcome(s))

Current secondary outcome measures as of 13/09/2022:

- 1. Number of CAP-DDDs per total number of admissions collected by Rx Info Ltd, Public Health England, and Public Health Wales to calculate weekly trends between 01/03/2020 to 30/06/2020
- 2. Number of DDDs of all antibiotics (excluding anti TB) total DDDs (tDDDs) per number of COVID+ admissions collected by Rx Info Ltd, Public Health England, and Public Health Wales to calculate weekly trends between 01/03/2020 to 30/06/2020
- 3. Number of tDDDs per total number of admissions collected by Rx Info Ltd, Public Health England, and Public Health Wales to calculate weekly trends between 01/03/2020 to 30/06/2020
- 4. Number of CAP-DDDs per total number of patient bed days collected by Rx Info Ltd, Public Health England, and Public Health Wales to calculate weekly trends between 01/03/2020 to 30 /06/2020
- 5. Number of CAP-DDDs per number of COVID+ patient bed days collected by Rx Info Ltd, Public Health England, and Public Health Wales to calculate weekly trends between 01/03/2020 to 30 /06/2020
- 6. Number of tDDDs per total number of patient bed days collected by Rx Info Ltd, Public Health

England, and Public Health Wales to calculate weekly trends between 01/03/2020 to 30/06/2020 7. Number of tDDDs per number of COVID+ patient bed days collected by Rx Info Ltd, Public Health England, and Public Health Wales to calculate weekly trends between 01/03/2020 to 30/06/2020

- 8. Total length of antibiotic treatment measured using patient-level data collected at baseline and during the first 7 days of admission
- 9. tDDDs of antibiotics measured using patient-level data collected at baseline and during the first 7 days of admission
- 10. Duration of late antibiotic treatment measured using patient-level data collected at baseline and during the first 7 days of admission
- 11. DDDs of late antibiotic treatment measured using patient-level data collected at baseline and during the first 7 days of admission
- 12. DDDs of early antibiotic treatment measured using patient-level data collected at baseline and during the first 7 days of admission
- 13. Appropriateness of antibiotics according to local guidelines (% compliance) if practicable measured using patient-level data collected at baseline and during the first 7 days of admission
- 14. 30-day mortality measured using patient-level data collected at 30 days
- 15. 60-day mortality measured using patient-level data collected at 60 days
- 16. ICU admission measured using patient-level data collected at baseline and during the first 7 days of admission
- 17. ICU length of stay measured using patient-level data collected at ICU discharge
- 18. Length of hospital stay measured using patient-level data collected at discharge
- 19. Antimicrobial-resistant secondary bacterial infection measured using patient-level data collected at baseline and during the first 7 days of admission
- 20. Descriptive outcomes including types of antibiotic, route of administration and duration, frequency of PCT testing, and types of secondary bacterial infection measured using patient-level data collected at baseline and during the first 7 days of admission
- 21. Decision-making process around using antibiotics for patients with COVID measured using patient notes collected at baseline and during the first 7 days of admission
- 22. Feasibility, acceptability, and implementation of PCT testing algorithms in the management of COVID-19 measured using patient notes collected at baseline and during the first 7 days of admission

Previous secondary outcome measures:

- 1. Number of CAP-DDDs per total number of admissions collected by Rx Info Ltd, Public Health England, and Public Health Wales to calculate weekly trends between 01/03/2020 to 30/06/2020
- 2. Number of DDDs of all antibiotics (excluding anti TB) total DDDs (tDDDs) per number of COVID+ admissions collected by Rx Info Ltd, Public Health England, and Public Health Wales to calculate weekly trends between 01/03/2020 to 30/06/2020
- 3. Number of tDDDs per total number of admissions collected by Rx Info Ltd, Public Health England, and Public Health Wales to calculate weekly trends between 01/03/2020 to 30/06/2020
- 4. Number of CAP-DDDs per total number of patient bed days collected by Rx Info Ltd, Public Health England, and Public Health Wales to calculate weekly trends between 01/03/2020 to 30 /06/2020
- 5. Number of CAP-DDDs per number of COVID+ patient bed days collected by Rx Info Ltd, Public Health England, and Public Health Wales to calculate weekly trends between 01/03/2020 to 30 /06/2020
- 6. Number of tDDDs per total number of patient bed days collected by Rx Info Ltd, Public Health England, and Public Health Wales to calculate weekly trends between 01/03/2020 to 30/06/2020
- 7. Number of tDDDs per number of COVID+ patient bed days collected by Rx Info Ltd, Public Health England, and Public Health Wales to calculate weekly trends between 01/03/2020 to 30 /06/2020

- 8. Total length of antibiotic treatment measured using patient-level data collected at baseline and during the first 7 days of admission
- 9. tDDDs of antibiotics measured using patient-level data collected at baseline and during the first 7 days of admission
- 10. Duration of late antibiotic treatment measured using patient-level data collected at baseline and during the first 7 days of admission
- 11. DDDs of late antibiotic treatment measured using patient-level data collected at baseline and during the first 7 days of admission
- 12. DDDs of early antibiotic treatment measured using patient-level data collected at baseline and during the first 7 days of admission
- 13. Appropriateness of antibiotics according to local guidelines (% compliance) if practicable measured using patient-level data collected at baseline and during the first 7 days of admission
- 14. 30-day mortality measured using patient-level data collected at 30 days
- 15. 60-day mortality measured using patient-level data collected at 60 days
- 16. ICU admission measured using patient-level data collected at baseline and during the first 7 days of admission
- 17. ICU length of stay measured using patient-level data collected at ICU discharge
- 18. Length of hospital stay measured using patient-level data collected at discharge
- 19. Acute kidney injury measured using patient-level data collected at baseline and during the first 7 days of admission
- 20 Antimicrobial-resistant secondary bacterial infection measured using patient-level data collected at baseline and during the first 7 days of admission
- 21. Descriptive outcomes including types of antibiotic, route of administration and duration, frequency of PCT testing, and types of secondary bacterial infection measured using patient-level data collected at baseline and during the first 7 days of admission
- 22. Decision-making process around using antibiotics for patients with COVID measured using patient notes collected at baseline and during the first 7 days of admission
- 23. Feasibility, acceptability, and implementation of PCT testing algorithms in the management of COVID-19 measured using patient notes collected at baseline and during the first 7 days of admission

Completion date

31/12/2022

Eligibility

Key inclusion criteria

Trust-level clinical data:

1. NHS hospital trust caring for COVID-19 inpatients aged >16 years

Patient-level clinical data:

- 1. Confirmed COVID-19 infection
- 2. Admitted to participating trust for any reason

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Total final enrolment

6132

Key exclusion criteria

Does not meet inclusion criteria

Date of first enrolment

01/03/2020

Date of final enrolment

30/06/2020

Locations

Countries of recruitment

United Kingdom

England

Wales

Study participating centre Leeds Teaching Hospitals NHS Trust

Beckett Street Leeds United Kingdom LS9 7TF

Study participating centre Royal Liverpool University Hospital

Prescot Street Liverpool United Kingdom L7 8XP

Study participating centre Salford Royal Infirmary

Stott Lane Salford Greter Manchester United Kingdom M6 8HD

Study participating centre Royal Sussex County Hospital

Eastern Road Brighton United Kingdom BN2 5BE

Study participating centre Royal Cornwall Hospital

Treliske Truro United Kingdom TR1 3LJ

Study participating centre St Cadoc's Hospital

Aneurin Bevan University Health Board Lodge Road Caerleon Newport United Kingdom NP18 3XQ

Study participating centre Northern General Hospital

Herries Road Sheffield United Kingdom S5 7AU

Study participating centre Freeman Hospital

Freeman Road High Heaton Newcastle upon Tyne United Kingdom NE7 7DN

Study participating centre Southmead Hospital

Westbury-on-Trym Bristol United Kingdom BS10 5NB

Study participating centre Queens Medical Centre

Nottingham University Hospitals NHS Trust Derby Road Nottingham United Kingdom NG7 2UH

Study participating centre Pindersfield Hospital

Mid Yorkshire Hospitals NHS Trust Aberford Road Wakefield United Kingdom WF1 4DG

Sponsor information

Organisation

University of Leeds

ROR

https://ror.org/024mrxd33

Funder(s)

Funder type

Government

Funder Name

National Institute for Health Research

Alternative Name(s)

National Institute for Health Research, NIHR Research, NIHRresearch, NIHR - National Institute for Health Research, NIHR (The National Institute for Health and Care Research), NIHR

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are/will be available upon request from Cardiff Centre for Trials Research by contacting the study manager (Dr Joanne Euden) at PEACH@cardiff.ac.uk. Anonymised data will be provided upon production of the requestor's study protocol and agreement by Centre of Trials Research and study sponsor (Leeds University).

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient- facing?
Results article	controlled interrupted time series analysis of organization-level data	08/02 /2022	25/03 /2022	Yes	No
Results article	retrospective observational study results	01/05 /2021	25/03 /2022	Yes	No
Results article	decision-making processes during the first wave of the COVID-19 pandemic	19/12 /2023	08/01 /2024	Yes	No
Results article	A retrospective propensity-score-matched cohort study of the impact of procalcitonin testing on antibiotic use in hospitalized patients during the first wave of COVID-19	09/09 /2024	10/09 /2024	Yes	No
Results article	Integrating the quantitative and qualitative data showed that PCT testing reduced antibiotic prescribing	08/08 /2025	12/08 /2025	Yes	No
Results article	Procalcitonin evaluation of antibiotic use in COVID-19 hospitalised patients: The PEACH mixed methods study	01/11 /2025	06/11 /2025	Yes	No
HRA research summary			28/06 /2023	No	No
Participant information sheet	Participant information sheet	11/11 /2025	11/11 /2025	No	Yes
	version v1.1	02/03	17/05		

Protocol file		/2021	/2021 No	No
Protocol file	version 1.2	25/08 /2022	13/09 /2022 No	No
<u>Statistical</u> <u>Analysis Plan</u>	version 1.0	07/09 /2022	14/03 /2025 No	No
<u>Study</u> <u>website</u>	Study website	11/11 /2025	11/11 /2025 No	Yes