ISRCTN66842537 https://doi.org/10.1186/ISRCTN66842537

Randomised phase II trial comparing vinorelbine and capecitabine with docetaxel and capecitabine chemotherapy for metastatic breast cancer

Submission date
12/09/2003

Recruitment status
Stopped

Registration date
12/09/2003

Overall study status
Stopped

Last Edited
29/10/2012

Condition category
Cancer

[ ] Prospectively registered
[ ] Protocol
[ ] Statistical analysis plan
[ ] Results
[ ] Individual participant data
[ ] Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr Chris Gallagher

Contact details
Consultant
Medical Oncology Department
St Bartholomew's Hospital
West Smithfield
London
United Kingdom
EC1A 7BE
+44 (0)20 7601 8521
chris.gallagher@bartsandthelondon.nhs.uk

Additional identifiers

Protocol serial number
N0205108870

Study information

Scientific Title

Study objectives
Toxicity, response and survival.

Ethics approval required
Old ethics approval format

Ethics approval(s)
Not provided at time of registration

Study design
Randomised controlled trial

Primary study design
Interventional

Study type(s)
Treatment

Health condition(s) or problem(s) studied
Breast cancer

Interventions
Randomisation will be stratified by previous anthracycline exposure.
1. Vinorelbine 25mg/m^2 intravenous (IV) 30 min DI + 8q 21 days. Capecitabine 1 g/m^2 orally, twice daily for 14 in every 21 days.
2. Docetaxel 75 mg/m^2 IV 60 min every 21 days with dexamethasone 8 mg twice daily for three days starting 24 hours before each docetaxel treatment. Capecitabine 1 g/m^2 orally, twice daily for 14 in every 21 days.

Added 17 July 2008: the trial closed in 2006 due to poor recruitment.

Intervention Type
Drug

Phase
Phase II

Drug/device/biological/vaccine name(s)
Vinorelbine and capecitabine

Primary outcome(s)
Toxicity, response and survival.

Key secondary outcome(s))
Not provided at time of registration

Completion date
25/11/2005

Reason abandoned (if study stopped)
Poor recruitment

Eligibility

Key inclusion criteria
Metastatic breast cancer following initially histologically proven adenocarcinoma of the breast.

Participant type(s)
Patient

Healthy volunteers allowed
No

Age group
Not Specified

Sex
Female

Key exclusion criteria
Exclusions include previous treatment with vinorelbine, docetaxel or capecitabine and presence of other primary cancers.

Date of first enrolment
01/04/2002

Date of final enrolment
25/11/2005

Locations

Countries of recruitment
United Kingdom

England

Study participating centre
Consultant
London
United Kingdom
EC1A 7BE

Sponsor information

Organisation
Department of Health (UK)

Funder(s)

Funder type
Government

Funder Name
Barts and The London NHS Trust (UK)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary
Not provided at time of registration