Uganda Malaria Surveillance Project -Combination therapies for treatment of uncomplicated falciparum malaria in Uganda: evaluation of efficacy, safety, and tolerability

Submission date	Recruitment status No longer recruiting	Prospectively registered	
26/04/2005		☐ Protocol	
Registration date	Overall study status	Statistical analysis plan	
10/05/2005	Completed	[X] Results	
Last Edited	Condition category	Individual participant data	
22/04/2008	Infections and Infestations		

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Arthur Reingold

Contact details

University of California 104 Haviland Hall Berkeley United States of America 94720-7360

Additional identifiers

Protocol serial number N/A

Study information

Scientific Title

Acronym

UMSP

Study objectives

To assess the efficacy, safety and tolerability of alternative antimalarial therapies for treatment of uncomplicated falciparum malaria as they compare to Chloroquine/Sulfadoxine-Pyrimethamine (CQ/SP) treatment.

Ethics approval required

Old ethics approval format

Ethics approval(s)

No ethics information provided at time of registration.

Study design

Single-blind, randomized clinical trial

Primary study design

Interventional

Study type(s)

Not Specified

Health condition(s) or problem(s) studied

Malaria

Interventions

Chloroquine + sulfadoxine-pyrimethamine versus amodiaquine + sulfadoxine-pyrimethamine versuss amodiaquine + artesunate

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

Alternative therapies to chloroquine/sulfadoxine-pyrimethamine (CQ/SP)

Primary outcome(s)

- 1. 28-day risks for any recurrent infection
- 2. Recrudescence
- 3. New infections.

Key secondary outcome(s))

- 1. Risk of recurrent infection unadjusted by genotyping at day 14
- 2. Presence of fever on days one to three
- 3. Parasitemia on days two and three

- 4. Change in haemoglobin level between the day of enrolment and the last day of follow-up
- 5. Presence of gametocytes during any follow-up day
- 6. Incidence of adverse events

Completion date

31/05/2004

Eligibility

Key inclusion criteria

- 1. Aged over six months
- 2. Fever (more than 37.5 °C axillary) or history of fever in the previous 24 hours
- 3. Absence of any history of serious side effects to study medications, including allergy to sulfadrugs
- 4. No evidence of severe malaria or danger signs
- 5. No evidence of a concomitant febrile illness
- 6. P. falciparum mono-infection
- 7. Parasite density more than 2000/ul and less than 200,000/ul
- 8. Agreement to return for all scheduled follow-up visits
- 9. Provision of informed consent
- 10. No history of anti-folate or amodiaguine use in past seven days
- 11. Absence of pregnancy

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Child

Lower age limit

6 months

Sex

Not Specified

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

01/11/2002

Date of final enrolment

31/05/2004

Locations

Countries of recruitment

Uganda

United States of America

Study participating centre University of California Berkeley United States of America 94720-7360

Sponsor information

Organisation

Uganda Malaria Surveillance Project (Uganda)

Funder(s)

Funder type

Government

Funder Name

Financial support was provided by the Centers for Disease Control/Association of Schools of Public Health cooperative agreement, Malaria Surveillance and Control in Uganda (SA3569 & S1932-21/21) and the Department for International Development (DFID)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	Results	01/07/2005		Yes	No