Rotterdam Aphasia Therapy Study - 2

Submission date	Recruitment status No longer recruiting	Prospectively registered		
12/10/2006		☐ Protocol		
Registration date	Overall study status	Statistical analysis plan		
12/10/2006	Completed	[X] Results		
Last Edited 16/05/2011	Condition category Signs and Symptoms	[] Individual participant data		

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Ms M Hagelstein

Contact details

Erasmus Medical Center
P.O. Box 2040
Rotterdam
Netherlands
3015 GD
+31 (0)10 4087414
m.hagelstein@erasmusmc.nl

Additional identifiers

Protocol serial number

1; NTR736

Study information

Scientific Title

Acronym

RATS-2

Study objectives

- 1. Cognitive linguistic therapy (CLT) is more effective than no-CLT
- 2. CLT applied zero to three months post onset is more effective than applied three to six months post-onset

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics approval received from the local medical ethics committee

Study design

Randomised controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Aphasia

Interventions

Assessment:

- 1. Amsterdam-Nijmegen Everyday Language Test (ANELT), scale A
- 2. ScreeLing: semantic, phonological and syntactic deficits
- 3. Semantic Association Test (SAT), verbal version
- 4. Semantic Association words with low imageability (Psycholinguistic Assessment of Language Processing in Aphasia [PALPA])
- 5. Semantic word fluency (animals, professions)
- 6. Nonwords Repetition (PALPA)
- 7. Auditory Lexical Decision (PALPA)
- 8. Letter fluency (D, A, T)
- 9. Boston Naming Test
- 10. Token Test (short version)
- 11. Spontaneous Speech
- 12. Partner Communication Questionnaire
- 13. Aachen Aphasia Test
- 14. EuroQol quality of life instrument
- 15. Modified Rankin Scale
- 16. Barthel Index

Therapy:

Group one: Cognitive Linguistic Therapy (CLT) using BOX or FIKS or a combination of the two, depending on how the language disorder manifests itself in each patient.

BOX is a lexical semantic treatment program, focused on the interpretation of the semantic features of written words, sentences, and texts.

FIKS is a phonological treatment program focused on sound structure and word form, consisting

of exercises for selecting and sequencing speech sounds on word-, sentence- and text level. Both the paper versions (for individual therapy) and the computerised versions (for additional therapy with homework) can be used.

Group two: no-CLT: all therapy tasks other than cognitive linguistic exercises are allowed. Treatment focused on the linguistic levels (phonology, semantics and syntax) is not permitted. In practice, this means that the control therapy will contain exercises aimed at improving communicative strategies.

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

The score at six months post onset on the Amsterdam Nijmegen Everyday Language Test (ANELT), scale A (understandability).

Key secondary outcome(s))

- 1. Proportion of patients in each treatment group who improve at least seven points on the ANELT with a categorisation of the ANELT into severe (score: ten to 29) and moderate to mild (score: 30-48) communication deficits (ScreeLing)
- 2. Semantic Association Test (SAT), verbal version
- 3. Semantic Association words with low imageability, Nonwords Repetition and Auditory Lexical Decision (PALPA)
- 4. Semantic word fluency
- 5. Letter fluency

Completion date

04/12/2008

Eligibility

Key inclusion criteria

- 1. Aphasia due to stroke
- 2. Within three weeks post onset
- 3. Age 18 to 85 years
- 4. Language near native Dutch
- 5. Life expectancy more than six months

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Upper age limit

85 years

Sex

All

Key exclusion criteria

- 1. Severe dysarthria
- 2. Premorbid dementia
- 3. Illiteracy
- 4. Severe developmental dyslexia
- 5. Severe visual perceptual disorders
- 6. Existing aphasia
- 7. Subarachnoidal haemorrhage
- 8. Recent psychiatric disorder

Date of first enrolment

04/09/2006

Date of final enrolment

04/12/2008

Locations

Countries of recruitment

Belgium

Netherlands

Study participating centre Erasmus Medical Center

Rotterdam Netherlands 3015 GD

Sponsor information

Organisation

Erasmus Medical Center (The Netherlands)

ROR

https://ror.org/018906e22

Funder(s)

Funder type

Research organisation

Funder Name

The Nuts-Ohra Foundation (Stichting Nuts Ohra [SNO]) (The Netherlands)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/04/2011		Yes	No