Dementia care initiative in primary practice (German title: Initiative Demenzversorgung in der Allgemeinmedizin)

Submission date Recruitment status Prospectively registered 28/08/2007 No longer recruiting [X] Protocol [] Statistical analysis plan Registration date Overall study status 16/10/2007 Completed [X] Results [] Individual participant data Last Edited Condition category 01/02/2011 Mental and Behavioural Disorders

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Prof Elmar Graessel

Contact details

Psychiatrische und Psychotherapeutische Klinik Universitatsklinikum Erlangen Schwabachanlage 6 Erlangen Germany 91054

Additional identifiers

Protocol serial number N/A

Study information

Scientific Title

Acronym

IDA

Study objectives

The main research hypothesis is that for dementia patients still living at home a complex intervention consisting of a training of General Practitioners (GPs) in evidence based treatment, of the provision of caregiver support groups, and of actively approaching family counselling, can prolong time to nursing home placement in comparison to usual care.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics approval received from the Ethics board of the Bavarian Chamber of Physicians (Bayerische Landesarztekammer) on the 30th May 2005 (ref: 05029).

Study design

Three armed cluster-randomised trial with recruitment by 220 GPs (clusters) and an intervention /follow-up period of two years. Observer blind assessment of secondary outcomes.

Primary study design

Interventional

Study type(s)

Quality of life

Health condition(s) or problem(s) studied

Mild to moderate dementia

Interventions

Control group: usual care (GPs receive only training in dementia diagnosis and in study procedures)

Intervention group 1: GPs receive additional training in evidence based dementia treatment, caregivers are offered participation in dementia caregiver support groups
Intervention group 2: as in intervention group 1 plus actively approaching family counselling

Training for the GPs had a duration of 0.5 days for the control group and 1 day for the two intervention groups. The caregiver support groups take place once a month. The contact frequency with the actively approaching family counselling is every 6 to 8 weeks. The total duration of follow-up is 2 years for all treatment arms.

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

Time to nursing home placement (within two year intervention and follow-up period).

Key secondary outcome(s))

- 1. Subjective burden of informal caregivers (Burden Scale for Family Caregivers [BSFC])
- 2. Quality of life of the patients (EuroQol-5D measure [EQ5D])
- 3. Direct medical and non-medical costs (including informal care)
- 4. Cognitive functioning of the patients (MMSE)
- 5. Patients' ability to perform Activities of Daily Living (ADL) and Instrumental Activities of Daily Living (IADL) (Barthel-Index, Nurses' Observation Scale for Geriatric patients [NOSGER] subscale IADL)

Secondary outcomes are measured at one and two years after study entry.

Completion date

31/12/2008

Eligibility

Key inclusion criteria

General practitioners:

- 1. Participating in a study specific training
- 2. Located in the study region of Middle Franconia

Patients:

- 1. Mild to moderate dementia (Mini-Mental State Examination [MMSE] between 10 and 23)
- 2. Member of the health insurance AOK
- 3. 65 years and older
- 4. Living at home
- 5. Having an informal caregiver who is willing to participate in study

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Senior

Sex

All

Key exclusion criteria

- 1. Patients having a terminal illness
- 2. Nursing home placement is already planned
- 3. Patients not able or willing to give informed consent

Date of first enrolment

25/06/2005

Date of final enrolment

31/12/2008

Locations

Countries of recruitment

Germany

Study participating centre
Psychiatrische und Psychotherapeutische Klinik
Erlangen
Germany
91054

Sponsor information

Organisation

Federal Association of the Statutory Regional Health Insurance Fund (Allgemeine Ortskrankenkasse [AOK]) (Germany)

ROR

https://ror.org/004cmqw89

Funder(s)

Funder type

Industry

Funder Name

The study is jointly and equally funded by:

Funder Name

The statutory health insurance AOK Bavaria (Germany)

Funder Name

The Federal Association of the AOK (Germany)

Funder Name

Pfizer Deutschland (Germany) - research-based pharmaceutical company

Funder Name

EISAI GmbH (Germany) - research-based pharmaceutical company

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created Date added	Peer reviewed?	Patient-facing?
Results article	results	18/11/2010	Yes	No
<u>Protocol article</u>	protocol	06/06/2009	Yes	No
Other publications	study design and baseline data report	01/05/2007	Yes	No
Study website	Study website	11/11/2025 11/11/2025	No	Yes