

# A phase III multicentre, randomised, controlled, clinical trial to assess the safety and efficacy of injectable paromomycin in patients with visceral leishmaniasis (India)

<b>Submission date</b> 05/04/2005	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
<b>Registration date</b> 07/06/2005	<b>Overall study status</b> Completed	<input type="checkbox"/> Protocol
<b>Last Edited</b> 15/01/2008	<b>Condition category</b> Infections and Infestations	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

Not provided at time of registration

## Contact information

### Type(s)

Scientific

### Contact name

Dr Juntra Karbwang

### Contact details

20, Avenue Appia

Geneva -27

Switzerland

CH 1211

karbwangj@who.int

## Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

NCT00216346

Secondary identifying numbers

A20643, A20485, A20648, A20599

## Study information

### Scientific Title

### Study objectives

The aim of this trial is to assess the safety and efficacy of injectable paromomycin in patients with Visceral Leishmaniasis (VL).

### Ethics approval required

Old ethics approval format

### Ethics approval(s)

The protocol was approved by the independent ethics committee at each of the four participating centers, the Drug Controller General of India, and the Steering Committee on Research Involving Human Subjects of the World Health Organization.

### Study design

Randomised controlled trial

### Primary study design

Interventional

### Secondary study design

Randomised controlled trial

### Study setting(s)

Not specified

### Study type(s)

Treatment

### Participant information sheet

### Health condition(s) or problem(s) studied

Visceral leishmaniasis (VL)

### Interventions

Intervention group (500 patients):

Injectable paromomycin sulphate 15 mg/kg intramuscular per day x 30 days.

Control group (167 patients):

Injectable amphotericin B 1 mg/kg continuous intravenous infusion every other day, total 15 doses.

### Intervention Type

Drug

**Phase**

Phase III

**Drug/device/biological/vaccine name(s)**

Paromomycin, amphotericin B

**Primary outcome measure**

Safety:

1. Reported adverse events
2. Protocol-defined nephrotoxicity and ototoxicity
3. Laboratory evaluations
4. Vital signs

**Secondary outcome measures**

Efficacy:

1. Parasite density
2. Final cure
3. Relapse
4. Treatment failure

**Overall study start date**

23/05/2003

**Completion date**

30/06/2003

**Eligibility****Key inclusion criteria**

1. Aged 5 to 55 years (inclusive) of either gender
2. Confirmed diagnosis by spleen or bone marrow aspirate
3. Clinical signs and symptoms compatible with VL
4. Lab tests:
  - 4.1. Haemoglobin more than 5.0/100 ml
  - 4.2. White Blood Cell (WBC) count more than  $1 \times 10^9$  l
  - 4.3. Platelet count more than  $50 \times 10^9$  l
  - 4.4. Aspartate transaminase (AST), alanine transaminase (ALT) and Alkaline Phosphatase less than three times upper normal limit
  - 4.5. Prothrombin time less than five seconds above control
  - 4.6. Serum creatinine within normal limits
  - 4.7. Serum potassium within normal limits
5. Human Immunodeficiency Virus (HIV) negative

**Participant type(s)**

Patient

**Age group**

Adult

**Sex**

Both

**Target number of participants**

667

**Key exclusion criteria**

1. History of intercurrent or concurrent diseases that may introduce variable that affect the outcome of the study
2. Any condition which the investigator thinks may prevent the patient from completing the study therapy
3. An abnormal baseline audiogram and/or a history of vestibular or auditory dysfunction
4. Proteinuria (more than 2 g/day)
5. A history of hypersensitivity or allergy to aminoglycosides
6. History of major surgery within last two weeks
7. Pregnancy or lactation
8. Previous treatment for VL within two weeks of enrolment into the study
9. Prior treatment failures with paromomycin or amphotericin B

**Date of first enrolment**

23/05/2003

**Date of final enrolment**

30/06/2003

**Locations**

**Countries of recruitment**

India

Switzerland

**Study participating centre**

20, Avenue Appia

Geneva -27

Switzerland

CH 1211

**Sponsor information**

**Organisation**

UNICEF/UNDP/World Bank/WHO Special Programme for Research and Training in Tropical Diseases (TDR)

**Sponsor details**

20, Avenue Appia  
Geneva -27  
Switzerland  
CH 1211

**Sponsor type**

Research organisation

**Website**

<http://www.who.int>

**ROR**

<https://ror.org/01f80g185>

## Funder(s)

**Funder type**

Research organisation

**Funder Name**

United Nations Children's Fund (UNICEF)/United Nations Development Programme (UNDP)  
/World Bank/World Health Organization (WHO) - Special Programme for Research and Training  
in Tropical Diseases (TDR)

## Results and Publications

**Publication and dissemination plan**

Not provided at time of registration

**Intention to publish date****Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration

**Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>	Results	21/06/2007		Yes	No