# Treatment of refractory angina pectoris by shock wave therapy

Submission date	Recruitment status No longer recruiting	<ul><li>Prospectively registered</li></ul>			
23/02/2008		☐ Protocol			
Registration date	Overall study status Completed	Statistical analysis plan			
11/04/2008		[X] Results			
<b>Last Edited</b> 11/04/2019	Condition category Circulatory System	[] Individual participant data			
11/04/2013	Circulatory System				

#### Plain English summary of protocol

Not provided at time of registration

### Contact information

#### Type(s)

Scientific

#### Contact name

Dr Muhammad Saadat

#### Contact details

B-84 Gulshan-e-Iqbal Block 13-D/1 Karachi Pakistan

### Additional identifiers

ClinicalTrials.gov (NCT) NCT00776568

Protocol serial number URG/UQ/002/01

## Study information

#### Scientific Title

Extracorporeal shock wave therapy (ESWT) for the treatment of refractory angina pectoris

#### **Study objectives**

Patients with advanced coronary artery disease (CAD) frequently have limited symptoms with recurrent angina, angina at low work thresholds, breathlessness, and other debilitating conditions. These patients have often been through several "re-do" coronary bypass procedures and multiple percutaneous coronary interventions.

Surgical and interventional options for these patients typically have been exhausted or will result in only partial revascularisation. Therefore, therapy remains limited to the use of multiple anti-anginal medications, reduced activity, exertion, and stress level, and significant alteration and limitation of lifestyle.

The goal of this emerging approach is to therapeutically induce the growth and development of new vasculature in zones of severe ischemia in the myocardium, with the hope that new capillaries and arterioles generated will connect to remnant existing vasculature. These neovessels are viewed to act as collaterals, perfusing ischemic territories unapproachable by macro procedures such as angioplasty and bypass surgery.

#### Ethics approval required

Old ethics approval format

#### Ethics approval(s)

The IEC/IRB, City Medical Committee, Karachi (Pakistan). Date of approval: 25/02/2008 (ref: ERB /KIHD/001)

#### Study design

Randomised controlled single-centre trial

#### Primary study design

Interventional

#### Study type(s)

Treatment

#### Health condition(s) or problem(s) studied

Coronary artery disease

#### Interventions

In this study, all participants will receive the same interventions (there is no control group). Each participant will serve as their own control; comparison will be made between their first SPECT and follow-up SPECT.

#### Efficacy:

- 1. The patient will be positioned on the treatment table and connected to the ECG monitor.
- 2. The treatment area to be treated will be localized by cardiologic ultrasound.
- 3. The treatment area should be divided to a  $1 \times 1$  cm zones. At least three (minimum zones) different myocardial zones are to be treated with shock waves.
- 4. Ultrasound gel must be applied on the shock wave applicator (SWA) membrane and on the patient's chest skin that is in contact with the SWA. The SWA will be mounted to the Cardiospec according to the ultrasound localisation of the treatment area. The SWA membrane should be inflated to achieve full contact with the patient's skin.
- 5. Shock waves are applied concomitantly with ultrasound imaging on the myocardial locations.

- 6. The energy level will be a flux density of 0.09 mj/mm2, and will remain at this level throughout each session. Each myocardial zone will be treated with approximately 100 shocks.
- 7. At least 2,700 shocks will be applied over a course of 9 treatment sessions.

Safety - the following will be monitored during the interventions:

- 1. Incidence of patient complications
- 2. Adverse reactions
- 3. Rise in cardiac enzymes
- 4. Blood count
- 5. Troponin levels
- 6. Electrocardiogram (ECG) changes

#### Intervention Type

Other

#### **Phase**

**Not Specified** 

#### Primary outcome(s)

- 1. Therapeutic effect. The following will be assessed at baseline and 6 months post baseline or at the last visit for patients who terminate prematurely:
- 1.2. Alleviation of anginal symptoms
- 1.2. Improved myocardial perfusion
- 1.3. To determine whether the shock wave therapy serves as an adjuvant therapy for the treatment of refractory angina pectoris
- 2. Change in maximal stress exercise capacity testing. The change in total exercise time assessed using the modified Bruce exercise test, from baseline to 6 months post-baseline, or to the last visit for patients who terminate prematurely.

#### Key secondary outcome(s))

- 1. Change in cardiac enzymes before and after the first treatment
- 2. The change in SPECT in perfusion from baseline to 6 months post-baseline (17 segments model)
- 3. AP CCS Stage: The AP CCS Stage at 6 months post-baseline, or at the last visit for patients who terminate prematurely
- 4. The change in the number of angina attacks from baseline to 6 months post-baseline. The number of attacks per week will be documented
- 5. Hospital Admission Rate: The change in the number of hospital admission from baseline to 6 months post-baseline. The number of admissions per month will be documented.

### Completion date

28/11/2008

## **Eligibility**

## Key inclusion criteria

- 1. Male or female, 18 years or older.
- 2. Diagnosis of chronic stable angina pectoris. Diagnosis is based on medical history, complete physical evaluation, and Exercise Single-Photon Emission Computed Tomography (Exercise SPECT).

- 3. Patient has documented myocardial segments with reversible ischemia and or hibernation.
- 4. Patient is classified as AP CCS of III or IV.
- 5. Patient should be on a stable dosage of medication used to treat angina for at least 6 weeks prior to enrollment.
- 6. Patients demonstrates exercise tolerance time (ETT) duration <10 minutes on a modified Bruce protocol on 2 consecutive tests (tests no less than 24 hours and no more than 2 weeks apart), with the second test within 25% of the first (Patients should not be informed of exercise restrictions required for entry into the study).
- 7. Patient has refused to undergo another angioplasty or CABG.
- 8. Patient has signed an informed consent form.
- 9. Patient's condition should be stable and should have a life expectancy of >12 months.
- 10. Patient's current and past medical condition and status will be assessed using previous medical history, physical evaluation, and the physicians (principle investigator's) medical opinion.
- 11. Newly diagnosed type II diabetes.

#### Participant type(s)

Patient

#### Healthy volunteers allowed

No

#### Age group

Adult

#### Lower age limit

18 years

#### Sex

All

#### Key exclusion criteria

- 1. Chronic lung disease including emphysema and pulmonary fibrosis.
- 2. Active endocarditis, myocarditis or pericarditis.
- 3. Patient is simultaneously participating in another device or drug study, or has participated in any
- 4. Clinical trial involving an experimental device or drug, including other drugs or devices enhancing cardiac neovascularization, or any ESWT machine for neovascularization of a competitor company within 3 months of entry into the study.
- 5. Patients who are unwilling or unable to cooperate with study procedure.
- 6. Patients who are unwilling to quit smoking during the study procedure (including screening phase)
- 7. Patients who had myocardial infarction (MI) less than 3 months prior to treatment.
- 8. Patients who are diagnosed with a 3rd and 4th degree heart valve disease.
- 9. Patient with intraventricular thrombus.
- 10. Pregnancy.
- 11. Patient with a malignancy in the area of treatment.

#### Date of first enrolment

26/02/2008

#### Date of final enrolment

### Locations

#### Countries of recruitment

Pakistan

## Study participating centre B-84

Karachi Pakistan

\_

## Sponsor information

#### Organisation

UNIQUIP International (Pakistan)

## Funder(s)

#### Funder type

Industry

#### **Funder Name**

Government and private collaboration:

#### **Funder Name**

UNIQUIP International (main funder) (Pakistan)

#### Funder Name

City District Government Karachi (funding the investigator and providing facility) (Pakistan)

## **Results and Publications**

Individual participant data (IPD) sharing plan

**IPD sharing plan summary**Not provided at time of registration

## Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/12/2012	20/02/2019	Yes	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes