

# Coaching and education for parents with overweight/obesity and their children

<b>Submission date</b> 20/07/2018	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
<b>Registration date</b> 24/09/2018	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 16/09/2021	<b>Condition category</b> Nutritional, Metabolic, Endocrine	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

### Background and study aims

In 2016, more than 1.9 billion adults and over 340 million children and adolescents aged 5-19 were overweight/obese globally. Overweight and obesity are defined as an abnormal or excessive fat accumulation that may result in physical, social, emotional, and mental health complications. The involvement of parents and children in interventions such as health education coaching and programs may help to reduce obesity and promote long-term healthy weights among members of the family. Children's parents, home and family environments are some of the strongest influences on their health behaviours, which means that one of the best ways to encourage positive health behaviour is to target parents and children whilst children are still young.

The aim of this study is to look at how a 3 month health education and coaching program can affect changes in physical activity and nutrition in overweight/obese parents, along with changes in parental motivation to engage in healthy behaviours.

### Who can participate?

Overweight/obese parents with children between the ages of 2.5-10 years old (of any weight) who live in Middlesex County and live together for at least 5 days of the week

### What does the study involve?

Pairs of parents and children will be randomly assigned into either the intervention or control group. Both groups will receive 6 online health education sessions. The intervention group will also receive 9 20 minute telephone-based coaching sessions. Participants will be assessed on their physical activity, nutrition, self-esteem and their perceptions of the program's efficacy.

### What are the possible benefits and risks of participating?

The potential benefits from this program include information and/or coaching provided to participants, along with the long-term health behaviour changes within the family that this program aims to promote. There are no known risks for participating in this study. Although it is not anticipated, it is possible that some individuals may feel sensitive speaking about their personal experiences. If parent-participants feel they would like to share their feelings with individuals outside of the study environment, they are being advised to seek resources available in London and area (e.g. London Middlesex Counselling and Addiction Services).

Where is the study run from?  
Western University in London, Ontario, Canada.  
Some follow-up measurements occur at participants' homes, if they choose.

When is the study starting and how long is it expected to run for?  
June 2017 to June 2019

Who is funding the study?  
Institute of Coaching (USA)

Who is the main contact?  
Dr. Jennifer D. Irwin  
jenirwin@uwo.ca

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Dr Jennifer Irwin

**Contact details**  
Arthur & Sonia Labatt Health Sciences Building, Rm 338  
Western University  
London, Ontario  
London  
Canada  
N6A 5B9

**Type(s)**  
Public

**Contact name**  
Ms Shazya Karmali

**Contact details**  
Arthur & Sonia Labatt Health Sciences Building  
Western University  
London  
Canada  
N6A 5B9

## Additional identifiers

**Protocol serial number**  
N/A

## Study information

## **Scientific Title**

Coaching and/or education intervention for parents with overweight/obesity and their children: a randomised controlled trial

## **Study objectives**

Primary research question: What is the impact of 3 months of coaching plus health education compared to health education only on:

1. The physical activity (PA) levels of children (ages 2.5-10) and their parents with overweight (i.e., BMI of  $> 25 \text{ kg/m}^2$ )?
2. The dietary intake of children and their parents with overweight?
3. Parental motivation to engage in healthy behaviours?

Secondary research question: What is the impact of coaching plus health education compared to health education only on parental:

1. Body Mass Index (BMI)?
2. Overall perception of health?
3. Psychosocial variables (i.e., social support, self-esteem, and self-efficacy)?
4. Perceptions of the intervention's impact on themselves, their child, and their family?

We hypothesise that immediately following, and at 6 months post-intervention, the coaching plus education group will report higher levels of parent-child physical activity, greater improvements in parent-child dietary intake choices, greater parental psychosocial benefits, and greater improvements in parents' BMI values, compared to those who receive education only. We predict that parents from higher SES (socioeconomic status) backgrounds will be more favourably impacted than those from lower SES backgrounds, as researchers have found greater difficulties associated with affecting behaviour change within lower SES environments (Peters, Parletta, Lynch, & Campbell, 2014).

It is also hypothesized that male parents and children will report higher PA levels, while female parents and children will report greater dietary intake improvements, and their psychosocial health will be most positively impacted, given that previous research has found young males tend to be more active than their female counterparts, and obesity affects psychosocial health of women more negatively than men (Walker & Hill, 2009).

## **Ethics approval required**

Old ethics approval format

## **Ethics approval(s)**

Western University Non-Medical Research Ethics Board (NMREB) at the Delegated Board review level, 02/06/2017, 109219

## **Study design**

Interventional single-centre randomised controlled pilot study

## **Primary study design**

Interventional

## **Study type(s)**

Prevention

## **Health condition(s) or problem(s) studied**

Overweight/obese parents and their children (ages 2.5-10 years) of any weight.

## **Interventions**

50 parent-child pairs will be randomly assigned, using a 1:1 ratio, to either the intervention group or control group. A computerized program will be used to determine participant assignment. As participants become eligible, they will be assigned to the next available slot, which will indicate which group they are assigned to. For instance, when using the website <http://www.graphpad.com/quickcalcs/randomize1/> to randomly assign participants, it asked for the number of subjects in the study and how many groups they need to be randomly assigned to, and from this, it generated random assignment for that amount of subjects (e.g. Participant 1 = Group A, Participant 2 = Group B, Participant 3 = Group B, etc). For the purposes of this research, Group A will be the intervention group and Group B will be the control group.

Group A will receive 9 20-minute telephone-based coaching sessions for parents, plus 6 online education sessions. They will create a schedule with their coach to receive these sessions, with 3 per month for 3 months. The agenda of the sessions will be of the participant's choosing. The 6 online health education sessions will consist of 3 sessions focused on physical activity and 3 sessions focused on healthy eating, all of which are created by the research team. These will be open to participants upon entry to the study, and parents will be asked to engage in their next lesson approximately 7-10 days after their previous one. The uptake of each lesson will be tracked by participant login and duration, and by a "What is the most important lesson I took from this session" question that they will be asked to complete and submit at the end of each module.

Group B will receive the same 6 online education sessions received by the intervention group. Assessments will be conducted at baseline, 6 weeks into the intervention, post-intervention (3 months), and 6 months post-intervention.

## **Intervention Type**

Behavioural

## **Primary outcome(s)**

The following will be assessed at the baseline, 6 weeks into the intervention, post-intervention (3 months) and 6 months post-intervention:

1. Physical activity, assessed using:

1.1. 7 day pedometer-determined step count of parent and child (participants will be sent a log to track the end-of-day step count for each day the pedometer is worn, to be filled out for themselves and their child)

1.2. International Physical Activity Questionnaire (IPAQ)

2. Dietary intake, assessed via 24 hour food recall of parent and child with a 24 Multi-Pass Recall for parent and child

3. Parent perspectives on changes in their and their child's physical activity and nutrition behaviours, assessed via in-person interview

4. Parent motivation to engage in healthy behaviours, assessed using the Treatment Self-Regulation Questionnaire (TSRQ)

Adult participants will be asked to provide information about their demographics at the baseline.

## **Key secondary outcome(s)**

The following will be assessed at the baseline, 6 weeks into the intervention, post-intervention (3 months) and 6 months post-intervention and completed only by the parent:

1. BMI, assessed by dividing weight in kilograms by height in meters squared ( $\text{kg/m}^2$ )

2. Social support, assessed using the Multi-dimensional Scale of Perceived Social Support

3. Changes in self-esteem and self-efficacy, assessed using the following:

3.1. Rosenberg Self-Esteem Scale

3.2. Weight Efficacy Lifestyle Questionnaire

3.3. Self-Efficacy for Overcoming Barriers

3.4. Eating Self-Efficacy Scale

3.5. Generalized Self-Efficacy Scale

3.6. Short Form-36

4. Parents' perceptions of the program's impact on themselves and their families, assessed via in-person interview

**Completion date**

31/07/2019

## Eligibility

**Key inclusion criteria**

1. Parents or guardians

2. BMI of  $> 25 \text{ kg/m}^2$

3. Live with their child for at least 5 days of the week

4. Have a child aged 2.5-10 years

5. Speak English

6. Comfortable using a computer for data collection

7. Live in Middlesex County

If there are two parents and two children in a family who meet our inclusion criteria, they will be permitted to participate as two separate dyads.

**Participant type(s)**

Mixed

**Healthy volunteers allowed**

No

**Age group**

Mixed

**Sex**

All

**Total final enrolment**

100

**Key exclusion criteria**

N/A

**Date of first enrolment**

01/09/2017

**Date of final enrolment**

15/11/2018

## Locations

**Countries of recruitment**

Canada

### Study participating centre

#### Western University

Arthur & Sonia Labatt Health Sciences Building  
1151 Richmond St  
London  
Canada  
N6A 3K7

## Sponsor information

### Organisation

The Office of Human Research Ethics

### ROR

<https://ror.org/00dpysh46>

## Funder(s)

### Funder type

Not defined

### Funder Name

Institute of Coaching

## Results and Publications

### Individual participant data (IPD) sharing plan

The data sharing plans for the current study are unknown and will be made available at a later date.

### IPD sharing plan summary

Data sharing statement to be made available at a later date

### Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>	results	18/09/2020	16/09/2021	Yes	No
	protocol				

<a href="#">Protocol article</a>		28/03/2019		Yes	No
<a href="#">Other publications</a>	Clients' and Coaches' Perspectives	03/08/2020	16/09/2021	Yes	No
<a href="#">Participant information sheet</a>	Participant information sheet	11/11/2025	11/11/2025	No	Yes