# A randomised double-blind study to compare two regimens of Levonorgestrel in emergency contraception in Nigeria

Submission date	Recruitment status  No longer recruiting	<ul><li>Prospectively registered</li></ul>		
19/03/2004		☐ Protocol		
Registration date	Overall study status	Statistical analysis plan		
01/04/2004	Completed	[X] Results		
Last Edited	Condition category	[] Individual participant data		
09/02/2011	Pregnancy and Childbirth			

# Plain English summary of protocol

Not provided at time of registration

## Contact information

## Type(s)

Scientific

#### Contact name

Dr D Chikamata

#### Contact details

World Health Organization 20 Avenue Appia Geneva Switzerland CH-1211 chikamatad@who.int

## Additional identifiers

# Protocol serial number

WHO/HRP ID: A15062

# Study information

Scientific Title

#### **Study objectives**

Compare two regimens of levonorgestrel for emergency contraception in seven centres in Nigeria.

#### Ethics approval required

Old ethics approval format

#### Ethics approval(s)

Not provided at time of registration.

#### Study design

Multicentre controlled randomised double-blind two-arm clinical trial

#### Primary study design

Interventional

#### Study type(s)

Prevention

#### Health condition(s) or problem(s) studied

Contraception

#### **Interventions**

- 1. Levonorgestrel two doses of 0.75 mg 12 hours apart
- 2. Levonorgestrel one dose of 1.5 mg

#### Intervention Type

Drug

#### **Phase**

**Not Specified** 

## Drug/device/biological/vaccine name(s)

Levonorgestrel

## Primary outcome(s)

Efficacy, side-effects and timing of next menstrual period at six weeks.

## Key secondary outcome(s))

No secondary outcome measures

## Completion date

01/08/2004

# **Eligibility**

# Key inclusion criteria

- 1. Requesting emergency contraception within 120 hours of unprotected intercourse
- 2. Only one act of unprotected intercourse during current cycle
- 3. Willing to abstain from further acts during current cycle

- 4. Regular menstrual cycles (24 to 42 days)
- 5. Having at least one spontaneous cycle before current cycle
- 6. Available for follow-up in the next six weeks
- 7. Negative pregnancy test
- 8. Willing to participate
- 9. Not breastfeeding
- 10. No use of hormonal contraceptives or of rhythm or natural family planning method of contraception during current cycle
- 11. Not unsure about the date of last menstrual period

#### Participant type(s)

**Patient** 

#### Healthy volunteers allowed

No

#### Age group

Adult

#### Sex

Female

#### Key exclusion criteria

Does not comply with the above inclusion criteria.

#### Date of first enrolment

01/08/2002

#### Date of final enrolment

01/08/2004

# Locations

#### Countries of recruitment

Nigeria

Switzerland

# Study participating centre World Health Organization

Geneva Switzerland CH-1211

# Sponsor information

#### Organisation

World Health Organization (WHO) (Switzerland)

#### **ROR**

https://ror.org/01f80g185

# Funder(s)

#### Funder type

Research organisation

#### **Funder Name**

World Health Organization (WHO) (Switzerland)

#### Alternative Name(s)

, , Всемирная организация здравоохранения, Organisation mondiale de la Santé, Organización Mundial de la Salud, WHO, , BO3, OMS

#### **Funding Body Type**

Government organisation

#### **Funding Body Subtype**

International organizations

#### Location

**Switzerland** 

# **Results and Publications**

Individual participant data (IPD) sharing plan

## IPD sharing plan summary

#### **Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/10/2002		Yes	No
Results article	results	01/10/2010		Yes	No