# Individualized cognitive behavioral therapy to reduce criminal recidivism risk among young sexual offenders

Submission date	Recruitment status	[X] Prospectively registered
18/06/2019	No longer recruiting	∐ Protocol
Registration date	Overall study status	Statistical analysis plan
20/06/2019	Completed	☐ Results
Last Edited	Condition category	Individual participant data
03/12/2024	Mental and Behavioural Disorders	[X] Record updated in last year

#### Plain English summary of protocol

Background and study aims

Systematic literature reviews find only weak support for the recidivism-reducing effects of current psychological interventions for young people who commit sexual offences (YSOs). Hence, we evaluate a new, sexual abuse-specific, individualized Cognitive Behavioural Therapy (CBT) intervention, STOP, for YSOs to improve treatment effectiveness.

STOP draws on the limited existing evidence and psychological treatment modalities such as Dialectical Behaviour Therapy (DBT), Multi-systemic Therapy (MST), Motivational Interviewing (MI) and the risk, need and responsivity principles (RNR) for effective work with offender populations.

STOP aims to reduce future sexual offending through a) active reduction of those research-based, malleable recidivism risk factors that each individual YSO present and b) design of an individual stop plan against relapse to follow also after treatment termination. A supplementary support plan, c) informs the offender's network on how to strengthen skills, reduce problem behaviour and monitor that the plan is followed.

#### Who can participate?

13 - 21-year-old males who have been convicted of a sexual offence and are resident in one of the participating youth homes.

#### What does the study involve?

YSOs participate in the individualized psychological STOP intervention; newly implemented and currently provided as part of standard YSO care within SiS. The study involves no additional intervention but five extra self-report and teacher report questionnaires and an additional assessment of potential treatment-related changes in risk.

What are the possible benefits and risks of participating?

Benefits from study participation (beyond STOP treatment as such) are limited but may include improved treatment quality due to additional study-related therapist supervision and the possibility to systematically contribute opinions to improve young offender treatment. No potential risks have been identified.

Where is the study run from? Karolinska institutet, Sweden

When is the study starting and how long is it expected to run for? January 2018 to October 2022

Who is funding the study? Statens institutionsstyrelse (Swedish National Board of Institutional Care R&D)

Who is the main contact?

- 1. Miss Mia Jörgensen (public), Mia.helena.jorgensen@gmail.com
- 2. Dr Dan Wetterborg (public), dan.wetterborg@ki.se
- 3. Dr Niklas Långström (scientific). niklas.langstrom@ki.se

## **Contact information**

#### Type(s)

**Public** 

#### Contact name

Miss Mia Jörgensen

#### Contact details

Division of Psychology Department of Clinical Neuroscience Karolinska Institutet Stockholm Sweden 17177

\_

Mia.helena.jorgensen@gmail.com

#### Type(s)

Public

#### Contact name

Dr Dan Wetterborg

#### Contact details

Division of Psychology
Department of Clinical Neuroscience
Karolinska institutet
Stockholm
Sweden
171 77
+46 (0)76 915 44 29
dan.wetterborg@ki.se

#### Type(s)

Scientific

#### Contact name

Dr Niklas Långström

#### Contact details

Center for Psychiatry Research
Department of Clinical Neuroscience
Karolinska Institutet
Norra Stationsgatan 69, 7 tr
Stockholm
Sweden
11364
+46 (0)70 162 4028
niklas.langstrom@ki.se

# Additional identifiers

#### **EudraCT/CTIS** number

Nil known

#### **IRAS** number

#### ClinicalTrials.gov number

Nil known

#### Secondary identifying numbers

STOP1

# Study information

#### Scientific Title

An individualized, emotion dysregulation-oriented, recidivism risk-reducing CBT intervention for institutionalized young sexual offenders: Multi-center feasibility study with pre-postdesign

#### Acronym

**STOP** 

#### **Study objectives**

The STOP intervention reduces sexual recidivism risk in YSOs by lowering intermediate dynamic risk factors.

STOP participants have reduced criminal recidivism 3 years post-treatment compared to comparison YSOs that did not receive STOP.

#### Ethics approval required

Old ethics approval format

#### Ethics approval(s)

08/05/2019, Etikprövningsmyndigheten (Swedish Ethical Review Authority, Ethics Examination Authority

Box 2110, 750 02, Uppsala, Sweden; +46(0)10-4750800; registrator@etikprovning.se), ref: 2019-02375

#### Study design

Interventional multi-centre study with pre-post comparison

#### Primary study design

Interventional

#### Secondary study design

Non randomised study

#### Study setting(s)

Other

#### Study type(s)

Treatment

#### Participant information sheet

Not available in web format, please use contact details to request participant information /informed consent sheets (in Swedish)

#### Health condition(s) or problem(s) studied

Sexually abusive or offending behavior committed by adolescents

#### **Interventions**

STOP is a new, sexual abuse-specific, individualized Cognitive Behavioral Therapy (CBT) intervention aimed to reduce recidivism in adolescent sexual offenders.

STOP draws on the limited existing evidence for this offender population and modern theory and practice of established psychological treatments. These include Dialectical Behaviour Therapy (DBT), Multi-systemic Therapy (MST), and Motivational Interviewing (MI). STOP also follows the risk, need and responsivity principles (RNR, according to Andrews & Bonta) found to improve the outcome of treatment with antisocial individuals; adolescents and sexual offenders.

Central to STOP theory is that poor emotional regulation skills contribute substantially to several of the dynamic risk factors implicated in (young) sexual offender recidivism (and assessed with risk evaluation instruments like ERASOR).

STOP aims to reduce future sexual offending through a) active reduction of those research-based, malleable recidivism risk factors that each individual YSO present and b) design of an individual stop plan against relapse to follow also after treatment termination.

A supplementary support plan, c) informs the offender's network on how to strengthen skills, reduce problem behavior and monitor that the plan is followed.

STOP is a multi-modal intervention with four treatment tracks; skills, individual therapy, network and everyday environment.

The skills track takes place individually/in groups, and provides YSOs with social learning-theory-based and sexuality-specific information and a selection of skills to practice.

The individual treatment track includes chain analysis of the sexual problem behavior of each individual YSO and establishes the stop plan.

The network track is directed towards key individuals in the youth's network; herein the support plan is created and anchored.

Within the everyday environment track, an assigned treatment assistant works systematically with motivational efforts and to strengthen and generalize skills from the stop plan.

Overall, STOP is carried out during 17-26 weeks and comprises three tracks with 6-10 skills sessions of 90 min each, 10-15 individual sessions of 90 min each, and 6-7.5 h of network work.

#### Intervention Type

Behavioural

#### Primary outcome measure

- 1. Pre-post changes in expert-completed Estimate of Risk of Adolescent Sexual Offense Recidivism (ERASOR) 2.0-based, pre-specified summary scores of intermediate sexuality-specific and other dynamic risk factors for criminal recidivism, respectively. Assessments are conducted by trained and supervised evaluators (other than the therapist) and cover the past month at baseline and at follow-up the past month immediately before the completion of the intervention.
- 2. Register-based sexual and (non-sexual) violent criminal recidivism rates (suspicions according to the National Crime Register) for 3 years following completed treatment.

#### Secondary outcome measures

- 1a. Pre-midtherapy-post changes in self-reported emotional instability problems according to the Difficulties in Emotion Regulation Scale (DERS-16).
- 1b. Pre-midtherapy-post changes in teacher-rated impulse control difficulties according to the Swanson, Nolan and Pelham scales (SNAP-IV).
- 2. Register-based psychiatric diagnoses and psychotropic medication use, 3 years following completed treatment (according to the Swedish National Board of Health and Welfare's a) National patient register, and b) National register of prescribed and dispensed medications, respectively).
- 3. STOP participants are compared to two comparison groups of male, individually matched (birth year, criminal and psychiatric history) young offenders also convicted to residential treatment within the National Board of Institutional Care
- I) YSOs for whom, due to logistical reasons (but not treatment refusal), STOP was not provided. II) Young offenders convicted of non-sexual, violent index offences, not eligible for specialized sexual offending-specific treatment.

#### Overall study start date

15/01/2018

#### Completion date

31/10/2022

## **Eligibility**

#### Key inclusion criteria

- 1. 13-21 years of age
- 2. Male
- 3. Placed in one of 4 locked institutions held by the Swedish National Board of Institutional Care (Statens institutionsstyrelse, SiS)
- 4. Suspected or convicted of one or more index sexual offences
- 5. ERASOR-rated moderate to high risk for sexual recidivism
- 6. Remaining time in custody four months or more

7. Sufficient understanding of Swedish / English or (in some cases) communication with an interpreter

#### Participant type(s)

Other

#### Age group

Mixed

#### Sex

Male

#### Target number of participants

30

#### Total final enrolment

28

#### Key exclusion criteria

- 1. Intellectual impairment (Total IQ < 70)
- 2. Any psychiatric disorder currently characterized by marked instability. This includes, but is not limited to, ongoing manic episode, a psychotic condition or a markedly elevated suicide risk.

#### Date of first enrolment

01/07/2019

#### Date of final enrolment

20/12/2021

#### Locations

#### Countries of recruitment

Sweden

#### Study participating centre SiS Bärby ungdomshem (youth home)

Funbo-Broby 53 Uppsala Sweden 755 97

#### Study participating centre SiS Hässleholm ungdomshem (youth home)

Norregatan 20 Hässleholm Sweden 281 51

# Study participating centre SiS Johannisberg ungdomshem (youth home)

Johannisbergsvägen 25, Box 20 Kalix Sweden 952 21

#### Study participating centre SiS Råby ungdomshem (youth home)

Box 24036 Lund Sweden 224 21

# Study participating centre SiS Fagared ungdomshem (youth home)

Box 4 Lindome Sweden 437 21

# Sponsor information

#### Organisation

Karolinska institutet

#### Sponsor details

Department of Medical Epidemiology and Biostatistics Stockholm Sweden 171 77 0704254133 niklas.langstrom@ki.se

#### Sponsor type

University/education

#### Website

https://ki.se/en

#### **ROR**

https://ror.org/04hmgwg30

# Funder(s)

#### Funder type

Government

#### **Funder Name**

Statens institutionsstyrelse (Swedish National Board of Institutional Care R&D)

#### **Results and Publications**

#### Publication and dissemination plan

Two scientific reports in English submitted for publication to peer-reviewed international journals.

Implementation and feasability outcomes in 2022 Pre-post intervention results, somewhat later, in the autumn of 2022 A summary lay report in plain Swedish, early 2023

#### Intention to publish date

31/12/2023

#### Individual participant data (IPD) sharing plan

Data cannot be shared publicly due to ethical reasons; public data availability for this small, vulnerable sample of young people who sexually offended would severely increase the risk of compromising their anonymity. Data can be requested from the Department of Clinical Neuroscience, Karolinska institutet (contact via registrator@cns.ki.se) for researchers who meet ethical and legal criteria for access to confidential data.

### IPD sharing plan summary

Available on request