Impact of rectal washout on bacterial contamination caused by transrectal access for natural-orifice transluminal endoscopic surgery (NOTES)

Submission date	Recruitment status No longer recruiting	[X] Prospectively registered		
05/10/2011		☐ Protocol		
Registration date	Overall study status	Statistical analysis plan		
15/11/2011	Completed	Results		
Last Edited 15/11/2011	Condition category Surgery	[] Individual participant data		
		Record updated in last year		

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Beat Mueller

Contact details

Klinik für Allgemein-, Viszeral- und Transplantationschirurgie Universität Heidelberg Im Neuenheimer Feld 110 Heidelberg Germany 69120 +49 (0) 6221 56 8641 beat.mueller@med.uni-heidelberg.de

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N/A

Study information

Scientific Title

Impact of rectal washout on bacterial contamination caused by transrectal access for naturalorifice transluminal endoscopic surgery (NOTES): a randomized controlled trial

Acronym

NOBACT II

Study objectives

The null-hypothesis states that the probability of bacterial contamination caused by transrectal access measured by a swab of the circular staplers center rod is the same for experimental intervention and control intervention. The alternative hypothesis states that the experimental interventions and the control intervention perform differently in terms of primary efficacy endpoint.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics Committee of the University of Heidelberg approved on 25/05/2011, (ref: S-396/2010)

Study design

Prospective randomized controlled patient-blinded surgical trial with three parallel study groups

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Patients undergoing sigmoid resection or left hemicolectomy

Interventions

Experimental intervention:

- 1. Rectal washout with 5% povidon iodine using an applicator
- 2. Rectal washout with sodium chloride (NaCl) using an applicator

Control intervention:

Rectal washout with NaCl using an irrigation syringe

Intervention Type

Drug

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

5% povidon iodine

Primary outcome measure

Bacterial contamination at the circular staplers center rod following experimental intervention (rectal washout with 5% povidone iodine using an applicator) and control intervention

Secondary outcome measures

- 1. Bacterial contamination at the circular staplers center rod following experimental intervention (rectal washout with NaCl using an applicator)
- 2. Bacterial count and routine cultures at rectal mucosa, center rod, small pelvis
- 3. Exploratory analyses

Overall study start date

01/12/2011

Completion date

01/12/2012

Eligibility

Key inclusion criteria

- 1. Given indication for sigmoid resection or left hemicolectomy with primary anastomosis in the proximal rectum
- 2. Age > 18 years
- 3. Written informed consent

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Target number of participants

69

Key exclusion criteria

- 1. American Society of Anesthesiology patient (ASA) classification IV and V
- 2. Emergency operation (obstruction, bleeding, peritonitis)
- 3. Hand-sutured anastomosis
- 4. Ileus, colitis, pelvic infection
- 5. Reoperation
- 6. Anastomosis < 6cm from the anus
- 7. Ongoing antibiotic therapy
- 8. Iodine allergy
- 9. Hyperthyreosis

Date of first enrolment

01/12/2011

Date of final enrolment

01/12/2012

Locations

Countries of recruitment

Germany

Study participating centre Klinik für Allgemein-, Viszeral- und Transplantationschirurgie Heidelberg

Germany 69120

Sponsor information

Organisation

University of Heidelberg (Germany)

Sponsor details

Klinik für Allgemein-, Viszeral- und Transplantationschirurgie Universität Heidelberg Im Neuenheimer Feld 110 Heidelberg Germany 69120 markus.buechler@med.uni-heidelberg.de

Sponsor type

University/education

Website

http://www.uni-heidelberg.de/index_e.html

ROR

https://ror.org/038t36y30

Funder(s)

Funder type

University/education

Funder Name

University of Heidelberg (Germany)

Alternative Name(s)

University of Heidelberg, Ruprecht-Karls-Universität Heidelberg

Funding Body Type

Government organisation

Funding Body Subtype

Universities (academic only)

Location

Germany

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration