# The benefits of early book-sharing study

Submission date	Recruitment status	<ul><li>Prospectively registered</li></ul>		
09/02/2016	No longer recruiting	[X] Protocol		
Registration date	Overall study status	Statistical analysis plan		
27/02/2016	Completed	[X] Results		
Last Edited 13/03/2023	Condition category	[] Individual participant data		

### Plain English summary of protocol

Background and study aims

The Benefits of Early Book-Sharing (BEBS) study is evaluating a parenting intervention programme delivered to families in Khayelitsha, South Africa. This programme involves training parents and other carers to share picture books with their children, employing techniques such as pointing and naming things on a page and following the child's interest. The programme uses 'dialogic' book-sharing techniques – that is, it encourages and supports the child's active involvement in a two-way interchange about the book. It is thought that such techniques will, in addition to leading to improvements in the child's cognitive development and certain and aspects of parenting, be of benefit in terms of child self-regulation and behaviour. This study investigates to see whether BEBS results in a number of benefits including improvements in the child's language and attention skills and good behaviour and also with the parents interactions with their children compared to families that do not receive the intervention.

### Who can participate?

Parents (or other primary caregivers) of children aged between 23-27 months.

### What does the study involve?

Participants are randomly allocated to one of two groups. Those in group 1 are enrolled in the BEBS programme. Those in group 2 are placed on a waitlist, which means that they have no intervention from the research team until the study period is finished, after which they will receive the BEBS programme. The intervention consists of 60-90 minute sessions run weekly for eight consecutive weeks, delivered to groups of 4-6 caregivers and their children. The sessions include group and individual activities and make use of teaching materials, including PowerPoint slides, videos to illustrate particular learning points, and practical exercises. The facilitators who deliver the programme provide instruction aimed at promoting good book-sharing skills. As part of the programme, at the end of each weekly session, carers receive a 'picture book of the week' to take home with them. Carers are encouraged to apply what they have learned during the session with their children at home using the picture book.

### What are the possible benefits and risks of participating?

Discussing parenting experiences and other topics in the intervention sessions and the assessments may cause emotional discomfort to some participants. In the event that participants show signs of distress or concern, these will be explored and, where appropriate, staff will arrange referral to local counselling and health services. Previous research suggests

that the book-sharing training programme will be of benefit to the development of the great majority of children, in terms of their language and attention; and the quality of interactions between carers and their children is also likely to improve. Should this study achieve its aims, it will provide evidence for the benefit of a cost-effective community-based intervention for the promotion of child cognitive, social and emotional development.

Where is the study run from?

The research team has a base in Khayelitsha where the study will be run. The study is run by researchers at Stellenbosch University, Oxford University, and the University of Reading.

When is the study starting and how long is it expected to run for? February 2016 to May 2017

Who is funding the study?

South African Medical Research Council, through the Sexual Violence Research Initiative (SVRI) (South Africa)

Who is the main contact?
Professor Mark Tomlinson

# Contact information

### Type(s)

Scientific

#### Contact name

Prof Mark Tomlinson

#### **ORCID ID**

https://orcid.org/0000-0001-5846-3444

### Contact details

Department of Psychology Stellenbosch University Stellenbosch South Africa 7600

# Additional identifiers

**Protocol serial number** N/A

# Study information

### Scientific Title

The Benefits of Early Book Sharing (BEBS) study: a randomised controlled trial conducted in South Africa of a book sharing intervention to improve child cognitive and socio-emotional development

### **Acronym**

**BEBS** 

### **Study objectives**

In a sample of two year old children, compared to control group children whose carers do not receive the index intervention, those whose carers do receive the book-sharing training programme will evidence:

- 1. Significantly better outcomes on measures of language and sustained attention
- 2. Significantly more pro-social behaviour and less aggression

### Secondary hypotheses as of 27/07/2016:

- 1. Compared to control group children, intervention group children will evidence significantly better social understanding
- 2. Compared to control group caregivers, caregivers who receive the programme will evidence significantly more sensitivity, reciprocity and mental state talk with their children, both in booksharing and non-book-sharing contexts
- 3. Compared to control group caregivers, caregivers who receive the programme will evidence significantly less negative and more supportive parenting in challenging contexts
- 4. Improvements in child language and attention will be mediated by improvements in maternal sensitivity and reciprocity in the book-sharing context
- 5. Improvements in child social understanding, prosocial behaviour and aggression will be mediated by increases in maternal sensitivity and mental state talk in both booksharing and non-book-sharing contexts, and by a reduction in negative parenting and an increase in supportive parenting in challenging contexts.

### Original secondary hypotheses:

Compared to control group carers who do not receive the intervention, carers who receive the programme will evidence significantly more:

- 1. Sensitivity and reciprocity with their children, both in book-sharing and non-book-sharing contexts
- 2. Increased mental state talk, both in book-sharing and non-book-sharing contexts
- 3. Improvements in child language and attention will be mediated by improvements in maternal sensitivity and reciprocity in the book-sharing context; and
- 4. Improvements in child pro-social behaviour and aggression will be mediated by increases in maternal sensitivity and mental state talk in both the book-sharing and the non-book-sharing contexts

## Ethics approval required

Old ethics approval format

### Ethics approval(s)

Health Research Ethics Committee at Stellenbosch University, 08/02/2016, ref: N15/09/084

## Study design

Single centre individual randomised controlled trial design with wait-list control group

## Primary study design

Interventional

## Study type(s)

### Prevention

### Health condition(s) or problem(s) studied

Parenting practices, and early childhood development (language, cognition, social and emotional learning)

### **Interventions**

Interventions as of 27/07/2016:

Participants are randomly allocated to one of two groups:

- 1. The intervention is a dialogic book-sharing programme. It is targeted at caregivers with children between the ages of 23-27 months at the time of baseline assessment. Primary caregivers attend sessions with their children over eight weeks. The sessions are run at the research base in Khayelitsha. A trained facilitator from the community delivers the sessions, each of which focuses on different and incremental techniques for caregivers to apply during book sharing. Groups consist of 4 to 6 carers and their children. Each session consists of a presentation to the group of the principles relevant to that session (using PowerPoint slides and illustrative video material); and this group session ends with 'the book of the week', where the trainer discusses a book with the carers, highlighting how the book should be used at home. Finally, each carer is given 10 minutes of individual guidance in applying the session principles when book-sharing with their child. The carer and child leave with 'the book of the week' and carers are encouraged to spend at least 10 minutes a day sharing the book with their child.
- 2. A wait-list control group constitutes the second arm of the trial. The control group does not receive any input from the research team during the intervention period, but they will receive the intervention programme upon completion of follow-up assessment.

### Original interventions:

Participants are randomly allocated to one of two groups:

- 1. The intervention is a dialogic book-sharing programme. It is targeted at caregivers with children between the ages of 20-24 months at recruitment. Primary caregivers attend sessions with their children over eight weeks. The sessions will be run at the research base in Khayelitsha. A trained facilitator from the community will deliver the sessions, each of which focuses on different and incremental techniques for caregivers to apply during book sharing. Groups will consist of 4 to 5 carers and their children. Each session will consist of a presentation to the group of the principles relevant to that session (using PowerPoint slides and illustrative video material); and this group session will end with 'the book of the week', where the trainer discusses a book with the carers, highlighting how the book should be used at home. Finally, each carer will be given 10 minutes of individual guidance in applying the session principles when book-sharing with their child. The carer and child will go home with 'the book of the week' and carers will be encouraged to spend at least 10 minutes a day sharing the book with their child.
- 2. A wait-list control group will constitute the second arm of the trial. The control group will not receive the intervention during the intervention period, but will receive it upon completion of follow-up assessments.

### Intervention Type

Behavioural

Primary outcome(s)

Primary outcome measures as of 27/07/2016:

- 1. Child language is assessed using the:
- 1.1. MacArthur Communication Development Inventory (CDI) expressive and receptive subscales are administered at baseline, post-intervention and at the 6-month follow up
- 1.2. Child comprehension and expressive language are directly assessed using adapted versions of the Peabody Picture Vocabulary Test (PPVT) and the Expressive One Word Picture Vocabulary Test at baseline and post-intervention
- 1.3. The newly developed standardised isiXhosa version of the Peabody will be administered at the 6-month follow-up assessment, as will the Bayley Scale of Infant Development language subscales
- 2. Child attention is assessed, using the Early Childhood Vigilance Task, at baseline, immediately following the intervention, and at the six month follow-up.
- 3. Child pro-social behaviour is assessed using the Strengths and Difficulties Questionnaire and a pro-social helping task, at baseline, immediately following the intervention, and at the six-month follow-up.
- 4. Child aggression is assessed, using the aggression scale of the Child Behaviour Checklist, at baseline, immediately following the intervention and at six-month follow-up. Direct measures of child aggression and defiance/non-compliance are obtained from coded video data of two parent-child interaction tasks: a "Don't touch" prohibition task, and a "Clean up" compliance task. These are administered at baseline, immediately following the intervention, and at the six-month follow-up.

### Original primary outcome measures:

- 1. Child language (MacArthur Communication Development Inventory expressive and receptive language sub scales, Peabody Picture Vocabulary Test, Bayley Scale of Infant Development language sub scales) immediately following the intervention and at a six month follow-up
- 2. Child attention (Early Childhood Vigilance Task), immediately following the intervention and at a six month follow-up
- 2. Child pro-social behaviour/aggression (Child Behaviour Checklist, Strengths and Difficulties Questionnaire, Pro-social helping task), immediately following the intervention and at a sixmonth follow-up

### Key secondary outcome(s))

Secondary outcome measures as of 27/07/2016:

- 1. Child social understanding is measured by:
- 1.1. The Wellman Theory of Mind Scale is administered at baseline, immediately following the intervention, and the six-month follow-up
- 1.2. An emotion recognition and emotion understanding pictorial task is administered at the sixmonth follow-up assessment
- 2. Parental sensitivity and reciprocity is assessed, by direct observation of parent and child parent and child in both a book-sharing and a non-book sharing context, at base-line, immediately following the intervention, and at the six-month follow-up
- 3. Parental discipline is assessed, using a discipline and violence self report questionnaire, at baseline, immediately following the intervention and at a six-month follow-up. Parenting is also directly assessed in a prohibition and compliance task, at baseline, immediately following the intervention, and at the six-month follow-up

#### Moderators:

The influence of three potential moderators will be examined, with assessments made at baseline, immediately following the intervention, and at the six-month follow-up:

- 1. Parental stress, using the Parenting Stress Index
- 2. Caregiver mental health, using the Patient Health Questionnaire-9, and the Self Reporting

### Questionnaire-20

3. Intimate partner violence, using the WHO measure on domestic violence

### **Exploratory Outcome Measures:**

- 1. Mental State Talk will be coded from video recordings of interactions during book-sharing, and during a narrative cartoon task, with assessments made at baseline, immediately following the intervention and at a six-month follow-up
- 2. The child's home language environment will be assessed, in a sub-sample, using a LENA digital recorder that captures language heard by the child over the course of a typical day, with assessment made at a six-month follow-up
- 3. The child's physiological response to emotional displays (i.e. pictures of happy, sad, fearful, angry children) is being assessed, in a sub-sample, using a functional infra-red thermal imaging camera, with assessments made at baseline and at six-month follow-up

### Original secondary outcome measures:

- 1. Child social understanding (Wellman Theory of Mind Scale, Emotion recognition task) immediately following the intervention and at a six-month follow-up
- 2. Parental sensitivity (Direct observation of parent and child in free-play, clean up task, don't touch task, narrative cartoon explanation, and book sharing. Immediately following the intervention and at a six-month follow-up
- 3. Parental discipline (Discipline and violence self report questionnaire, Directly observed parenting in a prohibition task). Immediately following the intervention and at a six-month follow-up

### Moderators:

- 1. Parental stress (Parenting Stress Index)
- 2. Caregiver mental health (Patient Health Questionnaire-9, Self Reporting Questionnaire-20)
- 3. Intimate partner violence (WHO measure on domestic violence)

## Completion date

22/08/2016

# **Eligibility**

### Key inclusion criteria

Inclusion criteria for children include:

- 1. Ages 23-27 months at baseline assessment
- 2. Has an adult primary caregiver who lives in the household who consents to participate in the study

### Inclusion criteria for adults include:

- 1. Age 18 or older
- 2. Serves as the primary caregiver of the child participant
- 3. Lives in the house at least 4 nights per week

### Healthy volunteers allowed

No

### Age group

Mixed

### Sex

All

### Key exclusion criteria

Either the caregiver or the child has a chronic illness or disability that would prevent them from fully participating in the intervention.

### Date of first enrolment

22/02/2016

### Date of final enrolment

29/07/2016

# Locations

### Countries of recruitment

**United Kingdom** 

England

South Africa

# Study participating centre Stellenbosch University

Matieland Stellenbosch South Africa 7602

# Study participating centre University of Oxford

Oxford United Kingdom OX1 2JD

# Study participating centre University of Reading

Reading, Berkshire United Kingdom RG6 6UR

### Study participating centre

### The Masiphathisane Centre

Catholic Welfare and Development Offices Khayelitsha South Africa

\_

# Sponsor information

### Organisation

Stellenbosch University

### **ROR**

https://ror.org/05bk57929

# Funder(s)

### Funder type

Research council

### **Funder Name**

South African Medical Research Council

### Alternative Name(s)

The South African Medical Research Council, The SAMRC, SAMRC

### **Funding Body Type**

Government organisation

### **Funding Body Subtype**

Other non-profit organizations

### Location

South Africa

# **Results and Publications**

### Individual participant data (IPD) sharing plan

Not provided at time of registration

### IPD sharing plan summary

Data sharing statement to be made available at a later date

# Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		30/10/2021	13/03/2023	Yes	No
Protocol article	protocol	09/03/2017		Yes	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes