

Comparison of the results of two treatment systems in ankle injuries

Submission date 22/10/2021	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 01/11/2021	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
Last Edited 01/11/2021	Condition category Musculoskeletal Diseases	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Syndesmotic injuries are injuries to the ligaments that connect the bones of the lower leg to the ankle joint. The current gold standard treatment for these is screw fixation where the bones are screwed together. However, this leads to problems due to the limited movement of the joint. Newer such devices as flexible TighRope Knotless have been developed which allow healing to take place without the use of screws.

The aim of this study is compare screw fixation with flexible fixation.

Who can participate?

Patients with a syndesmosis injury combined with an ankle fracture identified by clinical examination and X-ray

What does the study involve?

Participants will be randomly allocated to receive either dynamic (TighRope Knotless) or static fixation (Screw). Follow up is at 3, 6 and 12 months following surgery.

What are the possible benefits and risks of participating?

TighRope Knotless does not require a knot reducing wound complications related to the suture knot reported in previous studies performed with classic TighRope. This reduces risks related to a second surgery such as loss of reduction or infection.

Where is the study run from?

University Hospital Infanta Sofía, Madrid (Spain)

When is the study starting and how long is it expected to run for?

March 2019 to November 2023

Who is funding the study?

Foundation of Spanish Trauma and Orthopedic Surgery Society (SECOT).

Who is the main contact?

Patricia Morales Muñoz, MD, patrmorales@hotmail.com

Contact information

Type(s)

Scientific

Contact name

Dr Patricia Morales

ORCID ID

<http://orcid.org/0000-0002-0765-132X>

Contact details

Avenida de Los Quiñones 2. Portal G.

San Sebastián de Los Reyes

Madrid

Spain

28702

+34 620296088

pmoralesm.hdoc@salud.madrid.org

Type(s)

Public

Contact name

Dr Patricia Morales

Contact details

Avenida de Los Quiñones 2. Portal G

San Sebastián de Los Reyes

Madrid

Spain

28702

+34 620296088

patrmorales@hotmail.com

Additional identifiers

EudraCT/CTIS number

Nil known

IRAS number

ClinicalTrials.gov number

Nil known

Secondary identifying numbers

Código HULP 5242

Study information

Scientific Title

Clinical and functional results of screws and TighRope Knotless device in the treatment of syndesmosis acute injuries: a randomized controlled trial

Study objectives

New-generation suture button device (TighRope Knotless) would provide similar results as screw fixation in syndesmosis injuries.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 28/03/2019, Ethics committee of the University Hospital LA PAZ (P.º de la Castellana, 261, 28046 Madrid, Spain; +34 91 727 75 30; secretariatecnica@idipaz.es), ref: 5242

Study design

Single-centre interventional randomized controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

See additional files (in Spanish)

Health condition(s) or problem(s) studied

Treatment of syndesmosis injury

Interventions

During surgery, once bone fractures have been fixed, the lesion of syndesmosis is verified by performing an external rotation stress test with the radiological study. If the patient suffers a syndesmosis injury, we open a randomization envelope and treat the injury with the corresponding implant: screw or tighrope.

All patients in both treatment groups are treated with a splint postoperatively for two weeks. Afterwards, mobilization without load is allowed for a month and then progressive load begins. Until six months after surgery, impact sports activities are not authorized. All patients are reviewed two weeks after the intervention, one month, and at 3,6 and 12 months.

Intervention Type

Device

Phase

Phase IV

Drug/device/biological/vaccine name(s)

TighRope Knotless

Primary outcome measure

1. Pain is measured using Visual Analogue Scale (VAS) at 3, 6 and 12 months
2. Functional outcome is measured using AOFAS Scale and Olerud-Molander scale at 3, 6 and 12 months

Secondary outcome measures

1. Ankle range motion measured using manual goniometer at 3, 6 and 12 months
2. Syndesmosis reduction measured using radiographs at 3, 6 and 12 months and CT at baseline
3. Complications are collected during follow-up

Overall study start date

28/03/2019

Completion date

30/11/2023

Eligibility

Key inclusion criteria

1. Patients over 16 years all with physis closed
2. Patients with acute isolated syndesmosis disruption and patients with ankle fracture associated with syndesmosis disruption

Participant type(s)

Patient

Age group

Mixed

Lower age limit

16 Years

Sex

Both

Target number of participants

50 patients will be treated with TighRope Knotless device and 50 patients with screws depending on the outcome of the randomization (sealed opaque envelopes)

Key exclusion criteria

1. Patients with physis opened
2. Patients with previous injuries about ankle
3. Patients unable to perform postoperative treatment adequately

Date of first enrolment

01/04/2019

Date of final enrolment

30/09/2023

Locations

Countries of recruitment

Spain

Study participating centre

Hospital Universitario Infanta Sofía

Paseo de Europa, 34.

San Sebastián de los Reyes

Madrid

Spain

28702

Sponsor information

Organisation

Hospital Universitario Infanta Sofía

Sponsor details

Paseo de Europa, 34

San Sebastián de Los Reyes

Madrid

Spain

28702

+34 911 91 40 00

macarena.vivar@salud.madrid.org

Sponsor type

Hospital/treatment centre

Website

<https://www.comunidad.madrid/hospital/infantasofia/>

ROR

<https://ror.org/05dfzd836>

Funder(s)

Funder type

Research organisation

Funder Name

Foundation of Spanish Trauma and Orthopedic Surgery Society (SECOT)

Results and Publications

Publication and dissemination plan

Planned publication in a high-impact peer-reviewed journal.

Intention to publish date

01/10/2024

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study will be stored in a non-publicly available repository

All the data will be collected by specialists of the Foot and Ankle Unit of Infanta Sofía University Hospital. A double dissociated database will be created in Excel format with the function of safeguarding the confidentiality of patients.

IPD sharing plan summary

Stored in non-publicly available repository

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Participant information sheet	version 2	01/02/2019	01/11/2021	No	Yes