

# Scoliosis correction force measurement study

<b>Submission date</b> 30/06/2009	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
<b>Registration date</b> 10/08/2009	<b>Overall study status</b> Completed	<input type="checkbox"/> Protocol
<b>Last Edited</b> 07/04/2016	<b>Condition category</b> Musculoskeletal Diseases	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

Background and study aims.

Adolescent Idiopathic Scoliosis (AIS) is a condition that causes the spine to curve sideways. It can be treated with surgery to correct the curvature, where the spine is straightened using rods attached to the spine by screws, hooks and/or wires. The aim of this study is to find out how much force is required to move the spine to midline. We also wish to find out how much spine movement can be achieved with a maximum force of 40 lbs at one point of attachment.

Who can participate?

Patients between 8 and 16 years old with idiopathic scoliosis (curvature of the spine with no known cause) with a single curve requiring surgical treatment via a posterior (back) only surgical approach.

What does the study involve?

While the patient is undergoing surgery, force measurements are taken to determine the force necessary to move the patient's curved spine toward midline, and the amount of curve correction at a maximum of 40 lbs of force. This takes about 10 minutes. After these measurements are taken, no follow up is required.

What are the possible benefits and risks of participating?

The risks were considered to be very low, but as with all surgeries, it is possible that some risks could develop. The main risk was that while pulling the spine toward the middle of your back, the cable, screw or rod could break or dislodge and cause damage to nerves, bone or muscle. The force used to pull the spine toward the middle will be applied gradually to minimize this risk.

Where is the study run from?

Royal National Orthopaedic Hospital (UK)

When is the study starting and how long is it expected to run for?

July 2009 to September 2009

Who is funding the study?

Kspine Inc. (USA)

Who is the main contact?

Diane Burnside

## Contact information

### Type(s)

Scientific

### Contact name

Mr Hilali Noordeen

### Contact details

27 Harley Street

London

United Kingdom

W1G 9QP

## Additional identifiers

### Protocol serial number

Kspine 101

## Study information

### Scientific Title

A non-randomised study to measure the force required to move the spine towards midline in adolescent idiopathic scoliosis patients

### Study objectives

This study will measure the force required to move the spine toward midline in patients with adolescent idiopathic scoliosis.

### Ethics approval required

Old ethics approval format

### Ethics approval(s)

East London and The City/Research Ethics Committee 1, 01/07/2009, ref: 09/H0703/70

### Study design

Non-randomised study

### Primary study design

Interventional

### Study type(s)

Treatment

### Health condition(s) or problem(s) studied

Adolescent idiopathic scoliosis (AIS)

### **Interventions**

Force measurements will be taken to determine the force necessary to move a curved spine toward midline. The total duration of treatment for this study will be approximately 10 minutes. After these measurements are taken, no follow up is required.

### **Intervention Type**

Procedure/Surgery

### **Primary outcome(s)**

Force measurements to determine the force necessary to move a curved spine toward midline, measured near the beginning of the surgery and completed before the surgery to correct the patient's scoliosis is begun.

### **Key secondary outcome(s)**

Amount of curve correction at a maximum of 40 lbs of force, measured near the beginning of the surgery and completed before the surgery to correct the patient's scoliosis is begun.

### **Completion date**

29/09/2009

## **Eligibility**

### **Key inclusion criteria**

1. Patient has idiopathic scoliosis with a single curve requiring surgical treatment via a posterior only surgical approach
2. The curve appears to be compliant as evidenced by standing bending x-rays and/or the ability of the surgeon to improve the curve with external manipulation
3. Patient must be between 8 and 16 years old, either sex

### **Participant type(s)**

Patient

### **Healthy volunteers allowed**

No

### **Age group**

Child

### **Lower age limit**

8 years

### **Upper age limit**

16 years

### **Sex**

All

### **Key exclusion criteria**

1. Patient has an underlying neurologic or congenital pathology involving the spine in addition to idiopathic scoliosis
2. Patient has local or systemic infection
3. Patient is participating in any other device or drug study
4. Patient is grossly obese with a body mass index greater than 40 kg/m<sup>2</sup>
5. Patient has a history of communicable disease such as human immunodeficiency virus (HIV), hepatitis, etc.

**Date of first enrolment**

13/07/2009

**Date of final enrolment**

29/09/2009

## Locations

**Countries of recruitment**

United Kingdom

England

**Study participating centre**

27 Harley Street

London

United Kingdom

W1G 9QP

## Sponsor information

**Organisation**

Kspine, Inc. (USA)

**ROR**

<https://ror.org/00mwvbx98>

## Funder(s)

**Funder type**

Industry

**Funder Name**

Kspine, Inc. (USA)

# Results and Publications

## Individual participant data (IPD) sharing plan

**IPD sharing plan summary**  
Not provided at time of registration

### Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">HRA research summary</a>			28/06/2023	No	No