The effect of Ultrasound therapy on quality and quantity of bone around dental implants

Submission date 01/02/2018	Recruitment status No longer recruiting	Prospectively registered		
		☐ Protocol		
Registration date 07/02/2018	Overall study status Completed	Statistical analysis plan		
		[X] Results		
Last Edited 23/11/2020	Condition category Oral Health	Individual participant data		

Plain English summary of protocol

Background and study aims

Dental implants are used to support false teeth. It involves a procedure that places a screw into the jawbone. However, bone loss around dental implants is inevitable process and the maximum amount of bone loss occurs first year after dental implant placement. This affects the function and aesthetic (looks) therefore, replacement or bone re-growth is very important to improve and increase the success rate of dental implant. Ultrasound therapy could be used to regenerate and facilitate bone growth. The aim of this study is to examine the implant of ultrasound therapy on bone loss after a dental implant procedure.

Who can participate?

Adults aged 20-40 years old who need a simple standard tooth implant.

What does the study involve?

Participants are randomly allocated to one of two groups. All participants undergo the first part of the dental implant procedure. Those in the first group receive the ultrasound therapy twice a week for 20 minutes two weeks after their dental implant and this is continued for two weeks. Those in the second group receive the standard level of care after the procedure. At two months, impressions of the teeth and the installation of the crown (a cap for a tooth) is placed. The same therapy is repeated two weeks after the tooth is placed for another 10 weeks for those in the first group. Participants are followed up to examine their bone loss three and six months after the procedures.

What are the possible benefits and risks of participating?

Participants may benefit from an increased success rate of their dental implant procedure and decreased bone loss. There are no risks or harm in any means to the patients as the used ultrasound generates minimum heat and it might cause only a very mild or minimum discomfort which negligible by the patients. Regarding the dental implant, it has been used for quite some time now with a very good success rate and it has no complications as the normal consequences of dental implant placement as tolerable pain and mild swelling if it occurs.

Where is the study run from?
University Dental Hospital Sharjah (UAE)

When is the study starting and how long is it expected to run for? September 2014 to July 2015

Who is funding the study?
College of Medicine and Health Sciences, United Arab Emirates University (UAE)

Who is the main contact?
Dr Elaf Abdulhameed (Scientific)
elaf.alzubaidi@gmail.com

Contact information

Type(s)

Scientific

Contact name

Dr Elaf Abdulhameed

ORCID ID

https://orcid.org/0000-0002-7871-210X

Contact details

College of Dental Medicine University of Sharjah Sharjah United Arab Emirates P.O.Box 27272 +971 507 108284 elaf.alzubaidi@gmail.com

Additional identifiers

Protocol serial number

_

Study information

Scientific Title

The effect of ultrasound therapy on osseointegration and marginal bone loss around implantsupported prosthesis

Study objectives

Null hypothesis:

There is no association between the quality of osseointegration and the marginal bone loss when using therapeutic ultrasound during alveolar bone healing period in dental implantology.

Ethics approval required

Old ethics approval format

Ethics approval(s)

- 1. University Research and Humans Ethics Committee at University of Sharjah, 05/01/2015, ref: ERC / 05/01/15/01
- 2. USM Human Ethics, ref: JEPeM Code USM/JEPeM/14120529

Study design

Interventional randomised controlled clinical trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Dental implant treatment (Osseointegration)

Interventions

The aims and objectives of this study are to evaluate the effect of ultrasound therapy on osseointegration using clinical assessments, measurements of RFA values and radiological assessments using linear measurement of marginal bone loss around the dental implant supported prostheses using CBCT. The selected age groups were between 20 and 40 years old. All patients were recruited following specific criteria of inclusion and exclusion.

Patients of this study randomly allocated to one of two groups either the Ultrasound group or the Control group. Each participant receive one dental implant to replace single missing maxillary first or second premolar teeth.

In the first trial group (ultrasound), the ultrasound therapy is applied twice a week for 20 minutes that commences two weeks after stage I implant surgery and continued for 10 weeks. At two months, uncovery and placement of gingival former for 10 days is carried on for all patients in both groups (ultrasound and control) then the impression taking was done for all patients and installation of screw-retained porcelain to fused crown are performed two weeks later after the impression was taken.

The same ultrasound therapy protocol is repeated two weeks after the crown installation for another 10 weeks.

In the control group, participants are not subjected to application of ultrasound therapy. Clinical data collections composed of measurements of Resonance Frequency Analysis (RFA) values using osstell ISQ device and linear measurements of different variables using CBCT images taken immediately after the placement of the implant and during follow-up clinical examinations at three months and six months postoperatively.

Intervention Type

Procedure/Surgery

Primary outcome(s)

- 1. Marginal bone lose at 3 different views (Coronal, Sagittal and Axial) is measured using the CBCT scan at at baseline (day of implant placement), 3 months and 6 months
- 2. The highest increase bone found in buccal bone plate at coronal view

Key secondary outcome(s))

- 1. Gingival overgrowth is measured using clinical assessment at baseline, day 3 and 6 months
- 2. Peri-coronal bone around dental implant is measured using CBCT scan at baseline, day 3 and 6 months
- 3. Resonance Frequency Analysis (RFA) is measured using Osstell device at nase;ome, day 3 and 6 months

Completion date

01/07/2015

Eligibility

Key inclusion criteria

- 1. Patients' age between 20-40 years
- 2. No systemic diseases or medical contraindications to oral surgical procedure
- 3. Well motivated patients with good oral hygiene
- 4. Presence of maxillary single missing first or second premolar teeth with adequate available bone height and width
- 5. Presence of intact adjacent teeth
- 6. The patients needed simple standard implant surgery without the need for soft or hard tissue grafts

Participant type(s)

Healthy volunteer

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Total final enrolment

22

Key exclusion criteria

- 1. Patients younger than 20 years and older than 40 years
- 2. Patients with systemic diseases or syndromes that might affect bone metabolism or patients with para-functional habits
- 3. Patients with active periodontal diseases and bad oral hygiene
- 4. Smokers
- 5. Inadequate available bone height and width or hard and soft tissue grafts needed
- 6. Pregnancy
- 7. Implant surgery needed to replace previous failed implant

Date of first enrolment

02/10/2014

Date of final enrolment

01/11/2014

Locations

Countries of recruitment

United Arab Emirates

Study participating centre University Dental Hospital Sharjah

Sharjah Sharjah United Arab Emirates P.O.Box 27272

Sponsor information

Organisation

University Dental Hospital Sharjah

ROR

https://ror.org/00engpz63

Funder(s)

Funder type

University/education

Funder Name

College of Medicine and Health Sciences, United Arab Emirates University

Alternative Name(s)

CMHS, UAEU

Funding Body Type

Government organisation

Funding Body Subtype

Local government

Location

United Arab Emirates

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are/will be available upon request from Dr. Elaf Akram Abdulhameed (Tel: 00971507108284) at elaf.alzubaidi@gmail. com.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	15/04/2018	23/11/2020	Yes	No
Participant information sheet		01/02/2018	21/02/2018	No	Yes
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes