

# To ascertain the usefulness of the Aintree Catheter as a means of intubation and to compare its usage via a laryngeal mask (LMA) and an intubating laryngeal mask (ILMA)

<b>Submission date</b> 30/09/2004	<b>Recruitment status</b> No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 30/09/2004	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
<b>Last Edited</b> 15/04/2015	<b>Condition category</b> Surgery	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

Not provided at time of registration

## Contact information

### Type(s)

Scientific

### Contact name

Dr Alistair Diba

### Contact details

The Queen Victoria Hospital NHS Trust  
Holtye Road  
East Grinstead  
United Kingdom  
RH19 3DZ

## Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N0190137105

# Study information

## Scientific Title

To ascertain the usefulness of the Aintree Catheter as a means of intubation and to compare its usage via a laryngeal mask (LMA) and an intubating laryngeal mask (ILMA)

## Study objectives

To compare ease of intubation using an Aintree catheter through a laryngeal mask (LMA) and an intubating laryngeal mask (ILMA).

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

Not provided at time of registration

## Study design

Randomised controlled trial

## Primary study design

Interventional

## Secondary study design

Randomised controlled trial

## Study setting(s)

Hospital

## Study type(s)

Treatment

## Participant information sheet

## Health condition(s) or problem(s) studied

Surgery: Anaesthesia

## Interventions

Aintree Catheter vs laryngeal mask (LMA) and intubating laryngeal mask (ILMA)

## Intervention Type

Procedure/Surgery

## Phase

Not Specified

## Primary outcome measure

Time taken to achieve intubation

## Secondary outcome measures

Not provided at time of registration

**Overall study start date**

30/10/2004

**Completion date**

30/06/2006

## **Eligibility**

**Key inclusion criteria**

Patients undergoing General Anaesthesia

**Participant type(s)**

Patient

**Age group**

Not Specified

**Sex**

Not Specified

**Target number of participants**

n = 60, power = 80%

**Key exclusion criteria**

Not provided at time of registration

**Date of first enrolment**

30/10/2004

**Date of final enrolment**

30/06/2006

## **Locations**

**Countries of recruitment**

England

United Kingdom

**Study participating centre**

The Queen Victoria Hospital NHS Trust

East Grinstead

United Kingdom

RH19 3DZ

# Sponsor information

## Organisation

Department of Health

## Sponsor details

Richmond House  
79 Whitehall  
London  
United Kingdom  
SW1A 2NL

## Sponsor type

Government

## Website

<http://www.dh.gov.uk/Home/fs/en>

# Funder(s)

## Funder type

Government

## Funder Name

Queen Victoria Hospital NHS Trust (UK)

# Results and Publications

## Publication and dissemination plan

Not provided at time of registration

## Intention to publish date

## Individual participant data (IPD) sharing plan

## IPD sharing plan summary

Not provided at time of registration