

# Blood transfusions for preterm infants and free radicals

<b>Submission date</b> 23/01/2004	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 23/01/2004	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 03/12/2008	<b>Condition category</b> Neonatal Diseases	<input type="checkbox"/> Individual participant data

**Plain English summary of protocol**  
Not provided at time of registration

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Dr Alan Weindling

**Contact details**  
Liverpool Women's Hospital  
Neonatal Unit  
Crown Street  
Liverpool  
United Kingdom  
L8 7SS  
+44 (0)151 702 4093

## Additional identifiers

**EudraCT/CTIS number**

**IRAS number**

**ClinicalTrials.gov number**

**Secondary identifying numbers**  
RHC18070

# Study information

## Scientific Title

### Study objectives

Does a blood transfusion in preterm infants cause free radical release?

### Ethics approval required

Old ethics approval format

### Ethics approval(s)

Not provided at time of registration

### Study design

Randomised controlled trial

### Primary study design

Interventional

### Secondary study design

Randomised controlled trial

### Study setting(s)

Not specified

### Study type(s)

Not Specified

## Participant information sheet

### Health condition(s) or problem(s) studied

Neonatal diseases

### Interventions

Group 1 will have their need for blood transfusion monitored according to a standard protocol. Group 2 will have measurements of forearm fractional oxygen extraction (FOE) to guide their need for transfusions.

### Intervention Type

Other

### Phase

Not Specified

### Primary outcome measure

The primary outcome measure will be peak ODFR activity.

### Secondary outcome measures

A secondary outcome will be the number of days on the neonatal unit, retinopathy or prematurity, preventricular haemorrhage and periventricular leukomalacia and necrotising enterocolitis.

**Overall study start date**

01/02/1998

**Completion date**

01/08/1999

## Eligibility

**Key inclusion criteria**

Preterm infants

**Participant type(s)**

Patient

**Age group**

Neonate

**Sex**

Not Specified

**Target number of participants**

Not provided at time of registration

**Key exclusion criteria**

Not provided at time of registration

**Date of first enrolment**

01/02/1998

**Date of final enrolment**

01/08/1999

## Locations

**Countries of recruitment**

England

United Kingdom

**Study participating centre**

**Liverpool Women's Hospital**  
Liverpool  
United Kingdom  
L8 7SS

## **Sponsor information**

### **Organisation**

NHS R&D Regional Programme Register - Department of Health (UK)

### **Sponsor details**

The Department of Health  
Richmond House  
79 Whitehall  
London  
United Kingdom  
SW1A 2NL  
+44 (0)20 7307 2622  
dhmail@doh.gsi.org.uk

### **Sponsor type**

Government

### **Website**

<http://www.doh.gov.uk>

## **Funder(s)**

### **Funder type**

Government

### **Funder Name**

NHS Executive North West (UK)

## **Results and Publications**

### **Publication and dissemination plan**

Not provided at time of registration

### **Intention to publish date**

### **Individual participant data (IPD) sharing plan**

**IPD sharing plan summary**  
Not provided at time of registration

**Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>	results	01/01/2002		Yes	No