# Analgesic Drug Combinations in Neuropathic Pain (2004)

Submission date Recruitment status [X] Prospectively registered 31/08/2004 No longer recruiting [ ] Protocol [ ] Statistical analysis plan Registration date Overall study status 31/08/2004 Completed [X] Results [ ] Individual participant data **Last Edited** Condition category 16/10/2009 Nervous System Diseases

#### Plain English summary of protocol

Not provided at time of registration

# Contact information

# Type(s)

Scientific

#### Contact name

Dr Ian Gilron

#### Contact details

Queen's University
76 Stuart Street
Victory 2
Kingston, ON
Canada
K7L 2V7
gilroni@post.queensu.ca

# Additional identifiers

Protocol serial number MCT-69422

# Study information

Scientific Title

Study objectives

The central hypothesis is that a combination of nortriptyline and gabapentin has a superior therapeutic profile than that of either drug alone.

#### Ethics approval required

Old ethics approval format

#### Ethics approval(s)

This trial has been review and approved by the Queen's University Research Ethics Board.

#### Study design

Randomised controlled trial

#### Primary study design

Interventional

#### Study type(s)

Treatment

#### Health condition(s) or problem(s) studied

Neuropathic pain

#### **Interventions**

Oral administration of:

- 1. Gabapentin
- 2. Nortriptyline
- 3. A gabapentin-nortriptyline combination

The end date of this trial is still being discussed, the anticipated end date entered above is an arbitrary date entered as one year after the trial started.

#### Intervention Type

Drug

#### Phase

**Not Specified** 

# Drug/device/biological/vaccine name(s)

Gabapentin, nortriptylin

#### Primary outcome(s)

The primary outcome measure of this study will be the mean daily pain intensity from the last seven days, at maximal tolerated dose, of each treatment period.

# Key secondary outcome(s))

Secondary outcome measures will include frequency and severity of treatment-emergent adverse effects, global pain relief ratings, the short form McGill Pain Questionnaire, a pain interference questionnaire (Brief Pain Inventory), consumption of rescue medication (number of acetaminophen 325 mg tablets), a blinding questionnaire, two mood questionnaires (Beck Depression Inventory and Profile of Mood States) and a quality of life survey (SF-36).

#### Completion date

# **Eligibility**

#### Key inclusion criteria

- 1. Diabetic patients of either sex
- 2. 18 to 89 years of age
- 3. Distal, symmetric, sensory polyneuropathy

#### Participant type(s)

Patient

#### Healthy volunteers allowed

No

#### Age group

Adult

#### Lower age limit

18 years

#### Sex

All

#### Key exclusion criteria

- 1. Neuropathy attributable to an etiology other than diabetes (e.g. hypothyroidism, vitamin B12 deficiency, connective tissue disease, amyloidosis and toxic exposure)
- 2. Presence of a painful condition as severe as, but distinct from, their diabetic neuropathy pain
- 3. Pregnancy or lactation
- 4. End-stage kidney or liver disease
- 5. Moderate to severe heart disease (Myocardial Infarction [MI] within preceding year, unstable angina, cardiac conduction defect or congestive heart failure)
- 6. Cardiovascular autonomic neuropathy
- 7. Postural hypotension more than 20 mmHg on initial assessment
- 8. Baseline mild to severe sedation or ataxia due to required concomitant drugs, or any other
- 9. Males with urinary symptoms attributable to benign prostatic hypertrophy
- 10. Presence of a seizure disorder
- 11. Angle-closure glaucoma
- 12. Ongoing administration of Monoamine Oxidase (MAO) inhibitors and/or a serious psychiatric disorder as diagnosed by a psychiatrist
- 13. Ongoing administration of anticonvulsants which induce cytochrome P450 enzymes (e.g. carbamazepine, oxcarbazepine)
- 14. Hypersensitivity to any of the study medications
- 15. History of significant abuse of illicit drugs, prescription drugs or alcohol
- 16. Lack of a primary physician
- 17. Patients who live alone and cannot assure daily contact with a friend, family member or caregiver

#### Date of first enrolment

# **Date of final enrolment** 01/11/2005

# Locations

#### Countries of recruitment

Canada

Study participating centre Queen's University Kingston, ON Canada K7L 2V7

# Sponsor information

#### Organisation

Canadian Institutes of Health Research (CIHR) (Canada)

#### **ROR**

https://ror.org/01gavpb45

# Funder(s)

# Funder type

Research organisation

#### **Funder Name**

Canadian Institutes of Health Research (CIHR) (Canada) - http://www.cihr-irsc.gc.ca (ref: MCT-69422)

# **Results and Publications**

Individual participant data (IPD) sharing plan

# IPD sharing plan summary

Not provided at time of registration

Study outputs

Output typeDetailsDate createdDate addedPeer reviewed?Patient-facing?Results articleresults10/10/2009YesNo