

Do side to side stapled anastomosis reduce the rate of perianastomotic recurrence in Crohn's Disease? A single-blinded prospective randomised trial

Submission date 12/09/2003	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 12/09/2003	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
Last Edited 18/07/2014	Condition category Digestive System	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Mr WSL Stebbings

Contact details

Consultant Surgeon and Coloproctologist
Department of Coloproctology and General Surgery
Norfolk and Norwich University Hospital
Brunswick Road
Norwich
United Kingdom
NR1 3SR

Additional identifiers

Protocol serial number

N0547102225

Study information

Scientific Title

Study objectives

Do side to side stapled anastomosis reduce the rate of peri-anastomotic recurrence rate following a resection for Crohn's disease as this technique results in a wider anastomotic lumen and less tissue ischaemia at the anastomotic site?

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Single-blinded randomised controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Digestive System: Crohn's disease

Interventions

Patients are randomised to side to side stapled anastomosis, or end to end sutured anastomosis, both of which are current practice.

Intervention Type

Other

Phase

Not Applicable

Primary outcome(s)

Not provided at time of registration

Key secondary outcome(s)

Not provided at time of registration

Completion date

31/07/2011

Eligibility

Key inclusion criteria

Not provided at time of registration

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Not Specified

Sex

Not Specified

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

31/07/2001

Date of final enrolment

31/07/2011

Locations**Countries of recruitment**

United Kingdom

England

Study participating centre

Consultant Surgeon and Coloproctologist

Norwich

United Kingdom

NR1 3SR

Sponsor information**Organisation**

Department of Health (UK)

Funder(s)**Funder type**

Government

Funder Name

East Norfolk and Waveney Research Consortium - Norfolk and Norwich University (UK) Hospital
/Norwich PCT

Results and Publications**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration