# Surviving crying: trial of a service to support the mental health and coping of parents with excessively crying infants

Submission date	<b>Recruitment status</b> No longer recruiting	[X] Prospectively registered		
20/04/2022		☐ Protocol		
Registration date	Overall study status	Statistical analysis plan		
01/06/2022	Ongoing  Condition category	<ul><li>☐ Results</li><li>☐ Individual participant data</li></ul>		
Last Edited				
15/11/2024	Mental and Behavioural Disorders	[X] Record updated in last year		

# Plain English summary of protocol

Background and study aims

The Surviving Crying package has been created to support parents and carers of babies who cry for prolonged periods. Excessive crying affects one in five babies, with peak crying often happening around 5 weeks of age but common in the first 4 months of life. This is sometimes known as infant 'colic', although in the majority of cases it has nothing to do with digestion or any physical illness. The project team has developed a support package to help parents understand and cope with prolonged crying, which can be extremely traumatic for parents and carers. This package includes written and online materials and a support programme provided by Health Visitors (HVs) trained as part of the research to use cognitive behaviour therapy (CBT) approaches to support parents of babies who cry excessively. This study aims to find out if the support package used in conjunction with usual care given by Health Visitors is more effective in supporting parents and carers to cope with an excessively crying baby than usual care alone.

# Who can participate?

Parents/Carers aged 18 years or older with an infant up to 20 weeks old (at the time of consent), who express concern about their infant's excessive crying

# What does the study involve?

The study involves the recruitment of 392 participating parents/carers who have expressed concerns to their Health Visitor/other Health Visitor services/GP/or directly to the research team about their crying baby. Their relevant contact with the agreement of the parent, refers them to the study. A local member of the research team will invite the parent/carer to attend an initial appointment which lasts around 90 minutes. This can be completed by phone, video call or in person in their own home although face-to-face contact is preferred.

During the initial appointment, the researcher will explain what is involved and answer any questions the parent/carer may have. Participants will be asked to give written consent (in hard copy or electronically) to join the study. Following this, general questions about background, health and the baby's crying and feeding are asked. Some of these questions will be completed by the participant themselves and others will be asked by the researcher.

Participants will then be randomly allocated into one of two groups, control or intervention.

Control group participants will receive usual care from their Health Visitor. Intervention group participants receive usual care from their Health Visitor and in addition receive their choice of some, or all of three intervention packages.

- 1. Surviving Crying Booklet
- 2. Surviving Crying Website
- 3. Cognitive Behaviour Therapy (CBT) sessions with a Surviving Crying trained Health Visitor If the participant chose CBT sessions they will be offered between one and four sessions of one-to-one support from a Surviving Crying Trained Health Visitor. These sessions will normally be delivered at home but could be delivered remotely where circumstances demand. All sessions will be delivered on a weekly basis but must not exceed 6 weeks from the date of the first CBT session.

Following the initial appointment with the researcher, two further meetings at 8 and 16 weeks after that initial meeting will be arranged to ask further research questions. Participants will be given £30 shopping vouchers for completing all the assessments.

As the study comes to an end the researchers are also undertaking a number of recorded interviews with parents/carers, Health Visitors, managers and commissioners to discuss their experience of the Surviving Crying package. The researchers are also conducting a study within the main part of the study to help enhance uptake within ethnic minority communities who could be underrepresented in studies such as this one. They propose to do this by conducting a community-based awareness campaign in addition to developing more accessible recruitment and trial documents.

What are the possible benefits and risks of participating?

Participants randomly allocated to receive extra support beyond their usual health visits will have access to a choice of any or all three elements of the package available: website, booklet and CBT sessions. Not all participants will be allocated to receive extra support, but all participants will continue to receive standard Health Visiting services. Participants who only receive THE standard Health Visiting service will have the option to access the website/booklet at the end of their participation in the study.

Where is the study run from? Nottingham Trent University (UK)

When is the study starting and how long is it expected to run for? September 2021 to August 2025

Who is funding the study?
National Institute for Health Research (NIHR) Health Technology Assessment (HTA) (UK)

Who is the main contact? Prof. Jayne Brown jayne.brown@ntu.ac.uk

# **Contact information**

Type(s)
Principal investigator

**Contact name**Prof Jayne Brown

#### **ORCID ID**

https://orcid.org/0000-0002-9489-1654

#### Contact details

Nottingham Trent University Clifton Lane Clifton Nottingham United Kingdom NG11 8NS None provided jayne.brown@ntu.ac.uk

# Additional identifiers

### Clinical Trials Information System (CTIS)

Nil known

# Integrated Research Application System (IRAS)

306620

## ClinicalTrials.gov (NCT)

Nil known

#### Protocol serial number

v1.0, IRAS 306620, NIHR HTA 306620, CPMS 52165

# Study information

#### Scientific Title

Cluster randomised controlled trial of a service to support the mental health and coping of parents with excessively crying infants

# Study objectives

Usual health visiting (HV) services supplemented by the Surviving Crying (SC) package are more clinically effective and cost-effective than usual services alone in improving the mental health and coping of parents/carers with an excessively crying infant up to 20 weeks of age.

# Ethics approval required

Old ethics approval format

# Ethics approval(s)

Approved 11/05/2022, Brighton & Sussex REC (Health Research Authority, 2 Redman Place, Stratford, London, E20 1JQ, UK: +44 (0)207 1048241; brightonandsussex.rec@hra.nhs.uk), ref: 22 /LO/0284

# Study design

Cluster randomized controlled trial

# Primary study design

#### Interventional

## Study type(s)

Other

# Health condition(s) or problem(s) studied

Mental health to help parents/carers cope with an infant's excessive crying

#### Interventions

The overall aim of the trial is to test the clinical effectiveness and cost-effectiveness of statutory health visiting (HV) services supplemented by SC-based service compared to statutory health visiting (HV) services alone. A cluster randomised controlled trial has been chosen to minimise the contamination between the control and intervention groups. The sites participating in the trial have been chosen to represent diverse urban and rural settings and socio-economic and cultural groups. HV teams within sites vary in size and the communities they serve. Therefore, with their clinical leaders, the researchers will identify the team(s) that will form a cluster within the trial, comprising of HVs working closely together.

All parents will be provided with a study introduction leaflet sent with their new birth letter sent to all new parents from Health Visiting Services. If an infant then goes on to cry excessively parent will express their concern to their regular health visitor who will identify if the parent wishes and is eligible to take part.

Parents will be excluded from taking part where the infant is not under 20 weeks of age, where the infant's excessive crying is judged by a doctor to be due to an illness requiring medical management or the parent is taking part in a clinical trial at the time of consent of 3 months prior. Regular Health Visitors will request verbal consent to provide the SC researcher with their contact details.

Parents will be randomised into two groups depending on the HV team that introduced the parent into the study. The control group will receive usual HV services as normal. The intervention group will receive usual HV services as normal in addition to receiving the choice as to which of three intervention packages they can access. They can access one or all three of these elements:

- 1. Surviving Crying booklet
- 2. Surviving Crying website
- 3. Cognitive Behaviour Therapy (CBT) sessions

They can choose all of these elements or a combination of any of the three. If the participant chooses CBT Sessions they will be offered between one and four sessions of one-to-one support from a Surviving Crying Trained Health Visitor which will normally be delivered at home but could be delivered remotely for circumstances that demand this. All sessions will be delivered on a weekly basis but must not exceed 6 weeks from the date of the first CBT session. All groups will be asked to attend a baseline assessment and two follow-up assessments at 8 and 16 weeks after their baseline assessment.

# Intervention Type

Behavioural

# Primary outcome(s)

Parental depression measured using the Edinburgh Postnatal Depression Scale (EPDS) score at 8 weeks post-baseline

## Key secondary outcome(s))

- 1. Parental depression measured using the Edinburgh Postnatal Depression Scale (EPDS) score 16 weeks post-baseline; proportion of parents/carers with EPDS score of 10 or more
- 2. Anxiety measured using the Generalised Anxiety Disorder Assessment (GAD-7) Scale at 8 and 16 weeks post-baseline
- 3. Self-rated health utility and quality of life measured using EuroQol-5D-5L at 8 and 16 weeks post-baseline
- 4. Confidence of a parent/carer in their parenting role measured using the Maternal Confidence Scale (MCQ) at 8 and 16 weeks post-baseline
- 5. Knowledge of infant crying, amount of perceived infant crying, and parents/carers' ratings of how frustrating and problematic the crying is for them, measured using the crying knowledge scale at 8-week post-baseline follow-ups
- 6. Relationship satisfaction measured using the Partner Relationship Quality (CSI-4) at 8 and 16 weeks post-baseline
- 7. Parental and infant health, breastfeeding persistence measured using researcher asked questions at 8 weeks and 16 weeks post-baseline
- 8. Health economic measures assessed using researcher asked questions at 8 weeks and 16 weeks post-baseline
- 9. Contacts with the NHS, parents' use and parents' and HVs' ratings of services assessed using researcher asked questions at 8 weeks post-baseline

# Completion date

28/02/2026

# Eligibility

## Key inclusion criteria

1. Parents/carers aged 18 years or older with a healthy infant up to 20 weeks old (at time of consent), who express concern about their infant's excessive crying to their Health Visitor 2. Written/electronic informed consent

# Participant type(s)

Other

# Healthy volunteers allowed

No

# Age group

Adult

# Lower age limit

18 years

#### Sex

Αll

# Key exclusion criteria

- 1. Any infant where excessive crying is judged by a doctor to be due to illness requiring medical management
- 2. Involved with any other clinical trial at the time of consent or 3 months prior

# Date of first enrolment 29/09/2022

# Date of final enrolment 31/10/2025

# Locations

# **Countries of recruitment**United Kingdom

England

S10 2TH

Study participating centre Sheffield Childrens Hospital Western Bank Sheffield United Kingdom

Study participating centre London Borough of Newham Newham Dockside 1000 Dockside Road London United Kingdom E16 2QU

Study participating centre
South Warwickshire NHS Foundation Trust
Warwick Hospital
Lakin Road
Warwick
United Kingdom
CV34 5BW

Study participating centre
Nottinghamshire Healthcare NHS Trust Headquarters
Duncan Macmillan House
Porchester Road
Nottingham
United Kingdom
NG3 6AA

# Study participating centre Barnsley Metropolitan Borough Council Public Health

Town Hall Church Street Barnsley United Kingdom S70 2TA

# Study participating centre Doncaster CAMHS

Balby Court Balby Carr Hill Doncaster United Kingdom DN4 8DE

# Study participating centre Hmr Integrated Community Services (rochdale)

Rochdale Infirmary Whitehall Street Rochdale United Kingdom OL12 0NB

# Sponsor information

# Organisation

De Montfort University

#### **ROR**

https://ror.org/0312pnr83

# Funder(s)

# Funder type

Government

#### Funder Name

Health Technology Assessment Programme

# Alternative Name(s)

NIHR Health Technology Assessment Programme, Health Technology Assessment (HTA), HTA

# **Funding Body Type**

Government organisation

# **Funding Body Subtype**

National government

#### Location

United Kingdom

# **Results and Publications**

# Individual participant data (IPD) sharing plan

The data-sharing plans for the current study are unknown and will be made available at a later date

# IPD sharing plan summary

Data sharing statement to be made available at a later date

# **Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
HRA research summary			28/06/2023	No	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes