

Intravitreal Triamcinolone with Transpupillary Thermal Therapy (TTT) for Subfoveal Choroidal Neovascularization in Age Related Macular Degeneration

Submission date 09/05/2005	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 16/05/2005	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 18/02/2008	Condition category Eye Diseases	<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr Ricardo Agurto-Rivera

Contact details
Exequiel Fernández n° 920
Casa F
Ñuñoa
Santiago
Chile
+56 8 5021968
ricardo_agurto@yahoo.com

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N/A

Study information

Scientific Title

Study objectives

TTT plus intravitreal triamcinolone are effective treatment for choroidal neovascularization and are better than TTT alone.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Health condition(s) or problem(s) studied

Age-Related Macular Degeneration (ARMD) not available for current therapies

Interventions

Complete ophthalmologic examination, treatment with TTT alone compared with treatment with TTT plus intravitreal Triamcinolone. Ophthalmologic control to verify closure of CNV or re-treatment.

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

Triamcinolone

Primary outcome measure

Preservation of visual acuity

Secondary outcome measures

Closure of CNV, OCT characteristics

Overall study start date

01/02/2004

Completion date

28/02/2006

Eligibility

Key inclusion criteria

Patients with severe ARMD (choroidal neovascularization [CNV]) that could not be treated with photodynamic therapy (PDT) because of bad prognosis or economical reasons.

Participant type(s)

Patient

Age group

Not Specified

Sex

Not Specified

Target number of participants

200

Key exclusion criteria

1. Any patient that has indication for PDT and has the economical means to get this therapy
2. Media opacity
3. Previous treatment for CNV

Date of first enrolment

01/02/2004

Date of final enrolment

28/02/2006

Locations

Countries of recruitment

Chile

Mexico

Study participating centre
Exequiel Fernández nº 920
Santiago
Chile

Sponsor information

Organisation

Association to Avoid Blindness (Asociación Para Evitar La Ceguera) (APEC) (Mexico)

Sponsor details

Vicente García Torres N° 46
Barrio San Lucas
Del Coyoacán
Mexico City
Mexico
04030
+52 10841400
retinamex@yahoo.com

Sponsor type

Not defined

ROR

<https://ror.org/03sgfhr82>

Funder(s)

Funder type

Charity

Funder Name

Association to Avoid Blindness (Asociación Para Evitar La Ceguera) (APEC) (Mexico)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	25/11/2005		Yes	No