

# What shall we do with the postdates woman who is not in labour?

<b>Submission date</b> 12/09/2003	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
<b>Registration date</b> 12/09/2003	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
<b>Last Edited</b> 02/06/2017	<b>Condition category</b> Pregnancy and Childbirth	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

**Plain English summary of protocol**  
Not provided at time of registration

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Mr Kevin Harrington

**Contact details**  
Fetal Medicine Unit  
Homerton University Hospital NHS Trust  
Homerton Row  
London  
United Kingdom  
E9 6SR  
+44 (0)20 8510 7544  
kevin.harrington@virgin.net

## Additional identifiers

**Protocol serial number**  
N0024112467

## Study information

**Scientific Title**  
What shall we do with the postdates woman who is not in labour?

**Study objectives**

Can we reduce the induction to delivery interval and Caesarean section rate in postdates primigravida women undergoing induction of labour with unfavourable cervix?

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

Not provided at time of registration

**Study design**

Randomised controlled trial

**Primary study design**

Interventional

**Study type(s)**

Treatment

**Health condition(s) or problem(s) studied**

Pregnancy and Childbirth: Induction of labour

**Interventions**

1. Mifepristone
2. Standard care

**Intervention Type**

Drug

**Phase**

Not Applicable

**Drug/device/biological/vaccine name(s)**

Mifepristone

**Primary outcome(s)**

1. Length of time from induction start (first Prostin) to:
  - 1.1. Onset of labour
  - 1.2. Second stage
  - 1.3. Delivery
  - 1.4. Timing and type of intervention (Caesarian Section, Forceps, Ventouse), if any
2. Antepartum haemorrhage (APH), postpartum haemorrhage (PPH) and other complications
3. Neonatal weight, cord pH and admission to Special Care Baby Unit (SCBU)

**Key secondary outcome(s))**

Not provided at time of registration

**Completion date**

31/12/2003

# Eligibility

## Key inclusion criteria

100 pregnant primiparous women who have not laboured at or beyond 41 weeks of gestation with cervical length >3 cm.

## Participant type(s)

Patient

## Healthy volunteers allowed

No

## Age group

Adult

## Sex

Female

## Key exclusion criteria

Not provided at time of registration

## Date of first enrolment

01/05/2002

## Date of final enrolment

31/12/2003

# Locations

## Countries of recruitment

United Kingdom

England

## Study participating centre

Fetal Medicine Unit

London

United Kingdom

E9 6SR

# Sponsor information

## Organisation

Department of Health (UK)

## **Funder(s)**

### **Funder type**

Government

### **Funder Name**

Homerton University Hospital NHS Trust (UK)

## **Results and Publications**

### **Individual participant data (IPD) sharing plan**

#### **IPD sharing plan summary**

Not provided at time of registration