Effectiveness of an online smoking cessation self-help intervention. A randomized clinical trial.

Submission date	Recruitment status No longer recruiting	Prospectively registered		
12/09/2005		[X] Protocol		
Registration date	Overall study status	Statistical analysis plan		
12/09/2005 Last Edited	Completed Condition category	Results		
		Individual participant data		
28/01/2009	Mental and Behavioural Disorders	Record updated in last year		

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Ms Jeannet Kramer

Contact details

Trimbos Institute - The Netherlands Institute for Mental Health and Addiction Centre for Prevention and Brief Intervention P.O. Box 725
Utrecht
Netherlands
3500 AS
+31 (0)30 2959380
jkramer@trimbos.nl

Additional identifiers

Protocol serial number N/A

Study information

Scientific Title

Study objectives

Compared to an online smoking cessation brochure, does participation in an online self-help smoking cessation program lead to:

- 1. A greater percentage successful quitters, three and six months after the start of the intervention
- 2. A greater percentage of quitting attempts

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Study type(s)

Not Specified

Health condition(s) or problem(s) studied

Smoking cessation

Interventions

The online self-help smoking cessation program consists of three components:

- 1. Smoking cessation module containing exercises which are based on cognitive behavioural therapy
- 2. Discussion forum
- 3. State-of-the art information and tips about smoking cessation.

The control group gets access to an online smoking cessation brochure ('Quit smoking: why and how') which advises on smoking cessation and gives information about withdrawal symptoms. Each intervention can be used in accordance with their needs. Both interventions are developed by STIVORO.

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

- 1. Abstinence
- 2. Smoking in the last 7 days (point prevalence)
- 3. Incidence of quitting attempts of 24 hours or longer

Key secondary outcome(s))

- 1. Decrease of the daily cigarette consumption
- 2. Number of quitting attempts of 24 hours or longer
- 3. Stage transition in the stage-of-change (motivational stage)

Completion date

31/07/2007

Eligibility

Key inclusion criteria

- 1. Patients that are 18 years or older
- 2. Currently smoking cigarettes or rolling tobacco
- 3. Intend to quit smoking within a month
- 4. Have access to the Internet

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

Not Specified

Key exclusion criteria

- 1. Patients that do not meet the inclusion criteria
- 2. Are already preparing a quitting attempt with the help of a counsellor or course
- 3. Are already preparing a quitting attempt with help of pharmacotherapy
- 4. Are involved in another (experimental) study with an interfering design or interfering goals

Date of first enrolment

01/08/2005

Date of final enrolment

31/07/2007

Locations

Countries of recruitment

Netherlands

Study participating centre

Trimbos Institute - The Netherlands Institute for Mental Health and Addiction Utrecht Netherlands 3500 AS

Sponsor information

Organisation

Trimbos Institute (The Netherlands)

ROR

https://ror.org/02amggm23

Funder(s)

Funder type

Research council

Funder Name

ZON-MW, The Netherlands Organization for Health Research and Development

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Protocol article	protocol	22/01/2009		Yes	No
Study website	Study website	11/11/2025	11/11/2025	No	Yes