# Enhancing well-being and resilience through nature-based mindfulness activities. The case study of Padua with people at risk of metabolic disorder (NATURE-MET-P)

| Submission date   | Recruitment status  No longer recruiting             | Prospectively registered                    |  |  |
|-------------------|--|---|--|--|
| 22/07/2024        |  | ∐ Protocol                                  |  |  |
| Registration date | Overall study status Ongoing                         | <ul><li>Statistical analysis plan</li></ul> |  |  |
| 09/09/2024        |  | Results                                     |  |  |
| Last Edited       | Condition category Nutritional, Metabolic, Endocrine | Individual participant data                 |  |  |
| 18/06/2025        |  | [X] Record updated in last year             |  |  |

#### Plain English summary of protocol

Background and study aims

Metabolic Syndrome (MetS) is a cluster of conditions, including high blood sugar, high blood pressure, abnormal cholesterol levels, and obesity, that collectively increase the risk of developing type 2 diabetes, heart disease, stroke, and can lead to premature death. In Europe, about 25% of the population is affected by MetS. Recently, there has been a growing interest in nature-based therapies (NBTs), which involve activities such as spending time in nature or exercising outdoors. These therapies have demonstrated significant physical and mental health benefits, particularly for individuals with sedentary lifestyles, MetS, and limited exposure to nature. For that reason, the aim of the study is to investigate the positive effects of naturebased therapies in sedentary individuals at risk of metabolic syndrome and see how these therapies can improve overall well-being and resilience to stress. This trial is part of a larger project called RESONATE, which includes similar studies in Padua, Italy (NATURE-MET-P) Salzburg, Austria (NATURE-MET-S), and Barcelona, Spain (NATURE-MET-B). Each study is conducted in different natural environments: coastal areas in Barcelona, urban green spaces in Padua, and rural mountainous regions in Salzburg. By comparing the effects of different natural settings on MetS, these studies aim to develop effective health programs that can help people at risk of MetS lead healthier lives.

#### Who can participate?

People at risk of metabolic syndrome aged 40-70 years with an inactive lifestyle and little contact with nature

#### What does the study involve?

The study will last 5 weeks with an additional assessment after another 5 weeks. After random allocation into two groups (intervention group vs control group), the intervention group will be conducted in two consecutive rounds (fall 2024, spring 2025 and fall 2025). Participants in the control group will be assessed at the same time as the intervention group and will also have the opportunity to receive the nature-based therapy after the assessment period (wait-list-control

design). The 5-week nature-based intervention consists of 60 minutes of walking and mindfulness relaxation activities with a total of 15 sessions for each participant (3 times a week for 5 weeks). The first week of the intervention (first 3 sessions) will be conducted with the support of trained guides from the UNIPD research team. The following four weeks will be self-guided.

What are the possible benefits and risks of participating?

The participants in the study at risk of metabolic syndrome are at increased risk of developing certain conditions, due to the presence of physical inactivity, poor quality of life and stressful routines. Many scientific studies have shown that exercising in nature ("green exercise") is an effective activity for improving quality of life, well-being and reducing certain risk conditions, such as cardiovascular disease. In addition, green exercise has other positive psychophysiological effects compared to indoor exercise, which can benefit people with sedentary lifestyles, at risk of metabolic syndrome, and little contact with nature. Participants in this study will have the opportunity to participate in a structured nature-based secondary prevention program free of charge. Potential benefits include improvements in health and subjective well-being. For the participants, completing this program could also be a first step towards a more active lifestyle and better quality of life in the long term.

Participants will be guided during the first week of the 5-week intervention to ensure they become familiar with the proposed program and feel confident carrying it out independently in the following weeks. Additionally, one guided session per week will continue to be offered throughout the self-guided phase to provide support and foster continuity.

Air quality: According to data from ARPA Veneto (https://www.arpa.veneto.it/), the city of Padua exceeds the permitted levels of PM10 and PM2.5 on some days. For this reason, the informed consent states that any participant concerned about their health may skip sessions on days with high pollution levels.

From the researchers' perspective, the potential benefits to study participants outweigh the specific risks of the nature-based intervention.

Where is the study run from? University of Padua (Italy)

When is the study starting and how long is it expected to run for? June 2023 to November 2026

Who is funding the study? HORIZON EUROPE project RESONATE

Who is the main contact?

- 1. Prof. Angelica Moè, angelica.moe@unipd.it
- 2. Prof. Francesca Pazzaglia, Francesca.pazzaglia@unipd.it
- 3. Monica Bolognesi, monica.bolognesi@studenti.unipd.it

# **Contact information**

Type(s)

Scientific, Principal investigator

Contact name

Prof Angelica Moè

#### Contact details

Via Venezia 8 Padua Italy 35131 +39 (0)3382069723 angelica.moe@unipd.it

#### Type(s)

Public, Scientific

#### Contact name

Miss Monica Bolognesi

#### **ORCID ID**

https://orcid.org/0000-0003-3070-9785

#### Contact details

Via Venezia 8 Padua Italy 35131 +39 (0)3496721467 monica.bolognesi@studenti.unipd.it

# Additional identifiers

## Clinical Trials Information System (CTIS)

Nil known

# ClinicalTrials.gov (NCT)

Nil known

#### Protocol serial number

101081420

# Study information

#### Scientific Title

Randomised controlled trial examining the efficacy of an urban nature-based therapy for increased biopsychosocial resilience amongst sedentary individuals at risk of metabolic syndrome

#### Acronym

**RESONATE** 

## **Study objectives**

Current evidence suggests that NbTs can have a beneficial impact on mental health and wellbeing (Britton et al., 2020; Nguyen et al., 2022; Richardson et al., 2021). However, high-quality evidence, based on well-controlled trials, is lacking and the biopsychosocial mechanisms are again insufficiently understood (White et al., 2023).

Furthermore, heterogeneity in terms of intervention protocols and outcomes between studies makes it difficult to synthesise and compare causal evidence on the efficacy of NbTs (Hartig et al., 2014; Annerstedt & Währborg, 2011).

Using comparable high-quality Randomised Controlled Trial (RCT) designs, the study will provide essential knowledge regarding the efficiency of NbTs in a high-risk population group at risk of Metabolic Syndrome (MtS). The rationale behind choosing a population at risk of MtS is that this is a group of individuals with a high risk of developing various non-communicable diseases (NCDs), such as coronary heart disease and stroke (Mohamed et al., 2023), and are likely to benefit from improved biopsychosocial resilience. MtS is characterised by a cluster of conditions that occur together, such as being overweight and having high blood pressure, and blood glucose levels (Hayden, 2023). All the parameters may hypothetically be reduced and improved by NbT, which means better mental and physical health and stress reduction (Patwary et al., 2024). The results are expected to be beneficial for the implementation of nature-based interventions as a preventive approach in a high-risk population, with significant health gains.

According to these premises, the primary objective of the clinical study is to analyse the impact of a series of short, initially staff-guided, and then self-directed mindful immersions in nature, on biopsychosocial resilience in a sedentary population at risk of MtS and low nature use prior to the study.

It is hypothesized that the nature intervention (mindfulness and light walking) could:

- 1. Reduce psychophysical stress in participants: decrease pro-inflammatory parameters (saliva), heart rate, blood pressure, and waist-to-hip ratio and increase respiratory flow.
- 2. Have a positive effect on general health (physical activity, mental health) and well-being (subjective well-being, emotions, loneliness, environmental attitudes, local nature attitudes, proenvironmental behaviours, psychological resilience, motivation, acceptability)

#### Ethics approval required

Ethics approval required

# Ethics approval(s)

approved 22/02/2024, Comitato Etico Della Ricerca Psicologica (area 17) (Via Venezia 8, Padova, 35131, Italy; +39 (0)498276600; comitato.etico.area17@unipd.it), ref: 458-a

# Study design

Single-center interventional trial using a two-arm wait-list design

# Primary study design

Interventional

# Study type(s)

Other, Prevention, Quality of life

# Health condition(s) or problem(s) studied

Psychophysiological parameters in participants at risk of metabolic syndrome

#### Interventions

Current interventions, as of 18/06/2025:

A total of 140 participants will be recruited and randomly assigned to either the intervention or control group, balancing for gender and age. Participants from both the control and intervention groups will be assigned to one of three rounds planned in the study starting in September 2024, March 2025, and September 2025, respectively. The control group participants will undergo examination simultaneously with the intervention group, during the same time period. However, they will be offered the NbT program after the data assessment phase, following a waiting-list control design.

The intervention group (n = 70) will receive a treatment consisting of a nature-based therapy (NbT) program with two components: outdoor activities and nature-based mindfulness training. The outdoor activities will take place in the main urban parks of the city of Padua. The intervention will consist of 15 sessions (5 weeks, 3 times per week) of approximately 60 minutes each, structured as follows: 10 minutes of light walking, 10 minutes of relaxation/mindfulness, 10 minutes of walking, 10 minutes of relaxation/mindfulness, 10 minutes of walking, and 10 minutes of "diary reflection". Each therapy session will be evaluated by participants using the MyCap application, assessing elements such as therapy quality and site pleasantness.

The first week of the intervention (first 3 sessions) will be conducted with the support of trained guides from the UNIPD research team. The following four weeks will be self-guided. During this self-guided phase, participants will have the flexibility to choose the day, time, and urban park most convenient for them, while maintaining the frequency of three sessions per week over the remaining four weeks. Additionally, once per week during the 4 self-guided weeks, a guided session will still be offered to provide support and foster continuity.

Assessments will take place on day 0, day 35, and day 70 for both control and treatment group.

#### Previous interventions:

A total of 140 participants will be recruited and randomly assigned to either the intervention or control group, balancing for gender and age. Participants from both the control and intervention groups will be assigned to one of two rounds planned in the study starting in September 2024 and March 2025, respectively. The control group participants will undergo examination simultaneously with the intervention group. Subsequently, they will have the opportunity to participate in the nature-based therapy program (waiting-list control design).

The intervention group (n = 70) will receive a treatment consisting of a nature-based therapy (NbT) program with two components: outdoor activities and nature-based mindfulness training. The outdoor activities will take place in the main urban parks of the city of Padua. The intervention will consist of 15 sessions (5 weeks, 3 times per week) of roughly 60 minutes, 10 each, divided into 10 minutes of light walking, 10 minutes of relaxation/mindfulness, 10 minutes of walking, 10 minutes of relaxation/mindfulness, 10 minutes of walking and 10 minutes of "diary reflection". Each therapy session will be evaluated on quality of therapy, pleasantness of the site etc, by each participant through the MyCap application. The control group will not receive any intervention during the assessment period. Nevertheless, they will be offered the NbT after the data assessment period (waiting list control design). The assessment phase is planned on day 0, day 35, and day 70.

#### Intervention Type

Mixed

#### Primary outcome(s)

- 1. Biopsychosocial resilience is measured using these measures on day 0, day 35 and day 70:
- 1.1. Quality of Life measured using SF-12
- 1.2. Allostatic Load Index (ALI) measured using the following parameters:
- 1.2.1. Heart Rate Variability (HRV)
- 1.2.2. Systolic Blood Pressure (SBP)
- 1.2.3. Diastolic Blood Pressure (DBP)
- 1.2.4. Resting Heart Rate (RHR)
- 1.2.5. Peak Expiratory Flow (PEF)
- 1.2.6. Waist-hip ratio
- 1.2.7. C-Reactive Protein (CRP) (saliva)
- 2. Perception of the intervention (affect) and short-term effects are measured via the MyCap mobile app at the individual therapy sessions (3 x per week over 5 weeks):
- 2.1. Nature connectedness measured using Inclusion of Nature with Self (INS)
- 2.2. Transportation used measured using ad hoc question
- 2.3. Affective states:
- 2.3.1. Emotions measured using the Scale of Positive and Negative Experience (SPANE)
- 2.3.2. Perceived restorativeness measured using the Perceived Restorativeness Scale (PRS)
- 2.4. Ecological aspects measured using ad hoc questions
- 2.5. Satisfaction measured using ad hoc questions

#### Key secondary outcome(s))

Measured on day 0, day 35 and day 70 (unless indicated):

- 1. Sociodemographic information collected using ad hoc questions (day 0 only)
- 2. Trait mindfulness measured using the Five Facet Mindfulness Questionnaire (FFMQ-15)
- 3. Environmental habits and childhood experiences (only day 0) from PANS-M1Q1 People & Nature Survey, 2021
- 4. Current indirect contact with nature from PANS-M1Q1 People & Nature Survey, 2021
- 5. Physical activity measured using the International Physical Activity Questionnaire Short Form (IPAQ-SF)
- 6. Subjective well-being measured using the Organisation for Economic Co-operation and Development Survey (OECD-4)
- 7. Well-being, emotions measured using the Scale of Positive and Negative Experience (SPANE)
- 8. Loneliness measured using the De Jong Gierveld Loneliness Scale
- 9. Environmental concern measured using the Environmental Concern Scale
- 10. Local nature attitudes measured using the People & Nature Survey (PANS-6)
- 11. Pro-environmental behaviors measured using Pro-environmental Behaviors Scale (RPEBS)
- 12. Resilience measured using the State-Trait Assessment of Resilience Scale (STARS)
- 13. Perceived restorativeness measured using Perceived Restorativeness Scale (PRS)
- 14. Motivation (self-determined motivation) measured using Ideal Self, ad hoc scale
- 15. Acceptability measured using Sekhon et al, 2018 scale
- 16. Nature connectedness measured using the Nature Connectedness Index (NCI)
- 17. Sense of community measured using the Brief Sense of Community Scale
- 18. Social desirability measured using the Marlowe-Crowne Social Desirability Scale (MC-SDS)
- 19. Contingent evaluation (willingness to pay) measured using an ad hoc scale (only at day 70)
- 20. Use of care services (cost savings) measured using an ad hoc scale

Moreover, at day 180 the following integrative evaluation parameters will be assessed:

- 1. Use of care services (cost savings) measured using an ad hoc scale
- 2. Overall satisfaction with the program measured using an ad hoc scale

#### Completion date

30/11/2026

# **Eligibility**

#### Key inclusion criteria

Current inclusion criteria as of 18/06/2025:

- 1. People at risk of metabolic syndrome (at least two of five of the following criteria):
- 1.1. Abdominal obesity: Waist circumference >102 cm (men), >88 cm (women)
- 1.2. Triglycerides: ≥150 mg/dL or Rx
- 1.3. HDL cholesterol: <40 mg/dL (men), <50 mg/dL (women) or Rx
- 1.4. Blood pressure: ≥130/≥85 mmHg or Rx
- 1.5. Fasting glucose: ≥110mg/dL or Rx
- 2. 40-70 years old
- 3. Sedentary lifestyle [Category 1 (Low) or 2 (Moderate) of IPAQ-SF]
- 4. Ability to participate in tours in urban green areas

#### Previous inclusion criteria:

- 1. People at risk of metabolic syndrome (at least three of five of the following criteria):
- 1.1. Abdominal obesity: Waist circumference >102 cm (men), >88 cm (women)
- 1.2. Triglycerides: ≥150 mg/dL or Rx
- 1.3. HDL cholesterol: <40 mg/dL (men), <50 mg/dL (women) or Rx
- 1.4. Blood pressure: ≥130/≥85 mmHg or Rx
- 1.5. Fasting glucose: ≥110mg/dL or Rx
- 2. 40-65 years old
- 3. Sedentary behavior [Category 1 (Low) or 2 (Moderate) of IPAQ-SF]
- 4. Ability to participate in tours in urban green areas
- 5. Low nature contact (probably <30 min/week actively engaged)

#### Participant type(s)

Employee, Resident, Population

#### Healthy volunteers allowed

No

#### Age group

Adult

#### Lower age limit

40 years

#### Upper age limit

#### 70 years

#### Sex

All

#### Key exclusion criteria

Current exclusion criteria as of 18/06/2025:

- 1. Active lifestyle (Category 3 [High] of IPAQ-SF)
- 2. Pregnancy
- 3. Enrollment in any other interventional clinical trial

#### Previous exclusion criteria:

- 1. Active lifestyle (Category 3 [High] of IPAQ-SF)
- 2. Pregnancy
- 3. Enrollment in any other interventional clinical trial
- 4. Acute depression

#### Date of first enrolment

01/03/2024

#### Date of final enrolment

31/08/2025

# Locations

#### Countries of recruitment

Italy

# Study participating centre University of Padua

Via Venezia 8 Padua Italy 35131

# Sponsor information

#### Organisation

University of Padua

#### **ROR**

https://ror.org/00240q980

# Funder(s)

#### Funder type

Government

#### **Funder Name**

Horizon Europe

# **Results and Publications**

#### Individual participant data (IPD) sharing plan

The datasets generated during and/or analyzed during the current study will be available on request from Prof. Angelica Moè (angelica.moe@unipd.it).

The type of data that will be shared: All data collected via the MyCap app that are anonymized Dates of availability: After the end of data collection

Whether consent from participants was required and obtained: Each participant will need to sign the informed consent form, which outlines all measurements, timelines, and risks.

Comments on data anonymization: The data may be disclosed to University of Padua staff and collaborators, including independent contractors, who provide support for the implementation and management of activities envisaged by the research project. The collected data will be used (disseminated or communicated) exclusively in an aggregated and anonymous manner for scientific publication purposes. As a rule, the collected data are not transferred to countries outside the European Union. In any case, the University ensures compliance with security regulations for the protection of the personal data of the individuals concerned.

# IPD sharing plan summary

Available on request

#### **Study outputs**

| Output type   | Details       | Date created | Date added | Peer reviewed? | Patient-facing? |
|---------------|---------------|--------------|------------|----------------|-----------------|
| Study website | Study website | 11/11/2025   | 11/11/2025 | No             | Yes             |