Randomised phase III clinical trial in patients radically operated for stage III melanoma (American Joint Committee on Cancer [AJCC]): comparison between Interferon (IFN) alpha-2b (sec Eastern Cooperative Oncology Group [ECOG] 1684) versus intensified Interferon alpha-2b

Submission date	Recruitment status No longer recruiting	Prospectively registered		
19/10/2005		Protocol		
Registration date 21/10/2005	Overall study status Completed	Statistical analysis plan		
		[X] Results		
Last Edited	Condition category	[] Individual participant data		
18/02/2008	Cancer			

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Adriano Paccagnella

Contact details

Medical Oncology Unit SS Giovanni e Paolo Hospital Venezia Italy 30100 adriano.paccagnella@ulss12.ve.it

Additional identifiers

Protocol serial number

Study information

Scientific Title

Acronym

IMI - Mel.A.

Study objectives

To verify if intensive intravenously IFN regimen is better than ECOG 1684 IFN regimen in patients with high risk melanoma (Stage III AJCC).

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Melanoma of cutaneous origin with regional lymph-node metastasis radically resected

Interventions

Dose-Dense/Dose-Intense arm: IFN alpha-2b 20 MU/m^2/day intravenously five days a week for four weeks, repeated for four times on weeks nine to 12, 17 to 20, 25 to 28

Standard arm: IFN alpha-2b 20 MU/m^2/day intravenously five days a week for four weeks followed by 10 MU/m^2 subcutaneously three times per week for 48 weeks.

Intervention Type

Drug

Phase

Phase III

Drug/device/biological/vaccine name(s)

Interferon alpha-2b

Primary outcome(s)

Overall survival

Key secondary outcome(s))

- 1. Toxicity
- 2. Disease free survival

Completion date

15/11/2008

Eligibility

Key inclusion criteria

- 1. Primary melanoma of any tumour stage in presence of N1 regional lymph node metastases detected at elective or selective lymph node dissection with clinically not apparent regional lymph node metastases (designed CS1PS2, any TpN1M0)
- 2. Clinically apparent N1 regional lymph node involvement synchronous with primary melanoma of T1-4 (designed CS2PS2, any TcN1M0)
- 3. Regional lymph node recurrence at any interval after appropriate surgery for primary melanoma of any depth (designed CS2R, TxrN1M0)
- 4. ECOG performance status (PS) zero to one
- 5. Age 18 to 70
- 6. Absence of active medical or psychiatric troubles requiring medical or pharmacological interventions
- 7. Absence of thyroid or auto-immune pathology
- 8. Written informed consent

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

- 1. Patients with non-cutaneous primary melanoma
- 2. Clinical or pathological evidence of not completely resected melanoma or of lymph-node metastases
- 3. Clinical history of progressed neoplasia, except for the in situ carcinoma of the cervix and of radically treated basal carcinomas
- 4. Patients requiring a continuous treatment with steroids, non-steroid antiinflammatory drugs or other inhibitors of the prostaglandins synthesis, antihistaminic (cimetidine, ranitidine, famotidine and nazatidine) or other known immunomodulators
- 5. Patients with history of (ventricular or supraventricular) heart rhythm troubles needing treatment, or congestive heart failure (class New York Heart Association [NYHA] more than two)

6. Patients with organic brain syndrome or significant deterioration of the basal cognitive function or with any psychiatric trouble which may hinder the complete participation in the protocol or which may be exacerbated from the IFN therapy (e.g. depression)
7. Patients previously submitted to adjuvant therapy, chemotherapy, immunotherapy, including any perfusion therapy before surgery

Date of first enrolment 15/11/1998

Date of final enrolment 15/11/2008

Locations

Countries of recruitment Italy

Study participating centre Medical Oncology Unit Venezia Italy 30100

Sponsor information

Organisation

Italian Melanoma Intergroup - IMI (Italy)

Funder(s)

Funder type

Research organisation

Funder Name

Non-profit trial, partially supported by Italian Melanoma Intergroup (IMI)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summaryNot provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	27/02/2006		Yes	No