

Primary prevention of bed-wetting: the effectiveness of simple interventions by the parents

Submission date 26/09/2006	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
Registration date 26/09/2006	Overall study status Completed	<input type="checkbox"/> Protocol
Last Edited 15/04/2009	Condition category Mental and Behavioural Disorders	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr M Kamphuis

Contact details
TNO Quality of life
P.O. Box 2215
Leiden
Netherlands
2301 CE
+31 (0)71 5181794
Mascha.Kamphuis@tno.nl

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers
NTR690

Study information

Scientific Title

Acronym

BET-project (Bedwetting Effective Techniques)

Study objectives

Interventions such as the calender method and waking up will increase the number of children getting continent compared to doing nothing (control group).

Ethics approval required

Old ethics approval format

Ethics approval(s)

Received from the local medical ethics committee

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Other

Study type(s)

Treatment

Participant information sheet

Health condition(s) or problem(s) studied

Bedwetting

Interventions

1. Waking up with password
2. Waking up without password
3. Calender method

Intervention Type

Other

Phase

Not Applicable

Primary outcome measure

No bedwetting, that is: dry nights at least 14 days in a row.

Secondary outcome measures

No secondary outcome measures

Overall study start date

01/12/2004

Completion date

01/10/2006

Eligibility

Key inclusion criteria

1. Children aged four and five years, bedwetting more than two night per week
2. Parents speak Dutch

Participant type(s)

Patient

Age group

Child

Lower age limit

4 Years

Upper age limit

5 Years

Sex

Both

Target number of participants

581

Key exclusion criteria

Being treated with medication or alarm treatment of possible pathology for bed wetting.

Date of first enrolment

01/12/2004

Date of final enrolment

01/10/2006

Locations

Countries of recruitment

Netherlands

Study participating centre
TNO Quality of life
Leiden
Netherlands
2301 CE

Sponsor information

Organisation
TNO Quality of Life (Netherlands)

Sponsor details
Division of Child Health, Prevention and Physical Activity
P.O. Box 2215
Leiden
Netherlands
2301 CE

Sponsor type
Government

ROR
<https://ror.org/01bnjb948>

Funder(s)

Funder type
Research organisation

Funder Name
The Netherlands Organisation for Health Research and Development (ZonMw) (Netherlands)

Results and Publications

Publication and dissemination plan
Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/05/2009		Yes	No