

# Phase I study of S 78454 in combination with FOLFOX in patients with digestive cancer

<b>Submission date</b> 02/09/2013	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 24/09/2013	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 18/04/2018	<b>Condition category</b> Cancer	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

Not provided at time of registration and not expected to be available in the future

## Contact information

### Type(s)

Scientific

### Contact name

Prof Philippe Rougier

### Contact details

Hôpital Européen George Pompidou  
20 rue Leblanc  
Paris  
France  
75015

## Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

CL1-78454-006

## Study information

Scientific Title

Phase I dose-escalation study of S 78454 (HDACi) p.o. in combination with FOLFOX in patients with locally advanced or metastatic digestive cancer

**Study objectives**

To establish the safety profile and the recommended Phase II dose of S 78454 in combination with FOLFOX (folinic acid, fluorouracil, oxaliplatin).

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

Ethics approval was obtained before recruitment of the first participants

**Study design**

International multicentric non-randomised open dose escalation phase I study

**Primary study design**

Interventional

**Secondary study design**

Non randomised study

**Study setting(s)**

Hospital

**Study type(s)**

Treatment

**Participant information sheet**

Not available in web format, please use the contact details to request a patient information sheet

**Health condition(s) or problem(s) studied**

Locally advanced or metastatic digestive cancer

**Interventions**

1. Capsules containing 20 mg and 100 mg of S 78454 / Oral use / Treatment duration is at the discretion of the investigator
2. Concomitant intravenous (i.v.) infusion of FOLFOX / Treatment duration is at the discretion of the investigator

No control group is involved

**Intervention Type**

Drug

**Phase**

Phase I

**Drug/device/biological/vaccine name(s)**

S 78454, FOLFOX

### **Primary outcome measure**

1. Dose-limiting toxicities (DLTs) and maximum tolerated doses (MTDs) at the end of cycle 1.  
Methods used: blood samples, physical examination, electrocardiogram (ECG)
2. Safety profile of the combination at each visit

### **Secondary outcome measures**

1. Pharmacokinetic evaluation on the cycle 1 by blood sample
2. Tumour response evaluation during the study by imagery
3. Tumour markers evaluation at each cycle by blood sample

### **Overall study start date**

15/09/2011

### **Completion date**

15/09/2014

## **Eligibility**

### **Key inclusion criteria**

1. Male or female patient aged > or equal to 18 years
2. Any histological confirmed measurable or evaluable metastatic colorectal cancer (mCRC) or locally advanced or metastatic gastric or pancreatic cancer with a true primary resistance to FOLFOX
3. Ability to swallow oral capsule(s)
4. Ability to receive FOLFOX regimen
5. Estimated life expectancy > 12 weeks
6. Eastern Cooperative Oncology Group (ECOG) performance status < or equal to 1
7. Body mass index (BMI) > or equal to 20
8. Adequate haematological, renal and hepatic functions

### **Participant type(s)**

Patient

### **Age group**

Adult

### **Lower age limit**

18 Years

### **Sex**

Both

### **Target number of participants**

60 patients

### **Key exclusion criteria**

1. Major surgery within previous 4 weeks
2. Chemotherapy (other than FOLFOX) within previous 3 weeks

3. Small molecules treatment (tyrosine kinase inhibitor) or antibodies within previous 1 week
4. Radiotherapy within previous 4 weeks (except for palliative radiotherapy at localised lesions)
5. Pregnant or breastfeeding women, women of childbearing potential or men without effective contraception
6. Prior exposure to any histone deacetylase inhibitors (HDACi)
7. Neuropathy > grade 1
8. Unresolved diarrhea > grade 1
9. Concomitant uncontrolled severe systemic disease
10. Patient with impaired cardiac function

**Date of first enrolment**

15/09/2011

**Date of final enrolment**

15/09/2014

## Locations

**Countries of recruitment**

Belgium

France

Italy

**Study participating centre**

Hôpital Européen George Pompidou

Paris

France

75015

## Sponsor information

**Organisation**

Institut de Recherches Internationales Servier (France)

**Sponsor details**

50 rue Carnot

Suresnes

France

92284

**Sponsor type**

Industry

**Website**

<http://www.servier.com/>

**ROR**

<https://ror.org/034e7c066>

## Funder(s)

**Funder type**

Industry

**Funder Name**

Institut de Recherches Internationales Servier (France)

## Results and Publications

**Publication and dissemination plan**

Publication plan:

Summary results are published in <https://clinicaltrials.servier.com>.

**Intention to publish date**

**Individual participant data (IPD) sharing plan**

The datasets generated during and/or analysed during the current study will be available upon request from <https://clinicaltrials.servier.com> if a Marketing Authorisation has been granted after 1st January 2014.

**IPD sharing plan summary**

Available on request

**Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Basic results</a>				No	No