

Pharmacological treatment of Depression: Phase II Lithium addition

Submission date 28/04/2006	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 28/04/2006	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
Last Edited 28/04/2006	Condition category Mental and Behavioural Disorders	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr W.W. Broek, van den

Contact details
Erasmus Medical Center
Department of Psychiatry
P.O. Box 2040
Rotterdam
Netherlands
3000 CA
w.w.vandenbroek@erasmusmc.nl

Additional identifiers

Protocol serial number
N/A

Study information

Scientific Title

Study objectives

The two strategies (Venlafaxine and subsequent Lithium addition in non-responders to Venlafaxine; Imipramine and subsequent Lithium addition in non-responders to Imipramine) are comparable in efficacy and time to response.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics approval received from the local medical ethics committee

Study design

A double blind, randomized single-centre study with a washout period, comparing 2 treatment strategies.

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Depression

Interventions

Venlafaxine (maximum dose 375 mg) and subsequent Lithium addition;
Imipramine (dose adjustment to adequate plasma levels of 200-300 µg/l) and subsequent Lithium addition.

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

Venlafaxine, Lithium, Imipramine

Primary outcome(s)

1. Change in HRSD scores
2. Change in CGI scores

Key secondary outcome(s))

Adverse effects.

Completion date

01/06/2009

Eligibility**Key inclusion criteria**

All non-responders in phase I.

In phase I inclusion criteria were:

1. Age 18-65
2. Major depressive disorder, single or recurrent episode (Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition [DSM-IV])
3. Hamilton Rating Scale for Depression (HRSD) (17 item) greater than or equal to 14
4. Written informed consent

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Upper age limit

65 years

Sex

All

Key exclusion criteria

Any of the following is regarded as a criterion for exclusion from the trial:

1. Patients who are incapable of understanding the information and of giving informed consent. Also, patients who are unable to read or write
2. Major depression with psychotic features (separate study)
3. Bipolar I or II disorder
4. Schizophrenia or other primary psychotic disorder
5. Treatment of current episode with adequate trial of Imipramine or Venlafaxine
6. Drug/alcohol dependence in the last 3 months
7. Mental retardation (IQ <80)
8. Women: pregnancy or possibility for pregnancy and no adequate contraceptive measures. Breastfeeding.
9. Serious medical illness affecting central nervous system (CNS) e.g. M. Parkinson, systemic lupus erythematosus (SLE), brain tumor, cerebrovascular accident (CVA)
10. Relevant medical illness as contra-indications for the use of study medication (Venlafaxine and Imipramine), such as recent myocardial infarction and severe liver or kidney failure
11. Medication affecting CNS e.g. antidepressants and/or antipsychotics other than study medication, steroids (prednisolone), mood stabilisers, benzodiazepines (if not being tapered): >3 mg lorazepam (or equivalent)
12. Direct electroconvulsive therapy (ECT) indication (e.g. very severely suicidal or refusal of food and drinking resulting in life threatening situation)
13. Contra-indications for Lithium (Moleman, 1998):
 - a. Kidney failure

- b. Acute myocardial infarction
- c. Myasthenia gravis
- d. Breastfeeding

Date of first enrolment

01/06/2005

Date of final enrolment

01/06/2009

Locations

Countries of recruitment

Netherlands

Study participating centre

Erasmus Medical Center

Rotterdam

Netherlands

3000 CA

Sponsor information

Organisation

Erasmus Medical Center (The Netherlands)

ROR

<https://ror.org/018906e22>

Funder(s)

Funder type

Industry

Funder Name

Wyeth

Alternative Name(s)

Funding Body Type

Private sector organisation

Funding Body Subtype

For-profit companies (industry)

Location

United States of America

Results and Publications**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration